KAUNN

300 129,307 17 3

Mr. E. S. Caummisar Speer Products, Inc. P.O. Box 18993 4242 B. F. Goodrich Blvd. Memphis, TN 38118

Dear Mr. Coummisar:

Subject: Speer Dairy & Food Plant Insecticide EPA Registration No. 11715-111

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

RD/IRB:Nelson:DCR-05184:WANG-0147L:eg:Raven:479-2013:8/31/84:Del.9/16/84

	CONCURRENCES							
ю: ▶	-							
·NAME) -
DATE -		1						

SPEER SEP 06 1984 DAIRY & Under the Protein Insections is a violation of Pungle to the Resenticide Act in a violation of

Verification

FOOD PLANTmended, for the posticide in a manner INSECTICIDE 11715 ~131

(READY-TO-USE CLEAR LIQUID)

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
*Piperonyl butoxide, technical	0.20%
†N-octyl bicycloheptene dicarboximide	0 33%
Petroleum distillate	0 48%
INERT INGREDIENTS:	98 89%
	100.00%

Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyli ether and 0.04% related compounds tMGK 264, Insecticide Synergist

FOR USE IN DAIRIES, MILK ROOMS, BAKERIES, FOOD PROCESSING PLANTS, WAREHOUSES, OFFICE BUILDINGS, HOTELS, MOTELS, HOSPITALS, KENNELS, ANIMAL QUARTERS AND IN HOUSEHOLDS

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precilionary statements

NET CONTENTS ONE GALLON

Manufactured by: SPEER PRODUCTS, INC. Memphis, TN 38118

EPA Reg N - 1115 111

FPAESON - 11715 TN 1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray. mist. If swall, wed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes In case of contact, immediately flush eyes or skin with plenty of water Obtain medical attention if irritation per

When used in hospitals, patients should be removed. prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventila-

Do not apply directly to food. Do not apply space spray while food processing is underway Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before re-use. After spray ing in meat packing plants, bakeries and the food processing plants, wash with potable water all equipment benches shelving, etc. where exposed food will be handled

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals. before milking

Remove pets, birds and cover fish aquariums before spraying

Physical Hazards

Do not use or store near heat or open frame

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed Pesticide Disposal: Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not contaminate water, food or feed by storage or disposal. Open dumping is pro-

Container uisposal:

a) Containers of 30 gallons or more—reseat container and offer for reconditioning or

b) All containers — Imple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved land. fill or by other approved State and local procedures.

General Consult Federal State or Local disposal author ities for approved alternative procedures

Space Spray to and Flying Mot

DIREC

be sure content sprayer. Close d ventilation equ room or area at dilute spray pe Vacate premise minutes. Ventil.

necessary.

Centact Spray Crickets and Grain Pests: Sh Apply as a co crevices in wo places behind these insects re as possible with as often as nece weevils, cadelli and grain mites infested surfaci sect run ways at

spray on 750 sq

necessary