

17 1770-103 12
FEB 13 1991

5282576

Dr. David Williams
Speer Products, Inc.
4247 B.P. Goodrich Boulevard
P.O. Box 18993
Memphis, TN 38118

Dear Dr. Williams:

Subject: Speer Better World Dairy Spray
EPA Registration No. 11715-119
Your Submission Dated April 12, 1990

The Confidential Statement of Formula (CSF) dated June 30, 1989, replacing methylene chloride with 1,1,1-trichloroethane, will be placed in the file for this product. At the next revision of the CSF, indicate that the petroleum distillate introduced into the formulation with MGK 175 is considered as "inert."

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
2. This product contains petroleum distillate and an extremely flammable propellant. Add Extremely Flammable to the label under the Physical or Chemical Hazards statement. See Section 156.10 of Title 40 of the Code of Federal Regulations.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

50570:I:CR-44:Schroeder:C.Disk:KEVRIC:01/10/91:tlc:WO:EK:tlc:WO:CL

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

PHM

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (R7505C)

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid contamination of feed and food-stuffs. In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. For skin and eyes, call a physician.

Do not apply over uncovered milk or food products. Any exposed utensils or food handling surfaces should be thoroughly cleaned before use.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved water disposal facility.

Container Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

STATEMENT OF PRACTICAL TREATMENT

If On Skin: Flush with plenty of water. Get medical attention if irritation persists.

If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

BETTER WORLD DAIRY SPRAY

FOR MILK HOUSES AND ANIMALS

Kills House Flies, Horn Flies,
Stable Flies, Gnats and Roaches

ACTIVE INGREDIENTS:

Pyrethrins.....500%
Piperonyl Butoxide, Technical.....4 000%

INERT INGREDIENTS:.....95 500%
100 000%

*Equivalent to 3.2% (Butylcarbityl) (S-Propylpiperonyl) Ether and 8% of Related Compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See left panel for
other precautions.

MANUFACTURED BY:
SPEER PRODUCTS, INC.
MEMPHIS, TN 38118

NET WT. _____

EPA REG NO 11715-119

EPA EST NO 11715-TN-1

EPA 700

A ready-to-use insecticide for stable flies, house flies, gnats on lactating and dairy cattle and beef cattle as directed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with directions.

MILKING PARLOR AND MILK HOUSE: Close all windows and doors. Spray for 1 to 2 seconds per 1,000 cubic feet.

Stand in the center of the room. Turn the nozzle toward and spray in all directions. Count the seconds by saying one-thousand, etc. Keep room closed 15 minutes after treatment. Example: A room 10 feet long, 12 feet wide and 8 feet high requires 960 seconds if closed tightly. Otherwise, 120 seconds. Do not remain in the room. Ventilate the area after treatment is completed.

ANIMAL USE: From approximately 10 feet, thoroughly spray entire animal, being released to pasture. Spot spray shoulders and back where saliva from head tossing. Spray to wet, not the skin.

STANCHION BARN USE: Walk behind animal and direct DAIRY AEROSOL over animal approximately 1 second per animal for most effective results, apply evenly.

DOT-39-NRC-200/250
Federal Law forbids transportation of this product. Penalty up to \$25,000 fine and imprisonment. (49 U.S.C. 1809).