# **SPEER**

(Perfume Fragrance)

# GLYCCLIZED AIR SANITIZER DEODORIZER

Reduces Airborne Bacteria Dispels Unpleasant Odors

# **ACTIVE INGREDIENTS:**

EPA Reg No 11715-128

Isopropyl Alcohol	15.7%
Triethylene Glycol	5.0%
Essential Oils	0.3%
INERT INGREDIENTS:	79.0%
	100.0%

# KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed. See back panel for additional precautions

EPA ESI No 11715 TN 1

NET WT. \_\_\_\_

FORMULATED FOR HOSPITALS, SCHOOLS, LOTELS, MOTELS, RESTAURANTS AND OFFICES, LOCKER ROOMS, REST ROOMS, FACTORIES AND INSTITUTIONS.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Do not spray in area of eyes, ears, nose or mouth. If sprayed directly into eyes, wash with water. If irritation persists consult a Physician.

Do not spray on household pets. Cover fish bowls and aquatiums if used in same room with these fish con-

### PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container Exposure to temperature above 130°F may cause bursting

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

# STORAGE AND DISPOSAL

DISPOSAL Do Not Reuse Empty Container
Wrap container and put in trash collection

To operate, remove protective cap. Hold can upright and spray upward toward center of room. For effective air sanitation, close all windows and doors. Spray 5 to 10 seconds for an average room ( $10^{\circ} \times 12^{\circ} \times 9^{\circ}$ ). Repeat 3-4 times daily

Spray this GLYCOLIZED DEODORANT in meeting rooms, lavatories, focker rooms, gymnasiums, sick rooms, kitchens and garbage refuse areas. It will dispel all stale, unpleasant odors of cooking, refuse, amoking and pets

Manufactured By: SPEER PRODUCTS, INC. Memphis, TN 38118 É

ing the second of the control of the

Atten usera i i i i este a de loca ARC (al i solo como toletro e colo colo colo colo i i i a gambago caro e digamba acedo ese interesiona a colo como locación o diación colo solo colo colo colo a her cenarar directo a

The production of the order of the transport of the production of the first target of

# **Precautionary Statements**

Hazards to Humans and domestic animals

# DANGER

Keep out of reach of children. Corrosive Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing Wear goggles or face shield and rubber gloves when handling. Harmful or fatal is swallowed. Avoid contamination of food

## STORAGE AND DISPOSAL

-DO NOT CONTAMINATE WATER FOOD OR FEED BY STORAGE OR LINE OF ALL OPEN DUMPING IS PROHIBITED DO NOT REUSE EMPTY CONTAINER

# PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR GET MICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

# CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL

APPROVED FOR PESTICIDE CONTAINERS OR BURY IN A SAFE PLACE

# GENERAL

CONSULT FEDERAL. STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

NET CONTENTS \_\_\_\_\_



# BIO-GARD

Highly Concentrated Germicide Based on a Unique Blend of Quaternaries with Organic Soil Load Tolerance

Discrifectarit-Cleaner-Sanitizer-Fungicide-Midlewstate-Virucide\*— Deodorizer for Hospitals, Institutional and Industrial Use

## Active Ingredients

grand fig. 12. 5 cg., An margin Chlande	3 750 5
Ð⊷ tið Cemetri, ∍Ámmor am Chlonde	1.8*5%
D. S Digitality American Officiale	1.975~∈
Alky, Co. 1997 4th Co. 1994 Dennity, Berzyl Ammonium Chloride	5 000"
Inert Ingredients	გ. მამაი
-	100 0000

## KEEP OUT OF REACH OF CHILDREN

# **DANGER**

# Statement of Practical Treatment

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately

NOTE TO PHYSICIAN: Probable mucosal darnage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
EPA Registration No. 46295-5
EPA Establishment No. 39283-DE-01

MANUFACTURED BY: Quip, Inc., 407 E. Ayre St., Newport, DE 19804 FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY