

SPEER

(Perfume Fragrance)

GLYCOLIZED AIR SANITIZER DEODORIZER

Reduces Airborne Bacteria
Dispers Unpleasant Odors

ACTIVE INGREDIENTS:

| | |
|--------------------------|-------|
| Isopropyl Alcohol | 15.7% |
| Triethylene Glycol | 5.0% |
| Essential Oils | 0.3% |

| | |
|--------------------------|--------|
| INERT INGREDIENTS: | 79.0% |
| | 100.0% |

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Harmful if swallowed. See back panel for additional precautions.

NET WT. _____

EPA Reg. No. 11715-128

EPA Est. No. 11715-TN-1

FORMULATED FOR HOSPITALS, SCHOOLS, HOTELS, MOTELS, RESTAURANTS AND OFFICES, LOCKER ROOMS, REST ROOMS, FACTORIES AND INSTITUTIONS.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Do not spray in area of eyes, ears, nose or mouth. If sprayed directly into eyes, wash with water. If irritation persists consult a Physician.

Do not spray on household pets. Cover fish bowls and aquariums if used in same room with these fish containers.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not use product if can is hot or hard by storage and disposal. Storage: Store in a cool dry area away from heat or flame. Disposal: Replace cap and discard container in trash. Do not reuse or recycle.

To operate, remove protective cap. Hold can upright and spray upward toward center of room. For effective air sanitation, close all windows and doors. Spray 5 to 10 seconds for an average room (10' x 12' x 8'). Repeat 3-4 times daily.

Spray this GLYCOLIZED DEODORANT in meeting rooms, laboratories, locker rooms, gymnasiums, sick rooms, kitchens and garbage refuse areas. It will disperse all stale, unpleasant odors of cooking, refuse, smoking and pets.

Manufactured By:
SPEER PRODUCTS, INC.
Memphis, TN 38118

STATEMENT OF PRACTICAL TREATMENT

IF INHALED- Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN- Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF IN EYES- Flush eyes with plenty of water. Obtain medical attention if irritation persists.

IF SWALLOWED- Call a physician or Poison Control Center immediately. Do not induce vomiting without medical supervision because of possible aspiration hazard.

ACCEPTED
JUL 03 1989

Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the purpose of registration under EPA Reg No. 11715-128

BEST AVAILABLE COPY

11715-128
PM 31
106