

FRONT PANEL

SPEER

E - Z MAY AUTOMATIC FOGGER

WITH FENVALERATE

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats.
Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

One Unit Treats up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%
Cyano (3-phenoxyphenyl) methyl 4 chloro-alpha-(1-methylethyl) benzeneacetate	0.400%
Petroleum distillate	14.278%

INERT INGREDIENTS:

85.122%
<u>100.000%</u>

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets.

Net Weight 7.5 Ounces

Manufactured By

SPEER PRODUCTS, INC.
Memphis, TN 38119

EPA Reg. No. 11715-

EPA Est. No. 11715-TI-1

11715-131

11715-13'

RIGHT SIDE PANEL

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

PREPARATION: Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames except pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO START FOGGING: Place Fogger on table, chair or stand, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in upright position on table, etc. and leave building at once. DO NOT ENTER BUILDING FOR ONE HOUR then open exterior doors and windows and allow to air for 30 minutes before reoccupying area.

To Kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

11715-131

Precautionary Statements

Hazards To Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting because of aspiration hazard. Get medical attention.

If on skin: Wash off with soap and water. Get medical attention if irritation persists.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.