

BETTER WORLD  
TOMATO & VEGETABLE  
INSECT SPRAY

Provides Rapid Control of Insects Listed on Side Panel

May be used on Food Crops to within One Day of Harvest

ACTIVE INGREDIENTS:

Pyrethrins . . . . .0.100%  
\*Piperonyl Butoxide, Technical. . . .0.500%

\*\* INERT INGREDIENTS. . . . .99.400%  
100.000%

\*Equivalent to 0.40% (butylcarbityl)  
(6-propylpiperonyl) ether and to 0.10%  
related compounds

\*\*Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements

Net Weight \_\_\_\_\_

Manufactured by

SPEER PRODUCTS, INC.

Memphis, TN 38118

BEST AVAILABLE COPY

EPA Reg. No. 11715 - 134

EPA Est. No. 11715-TN-1

Not Reviewed. Registrant claims to be in accordance with  
Reregistration of Pesticide Product Guidance for Phase 2  
Response, Page 2.12, Active to Initiate Change in Status.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label and apply as directed.

SHAKE WELL BEFORE USING.

For best results, use throughout the growing season to prevent buildup of insect populations. Spray plants from a distance of 3½ to 4 feet using short bursts (one second). To prevent injury to plants, avoid visibly wetting the foliage.

Apply in the early morning or late evening when the air is still, treating all foliage with particular attention to the undersides of the leaves. contact insects directly whenever possible. Repeat applications at 7 to 10 day intervals or after heavy rains. Do not apply to food crops within one day of harvest.

USE ON	TO CONTROL
Tomatoes	Flea Beetle, Hornworm, Colorado Potato... Beetle, Stink Bug, Green Peach Aphid... Two Spotted Spider Mite, White Fly
Peppers, Eggplants, Potatoes	Colorado Potato Beetle, Leafhoppers, Blister Beetle, Green Peach Aphid, Flea Beetle
Cucumbers, Squash Melons	Striped and Spotted Cucumber Beetle Aphids, Two Spotted Spider Mite
Beans	Mexican Bean Beetle, White Fly, 12-Spotted Cucumber Beetle, Two Spotted Spider Mite
Sweet Corn	Japanese Beetle
Carrots	Leafhoppers
Peas	Aphids
Cabbage	Aphids, Cabbage Loopers

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with  
Reregistration of Pesticide Product Guidance for Phase 2  
Response, Page 2.12, Active to Initiate Change in Status.

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS &amp; DOMESTIC ANIMALS

## CAUTION

Keep out of reach of children. Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes.

## ENVIRONMENTAL HAZARDS

Do not use near fish bowls or aquaria. Apply this product only as specified on this label.

## PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposures to temperatures above 130°F may cause bursting.

## STORAGE AND DISPOSAL

Storage: Store in cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Start Change in Status.

BEST AVAILABLE COPY