

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and food dishes. Wash hands with soap and water after using and before eating or smoking. Do not allow children to be or sleep in treated areas until at least six hours following treatment.

Do not use in commercial food processing preparation or serving areas or in household storage areas. In home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover or remove exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If inhaled—Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin—Remove contaminated clothing and wash affected areas with soap and water.

If in eyes—Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN—Chlorpyrifos is a cholinesterase inhibitor. Atropine by injection is antidotal only if symptoms of cholinesterase inhibition are present.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**FORCE ONE
AUTOMATIC
FOGGER**

(Contains Dursban®)

One Unit Treats Up To 5,000 Cu. Ft.

Kills Fleas and Ticks, Houseflies, Mosquitoes, Cockroaches, Spiders, Centipedes, Wasps, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Bugs, Crickets and Silverfish.

ACTIVE INGREDIENTS

Chlorpyrifos (0.08% Dursban®)	3.5%
Permethrin (0.02% Pyrethroid)	1.0%
Pyrethrins	0.5%
Piperonyl Butoxide (Technical)	1.0%
1-N-Octyl Bicycloheptene Diarylimide	1.5%
Petroleum Distillate	98.44%
	100.00%

INERT INGREDIENTS

*Equivalent to 0.08% Butylcarbitol, 6-Propyl-piperonyl Ether and 0.02% related compounds, 1-MK-264, Insecticide Synergist.

For homes, apartments, offices, basements, campers, boats, garages, plants, warehouses, boxcars, trucks, kennels, and pet sleeping areas.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Additional Precautions on Left Panel.

Net Weight 6 Ounces

Manufactured by
SPEER PRODUCTS, INC.
Memphis, TN 38118

EPAA Reg. No. 100-1037 EPA Reg. No. 100-1037

Ants,

This water-base formula has no strong solvent odor—is non-staining—and won't damage carpets, drapes or floors.

DIRECTIONS FOR USE

This is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool, dry area away from heat or flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

Use one canister for each 5,000 cu. ft. of unobstructed area. Example: 25' long x 20' wide x 10' high = 5,000 cu. ft. Use additional units for remote rooms or where free flow of the mist is not assured. Do not use in an area less than 1,000 cu. ft.

PREPARATION: Cover exposed foods, dishes, and food handling equipment. Cover or remove brass or copper articles, lamps, artifacts, headboards, etc. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames, except pilot light. Remove pets and cover fish tanks or fish bowls with paper or remove from area. Close exterior doors and windows.

TO START FOGGING: Place fogger on table, chair, or stand in center of area, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Pull down on finger pad until clicks. This will start fogging action. Set canister in upright position on table, etc., and leave building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS; then open exterior doors and windows and allow to air for one hour before reoccupying area. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing out time accordingly.

061

11715 37