MAGIC FORCE

AUTOMATIC FOGGER

(Contains Dursban)

Une Unit Treats Up To 6,000 Cu.Ft.

ralls Fleas and Ticks, Houseflies, Mosquitoes, Cockroaches, Spiders, Centipedes, Wasps, Black Carpet Beetles, Jaw Touthed Grain Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets and Silverfish.

ACTIVE INGREDIENTS:

Colorovrifos (0.0Diethy) 0-(3.5.6-Trichloro) -	
Cnlorpyrifos (0,0,-Diethyl 0-(3,5,6-Trichloro 2-Pyridyl) Phosphorothioate)	•	1.000%
Pyrethrins	. •	. 0.050%
*Piperonyl Butoxide, lechnical		. 0.100%
+N-Octyl Bicycloheptene Dicarboximide		. 0.166%
Petroleum Distillate		. ০.239%
INERT INGREDIENTS	• -	.98.445%
	•	100.000%

*Equivalent to 0.08% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.02% related compounds

+MGK 264, Insecticide Synergist

For homes, apartments, attics, basements, campers, boats, garages, plants, warehouses, boxcars, trucks, kennels, and pet sleeping areas.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautions on Left Panel

Net Weight 7.5 Ounces

Manufactured by:

SPEER PRODUCTS, INC. Memphis, TN 38118

EPA Reg. No. 11715-

EPA Est. No. 11715-TN-1

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool, dry area away from heat or flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

Use one canister for each 6,000 cu. ft. of unobstructed area. Example: 30' long x 20' wide x 10' high = 6,000 cu. ft. Use additional units for remote rooms or where free flow of the mist is not assured. Do not use in an area less than 3,000 cu.ft.

PREPARATION: Cover exposed foods, dishes, and food handling equipment. Cover or remove brass or copper articles (lamps, artifacts, headboards, etc.). Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows.

TO START FOGGING: Place Fogger on table, chair or stand, in center of area, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks - this will start fogging action. Set canister in upright position on table, etc., and leave building at once.

po Not Re-Enter Building for TWO Hours, then open exterior doors and windows and allow to air for one hour before reoccupying area. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly.

To kill Fleas and Ticks: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with a registered flea and tick control product prior to re-entry.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and foodstuffs. Wash hands with soap and water after using and before eating or smoking. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

Do not use in commercial food processing preparation, or serving areas or in household storage areas. In home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover or remove exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

- If inhaled Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes Flush eyes with plenty of water. Get medical attention, if irritation persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Atropine by injection is antidotal only if symptoms of cholinesterase inhibition are present.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

H.C. ENVIRONMENTAL OPPOTECTION LCENCY	LPA REGISTRATION NO.	CATE OF LICHARD
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDED FROMPAM REGISTRATION DIVIGION IMPROT	TERM OF ISSUANCE	
MASSES STORE STORE AND		
NOTICE OF PESTICIDE:	NAME OF PESTICIDE PRODUC	, T
Under the Federal Insections of Function and Rodenticide Astronomical infection		
AME AND ADDRESS OF RESISTRANT Include ZIP code;		·
Г	· ¬	
ı	1	
t		
NOTE: Changes in labeling formula differing in substance f submitted to and accepted by the Registration Division pric product always refer to the above U.S. EPA registration num	or to use of the label in commerc	with this registration must be ee. In any correspondence on this
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereb	y Registered/Reregistered unde
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is ret	urned herewith.
health and the environment, the Administrator, on his motio icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others.	ame in connection with the regis	tration of a product under this