

PRECAUTIONARY STATEMENTS

Hazards To Humans
& Domestic Animals

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid inhalation and skin contact. Wash thoroughly with soap and water after handling and before eating or smoking.

Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. DO NOT use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in food serving areas while food is exposed. Keep children and pets out of treatment area and cover fish bowls and aquariums during treatment. Do not allow children or pets on treated areas until spray has dried.

Do not use as a space spray—FOR SURFACE APPLICATION ONLY.

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If on skin—Wash promptly with soap and water. Rinse thoroughly.

If in eyes—Rinse eyes for at least 15 minutes with water and call a physician immediately.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Storage and Disposal

Seal unexpired stock, label and keep away from heat or flame. Storage: Store in a cool dry area away from heat or flame. Disposal: Lighten up and discard contents in tank, to all interests or parties.

SPI ROACH AND ANT SPRAY

(with Dursban®)

**KILLS FLEAS, BROWN DOG TICKS,
ROACHES, ANTS, SILVERFISH AND
OTHER LISTED INSECTS.**

ACTIVE INGREDIENTS:

Pyrethrin	0.025%
*Piperonyl Butoxide, Technical	0.030%
(N-Octyl) Bicycloheptane Dicarboximide	0.084%

Chlorpyrifos (0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) Phosphorothioate)	0.900%
INERT INGREDIENTS	99.971%
Total	100.000%

*Equivalent to .04% (butylcarbitol) (6-propyl-piperonyl) ether and .01% related compounds.

TMGX-384, Insecticide Synergist

Dursban® Trademark of the Dow Chemical Company

↔ Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautions on Left Panel

NET WT. _____ OZ.

Manufactured by
SPEER PRODUCTS, INC.
Memphis, TN 38118

EPA Reg. No. 11715-142

EPA Est. No. 11715-TM-1

"AFTER"

NOT REVIEWED
RECEIVED BY EPA per PR Notice 88-6

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING. Direct spray away from face. Hold container 10-12 inches from surface and spray at a rate of 1 foot per second or until surfaces are wet. If reinfestation occurs, repeat application as necessary.

FLEAS AND BROWN DOG TICKS: Thoroughly spray bedding, cracks, crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings where pets normally lie down. Do not spray on pets. Allow the sprayed areas to dry thoroughly. Treat your pet with a registered flea and tick product to control the source of your infestation. Replace bedding before permitting use by animals. For dog kennels, apply to outside runways, window sills and ledges.

ROACHES, WATERBUGS, CRICKETS, AND CENTIPEDES: Thoroughly spray cracks, crevices, baseboards and around garbage containers and other places where insects habitate.

ANTS: Spray ant trails, window frames, door sills and other places where ants may enter. Spray directly on ant hills or on swarming ants outdoors only.

FLIES, MOSQUITOES, GNATS, WASPS: Apply to screens, walls, door and window frames, light fixtures and other outdoor surfaces where insects congregate.

CLOVER MITES, SOWBUGS AND EARWIGS: Spray window and door sills and other points of entry-outside only. Apply also to outside foundation and porches to ground level.

SILVERFISH AND FIREBRATS: Apply to cracks, baseboards, behind shelving, bookcases and other storage areas.


PAPER NEST WASPS AND MUD DAUBERS: Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

SCORPIONS AND SPIDERS: Spray directly on pests when possible. Treat surfaces of out building and garage where pests hide or congregate. Spray points of entry such as window sills and along crevices.

11715-142

per 12

1051



Handwritten mark, possibly initials or a signature.