

SPI ROACH AND ANT SPRAY

KILLS FLEAS, BROWN DOG TICKS, ROACHES, ANTS, SILVERFISH AND OTHER LISTED INSECTS.

ACTIVE INGREDIENTS:

Pyrethrins	0.025%
Piperonyl Buloxide, Technical*	0.050%
N-Octyl Bicycloheptene Dicarboximide†	0.084%
Chlorpyrifos [0,0-Diethyl-0-(3,5,6-trichloro-2-pyridyl)Phosphorothioate]	0.500%
INERT INGREDIENTS**	99.341%
TOTAL	100.000%

*Equivalent to .04% (butylcarbityl) (6-propyl-piperonyl) ether and .01% related compounds.

**Contains Petroleum Distillates
†MOK-264, Insecticide Synergist

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Additional Precautions on Side Panel

NET WT. _____ OZ.

EPA Reg. No. 11715-142 EPA Est. No. 11715-TN-1

Manufactured by:
SPEER PRODUCTS, INC.
P. O. Box 18993
Memphis, TN 38181-0993

This water-based insecticide has no strong kerosene odor; is non-staining and will not damage carpets, rugs, floors or baseboards.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: All indoor uses are limited to spot treatment and/or crack and crevice use. Do not use as a broadcast treatment indoors.

SHAKE WELL BEFORE USING

Direct spray away from face. Hold container 10-12 inches from surface and spray at a rate of 1 foot per second or until surfaces are wet. If reinfestation occurs, repeat application as necessary.

FLEAS AND BROWN DOG TICKS: Remove all bedding. Spot treat cracks, crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings where pets normally lie down. Do not spray on pets. Allow the sprayed areas to dry thoroughly. Treat your pet with a registered flea and tick product to control the source of your infestation. Replace bedding before permitting use by animals. For dog kennels, apply to outside runways, window sills and ledges.

ROACHES, WATERBUGS, CRICKETS, AND CENTIPEDES: Spot treat cracks, crevices, baseboards and around garbage containers and other places where insects habitate.

ANTS: Spray ant trails, window frames, door sills and other places where ants may enter. Spray directly on ant hills or on swarming ants outdoors only.

FLIES, MOSQUITOES GNATS, WASPS: Apply to screens, walls, door and window frames, light fixtures and other outdoor surfaces where insects congregate.

CLOVER MITES, SOWBUGS AND EARWIGS: Spray window and door sills and other points of entry-outside only. Apply also to outside foundation and porches to ground level.

SILVERFISH AND FIREBRATS: Spot treat cracks, baseboards, behind shelving, bookcases and other storage areas.

PAPER NEST WASPS AND MUD DAUBERS: Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

SCORPIONS AND SPIDERS: Spray directly on pests when possible. Treat surfaces of out buildings and garages where pests hide or congregate. Spray points of entry such as window sills and along crevices.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If On Skin:** Wash promptly with soap and water. Rinse thoroughly. **If In Eyes:** Rinse eyes with plenty of water and call a physician immediately. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid inhalation and skin contact. Wash thoroughly with soap and water after handling and before eating or smoking. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. **DO NOT** use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in food serving areas while food is exposed. Keep children and pets out of treatment area and cover fish bowls and aquariums during treatment. Do not allow children or pets on treated areas until spray has dried. Do not use as a space spray - **FOR SURFACE APPLICATION ONLY.**

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Apply this product only as specified on this label.

PM 04
11715-142
Accepted Stamp on Pg. 3 of 3
4-14-98
1 of 3

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use in or around electrical equipment due to possibility of shock hazard.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Storage: Store in a cool dry area away from heat or flame.

Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.

C:\MSPUB\REG142.PUB-(1/7/98-amend)

