

X 11715-159 EPA 11

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the products registered under EPA Reg. No. FEB 25 1988

READ INSTRUCTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CRACK AND CREVICE INJECTION USE ONLY

HOW TO USE CRACK AND CREVICE INJECTION EQUIPMENT:

This product is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 1/2" into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately one (1) second spray per spot. In serious infestations, if possible, place spots approximately 12" apart. In light infestation or preventive treatment place spots approximately 3 feet apart. See additional directions below for effective control of specified insects.

CRAWLING INSECTS: COCKROACHES, WATERBUGS, SPIDERS, TICKS, EARWIGS, CRICKETS, SOWBUGS, CENTIPEDES: Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

SILVERFISH: Spray cracks and crevices in baseboards, door frames, bookcases, and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into trails, nests, and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES: Indian Meal Moths (in exposed adult and larvae stages): Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, around windows and door frames, under siding, in machinery, and in dark secluded areas. Repeat as necessary.

SPEER E-Z WAY

Residual Crack & Crevice Injection System

For Use in Hospitals, Supermarkets, Motels, Hotels, Homes, Transportation Equipment (buses, boats, ships, trains, planes), Utilities, Non-Food Areas of Meat Packing and Food Processing Plants, Restaurants and Other Food Handling Establishments.

ACTIVE INGREDIENTS:
Tetramethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate] 0.200%
*Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1-methylethyl) benzeneacetate 0.400%

INERT INGREDIENTS: 99.400%
100.000%

*Licensed under U.S. Patent No. 4,062,968 of Sumitomo Chemical Company.
EVERCIDE® Registered Trademark of McLaughlin Gormley King Company.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See Back Panel for Additional Precautionary Statements.

Kills: Cockroaches, Waterbugs, Spiders, Ticks, Earwigs, Crickets, Sowbugs, Centipedes, Silverfish, Ants, Grain Weevils, Flour Beetles and Indian Meal Moths.

NET WT. _____ OZ.

Manufactured by:
SPEER PRODUCTS, INC.
Memphis, TN 38118

EPA Reg. No. 11715-159 EDA Est. No. 11715-TN-1

PRECAUTIONARY STATEMENTS
Hazards To Humans and Domestic Animals
CAUTION
Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.
For use only in non-food areas of food handling establishments. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.
Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Get medical attention.
IF ON SKIN: Wash off with soap and warm water. Get medical attention if irritation persists.
IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL
Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Replace cap and discard container in trash. Do not incinerate or puncture.