11715 162 PMI FPA REGISTRATION US ENVIRONMENTAL PROTECTION AGENCY 11715-162 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION Mug-A-Bug Insecticide with (Under the Federal Insecticide, Funcicide, and Rodenticide Act, as amended) Rotenone/Pyrethrins NAME AND ADDRESS OF REGISTRANT (Include ZIP code) 1/164,55 Speer Products, Inc. 4242 B. F. Goodrich Boulevard P.O. Box 18993 Memphis, TN 38118 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you: 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of inilar products to submit such data. Hake the labeling changes listed below before you release the product for shipment: a. Add the phrase "EPA Registration No. 11715-162" You must update your pesticide and container disposal statements per PR Notice 83-3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release tor shipment of the Iroduct constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Timothy A. Gardner Product Hanager (17) Insecticide-Rodenticide Branch Registration Division (TS-767C) **Fnclosures** ATTACHMENT IS APPLICABLE

EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

12-31-85

MUG-A-BUG INSECTICIDE

with ROTENONE/PYRETHRINS EMULSIFIABLE CONCENTRATE 1.1% + 0.8%

FORMULA II

EMULSIFIABLE PYRETHRUM-ROTENONE PLANT & ANIMAL INSECTICIDE Contains 0.08 lb/gal (9.9 g/L) of Rotenone & 0.06 lb/gal (7.2 g/L) of Pyrethrins

ACTIVE INGREDIENTS:	
Rotenone	1.1% w/w
Other Cube Extractives	2.2%
Pyrethrins	0.8%
Petroleum Distillate	
Aromatic Petroleum Solvent	
INEST INCHEDIENTS:	g no/.

100.0% Y

Penick Corporation Trademark

PRECAUCION AL CONSUMIDOR: SI usted no lee Ingles, no use este producte eliquela le haya sido explicada ampliamente.

TRANSLATION: (To the user: If you cannot read English, do not use this product has been fully explained to you.)

KEEP OUT OF REACH OF BHILDREN WARNING

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

EPA REG. NO. 11715-

EPA EST, 11715-TN-1

NET CONTENTS.

Manufactured By SPEER PRODUCTS, INC.

Memphis, TN 38110

LTIONARY STATEME LIMANS AND DOMES WARNING

orm ul ik bsorbed through skin. (eye in ury. Yest salety glasses. D

STATEMENT OF PRACTICAL TREAT M physician or Polson Control Center, I egowy liter delatin withon, or, if these are not available nouce remiting. This product conta ្ន Fin តិ with planty of water. Get medi

BUYIRONMENTAL HAZARDS duck laric to fish Do Aol Do not apply directly to water

OR TOR NEAR HEAT OR OPEN FLAME. FIL

DIRECTIONS FOR USE non of Federal law to use this product in a manne

STORAGE AND DISPO

Do not contaminate water, food or feed by storage or dispos PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water label instructions must be disposed of according to app procedures.

CONTAINER DISPOSAL: For containers one gallon and unc Wrap container and place in trash collection.

For containers over one gallon: Triple rinse (or equivale reconditioning, or puncture and dispose of in a sanitary land local procedures.

DIRECTIONS FOR USE (Continued on Re

DIRECTIONS FOR USE (Continued)

For use on ornamental and flowering plants such as poplar, linden, dogwood, willow, birch, boxelder, maple, oak, elm, pine, spruce, cedar, yew, spirea, rose, lilac, zinnia, aster, petunia, geranium, dahlia, giadiolus, phiox, sweet pea, marigold, carnation, chrysanthemum, and rose, mix this product with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER (3.79L)
Aphids, Leafhoppers, Exposed Thrips	1 teaspoon (5 ml)
Oblique-banded Leaf Rollèrs, Sawfly larvae, Boxelder bugs, Japanese beetles, Elm leaf beetle larvae, Mites, Lygus bugs, Lace bugs, Greenhouse Whitefiles, Stink bugs, Garden Fleahoppers, Greenhouse Leaftlers	2 teaspoons (10 ml)
Cucumber beelles, Rose chafers, Ants, Aster beetles, Flea beetles	4 teaspoons (20 ml)

For use on vegetable plants such as peas, bean, beet, cucumber, squash, muskmelon, potato, tomato, cabbage, spinach, lettuce, celery, asparagus, pepper, eggplant, onion, carrot and corn: Mix with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER (3.79L)
Aphilds, Leafhoppers, Exposed Thrips	1 tesspoon (ವ ml)
Cabbage Worms, Bean Beetles, Beet Webworms, Sod Webworms, Asparagus Beetles, Japanese Beetles, Lygus Bugs, Whitefiles, Garden Fleahoppers, Harlequin Bugs, Oblique-banded Leaf Rollers, Stink Bugs, Celery Leaftlers, Melon Worms, Tortoise Beetles, Garden Webworms, Alfalfa Webworms and Mites	2 teaspoons (10 ml)
Cucumber Beetles, Flea Beetles, Vegetable Weevils, Squash Bugs (nymphs), Squash Vine Borers, European Corn Borers- 3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals.	4 teaspoons (20 ml)

For use on fruits and berries such as apple, pear, peach, plum, cherry, grape, currant, gooseberry, raspberry, blackberry, strawberry and blueberry, consult the following chart. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed. Keep diluted spray away from light.

PESTS	VOLUME OF PRODUCT/GALLON OF WATER (3.79 L)
Aphids, Leathoppers, Exposed Thrips	1 teaspoun (5 ml)
Imported Current Worms, Gooseberry Fruit Worms, traspberry Fruit Worms, Blueberry Maggots, Cherry Fruit Files, Stravbarry Roof Worms (adult), Red-necked Borers, Japanese beetles, and Mites	2 leaspoons (10 mi)
Strawberry Leafrollers and Rose Chafers	4 leaspoons (20 ml)

DIRECTIONS FOR USE (Continued)

TO KILL FLEAS, TICKS AND LICE ON DOGS, CATS, AND PREMISES: (KEEP DILUTED SPRAY AWAY FROM LIGHT).

ON DOGS: DO NOT USE MORE THAN 1 FLUID OUNCE (2 Tbsp.) (30 ml) PER GALLON (3.79 L) ON PUPPIES.

For fleas and lice, dilute Mug-A-Bug Insecticide at the rate of 1 fluid ounce (2 Tbsp.) (30 mi) per 1 gallon (3.79 L) of water. [For young animals, use 1/2 fluid ounce (1 Tbsp.) (15 mi) per 1 gallon (3.79 L) of water]. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

For ticks, dilute MUG-A-BUG insecticide at the rate of 2 fluid ounces (4 Tbsp.) (60 ml) per 1 galion (3.79 L) of water. [For young animals, use 1 fluid ounce (2 Tbsp.) (30 ml) per 1 gallon (3.79 L) of water]. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal. To prevent reinfestation, thoroughly spray the animal's living quarters with FOLIAFUME® insecticide.

ON CATS: DO NOT USE ON YOUNG KITTENS. ON ADULT ANIMALS, DO NOT USE MORE THAN 1 FLUID OUNCE (2 Tbsp.) (30 ml) PER GALLON (3.79 L).

For fleas, ticks and lice, dilute¹ MUG-A-BUG Insecticide at the rate of 1 fluid ounce (2 Tbsp.) (30 mi) per gallon (3.79 L) of water. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal. To prevent reinfestation, thoroughly spray the animal's living quarters with MUG-A-BUG Insecticide.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.