

- f. Change "Keep out of lakes, streams or ponds" to "Do not apply directly to water."
- g. Add STORAGE AND DISPOSAL block.

Storage: Store in original container.

Disposal: Do not reuse empty container. Wrap and put in trash.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

PET GUARD ANIMAL & KENNEL SPRAY

Proposed Label

For Control of Ticks, Fleas, Lice and Ear
Mites on Dogs and Cats

Protects against Chiggers, Eye Gnats, Biting
Flies and Mosquitoes

The insecticidal ingredients of this concen-
trate are highly and rapidly effective against
insects. This concentrate is designed for di-
lution with water at specified rates for use
on animals or in kennels as a space, surface,
fogging spray or as a dip.

ACTIVE INGREDIENTS:

Pyrethrins	1.187
Piperonyl Butoxide, Technical	11.84
INERT INGREDIENTS:.....	86.98
	100.00

*Equivalent to 9.47% (butylcarbityl)(5-propyl-
piperonyl ether and 2.37% related compounds

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional precautions

Net Contents

EPA REG. NO. 11715-

EPA EST. NO. 11715-TN-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this
product in a manner inconsistent with its
labeling.

Dilutions of this concentrate should be made
shortly before use in the quantity needed for
the individual application. Water dilutions
should not be kept for future use.

To Control Insects On Animals

Sponge Bath or Dip: Dilute this concentrate
at a rate of 1 fluid ounce in 23 fluid ounces
of water (2 tablespoons of concentrate in
2 3/4 cups of water) or 5 fluid ounces (12
tablespoons) in 1 gallon of water.

For rapid control of ticks, fleas and lice
on cats and dogs, sponge solution on thor-
oughly wetting skin over entire animal or dip
the animal. Do not rinse; allow solution
to remain on animal. In cases of heavy tick
infestations on long-haired cats or dogs,
dilute 1 fluid ounce of concentrate to 11
fluid ounces with water (2 tablespoons of
concentrate in 1 1/4 cups water) or 12 fluid
ounces (24 tablespoons) of concentrate in
one gallon of water.

Mist Spray: Dilute this concentrate at the
rate of 7 fluid ounces in 1 gallon of water
or 1 fluid ounce of concentrate in 18 fluid
ounces of water.

For rapid control of ticks, fleas and lice
using a mist spray. To insure thorough cover-
age, part the fur by stroking against the lay
of the hair as spray is applied. Spray ticks
directly. Apply to moisten the fur lightly.

To control spinose ear ticks and ear mites,
syringe the ears with a few drops of this
dilution so that it can penetrate the wax down
to the surrounding tissues. Repeat treatment
once or twice at 2 to 3 day intervals as neces-
sary. For temporary protection from mosquitoes,
eye gnats, biting flies and chiggers, apply to
cover the surface of the hair. Repeat treat-
ment as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This
product will control ticks on cats should they
occur.

To Control Insects in Kennels and Animal Quar- ters

Dilute at the rate of 13 fluid ounces in 1
gallon of water or 2 fluid ounces in 18 fluid
ounces of water.

Remove pets before treating area and ventilate
thoroughly before allowing them to re-enter
treated area.

For rapid cleanout of fleas and ticks in kennels,
apply this dilution in a good machine adjusted
to deliver coarse droplets. Apply to the point
of runoff with special attention to cracks and
crevices and other insect hiding places. Bed-
ding should be removed and sprayed thoroughly.

To control flies
in kennels, apply
adjusted to def
of approximately
of space. Fill t
wherever practic
closed for 10 mi
Do not remain in
after treatment

Do not reuse em
and put in tras

PREC
HAZARDS TO

Harmful if swal
of feed and ute
covered while s

Remove pets, bi
before spraying

ENVI

This product is
lakes, streams
water by clean
wastes. Apply t
on this label.

Buyer assumes
handling of th
cordance with

Man
SPEER PR
Memp

As
with
in EPA

MAY

Under the
Fungicide.
as a fungicide
registered