

**PRECAUTIONARY STATEMENTS**  
**CAUTION**

**HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush contaminated skin with plenty of water. Avoid contamination of feed and foodstuffs. Do not spray directly over food or milking utensils. Wash hands with soap and water after use.

**ENVIRONMENTAL HAZARDS**

Remove pets, birds and cover fish aquaria before spraying. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL HAZARDS**

**EXTREMELY FLAMMABLE.** Contents under pressure. Keep away from fires, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**STATEMENT OF PRACTICAL TREATMENT**

If **swallowed** - Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If **inhaled** - Remove victim to fresh air. Apply respiration if indicated.

If **on skin** - Wash contaminated skin with soap and water.

If **on eyes** - Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**SPEER  
STABLE SPRAY**

Kills and repels horseflies, horn flies, stable flies, deer flies, houseflies, mosquitos, gnats, and wasps.

**ACTIVE INGREDIENTS:**

Phrethrins .....	0.20%
* Piperonyl Butoxide, Technical .....	0.40%
+ N-Octyl Bicycloheptene Dicarboximide .....	0.67%
** Dipropyl Isocinchomerate .....	1.34%
*** 2,3,4,5-Bis(2-Butylene) Tetrahydro 2-Furaldehyde .....	0.50%

**INERT INGREDIENTS:** ..... 96.89%  
100.00%

\* Equivalent to 0.32% (Butylcarbityl) (6-Propylpiperonyl) Ether and .080% related compounds.

+ MGK 264 Insecticide Synergist, U.S. Pat. No. 2,576,512.

\*\* MGK Repellent 326, U.S. Pat. No. 2,757,120.

\*\*\* MGK Repellent 11.

For use in barns for protection of dairy cattle, beef cattle, and horses.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See Additional Precautions on Side Panel

NET WEIGHT \_\_\_ OZ.

MANUFACTURED BY:  
SPEER PRODUCTS, INC.  
MEMPHIS, TN 38118

EPA REG. NO. 11715-173

EPA EST. NO. 11715-TN-1

**DIRECTIONS FOR USE**  
**GENERAL CLASSIFICATION**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**FOR FACE FLIES:** Remove mucous secretions and saliva deposits from face of animal. Hold dispenser 18 to 24 inches from animal. Spray face and other body regions for 3-4 seconds per animal. Repeat daily, as needed.

**FOR HORSEFLIES, HORN FLIES, STABLE FLIES, DEER FLIES, HOUSEFLIES, MOSQUITOS, AND GNATS:** Hold container 18 to 24 inches from animal. Apply lightly to coat with a sweeping motion. Apply to back, belly, ear, or leg regions. Do not spray entire animal. Spray young animals sparingly. Do not apply to backs of horses prior to saddling. Mist directly over surface wounds, minor cuts, and skin abrasions to keep flies away.

**FOR USE IN BARNs:** Close all doors and windows and direct spray upward into center of area with a slow sweeping motion. Spray 5 to 10 seconds for each 1000 cubic feet of space. Do not remain in treated areas. Keep barn closed for 10 minutes after spraying. Ventilate thoroughly after treatment and before re-entry.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in cool place away from heat or open flame.

**DISPOSAL:** Securely wrap original container in several layers of newspapers and discard in trash.

ACCEPTED

MAY 4 1986

Level Insecticide  
and Herbicide  
used for the pesticide  
under  
EPA Reg. No.