

Reg no: 11715 - 173

PM-17

193

JUN 21 1990

Speer Products, Inc.
4242 B.F. Goodrich Blvd.
Memphis, TN 38118

Dear T. David Williams

Subject: Speer Stable Spray
EPA Reg. No. 11715-173
Application dated April 30, 1990

The proposed amendment to the registration of the product cited above under the Federal Insecticide Fungicide and Rodenticide Act removing the active ingredient, MGK R-11, and increasing the amount of another active ingredient is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records.

- 1.) Submit the product specific chemistry data and matrix for this new formulation.
- 2.) Submit a revised Confidential Statement of Formula (CSF) with all items completed. Your current CSF does not list the flashpoint of the product.
- 3.) Add the statement "Do not puncture or incinerate" to the disposal statement.
- 4.) Add the footnote "Contains petroleum distillates" to the ingredient statement.
- 5.) Change the statement "Do not contaminate water by cleaning of equipment or disposal of wastes" to "Do not contaminate water when disposing of equipment washwaters."

BEST AVAILABLE COPY

58814:I:Tavano:CBI-02:KENCO:06/15/90:07/14/90:ka:sw:vo:dd:ka

CONCURRENCES							
SYMBOL	H75052						
SURNAME	Tavano						
DATE	6/18/90						

9.2
3

- 6.) Delete the phrase "General Classification."
- 7.) Submit a 1 year storage stability study. The formulated product must be analyzed for its active ingredients at time zero and during a year of storage. The storage must be under warehouse conditions of temperature and humidity using containers similar to those that will be used in the trade. This data must be submitted within 15 months of the date of this letter.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
CAUTION**

**HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush contaminated skin with plenty of water. Avoid contamination of feed and foodstuffs. Do not spray directly over food or milking utensils. Wash hands with soap and water after use.

ENVIRONMENTAL HAZARDS

Remove pets, birds and cover fish aquaria before spraying. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fires, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply respiration if indicated.

If on skin - Wash contaminated skin with soap and water.

If on eyes - Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**SPEER
STABLE SPRAY**

Kills and repels horseflies, horn flies, stable flies, deer flies, houseflies, mosquitos, gnats, and wasps.

ACTIVE INGREDIENTS:

- Pyrethrins 0.20%
- * Piperonyl Butoxide, Technical 0.40%
- + N-Octyl Bicycloheptene Dicarboximide 0.67%
- ** Dipropyl Isocinchomerate 1.04%

INERT INGREDIENTS: 96.89%
100.00%

* Equivalent to 0.32% (Butylcarbityl) (6-Propylpiperonyl) Ether and .080% related compounds.

+ MGK 264 Insecticide Synergist, U.S. Pat. No. 2,576,512.

** MGK Repellent 326, U.S. Pat. No. 2,757,120.

For use in barns for protection of dairy cattle, beef cattle, and horses.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautions on Side Panel

NET WEIGHT ___ OZ.

MANUFACTURED BY:
SPEER PRODUCTS, INC.
MEMPHIS, TN 38118

EPA REG. NO. 11715-173 EPA EST. NO. 11715-TN-1

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR FACE FLIES: Remove mucous secretions and saliva deposits from face of animal. Hold dispenser 18 to 24 inches from animal. Spray face and other body regions for 3-4 seconds per animal. Repeat daily, as needed.

FOR HORSEFLIES, HORN FLIES, STABLE FLIES, DEER FLIES, HOUSEFLIES, MOSQUITOS, AND GNATS: Hold container 18 to 24 inches from animal. Apply lightly to coat with a sweeping motion. Apply to back, belly, ear, or leg regions. Do not spray entire animal. Spray young animals sparingly. Do not apply to backs of horses prior to saddling. Mist directly over surface wounds, minor cuts, and skin abrasions to keep flies away.

FOR USE IN BARNs: Close all doors and windows and direct spray upward into center of area with a slow sweeping motion. Spray 5 to 10 seconds for each 1000 cubic feet of space. Do not remain in treated areas. Keep barn closed for 10 minutes after spraying. Ventilate thoroughly after treatment and before re-entry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in cool place away from heat or open flame.

DISPOSAL: Securely wrap original container in several layers of newspapers and discard in trash.

ACCEPTED
with conditions
FEDERAL REGISTER

JUL 2 1980

11715-173