

# SPEER STABLE SPRAY

## Kills and Repels

**Horseflies, Horn Flies, Stable Flies, Deer Flies, Houseflies, Mosquitos, Gnats, and Wasps.**

**For use in barns for protection of horses  
(Not For Human Consumption)**

### ACTIVE INGREDIENTS:

Pyrethrins.....	0.20%
*Piperonyl butoxide, technical.....	0.40%
+N-Octyl Bicycloheptene	
Dicarboximide.....	0.67%
**Dipropyl Isocinchomerate.....	1.84%
†INERT INGREDIENTS.....	96.89%
	100.00%

\*Equivalent to 0.32% (butylcarbityl)(6-Propylpiperonyl) Ether and 0.080% related compounds.  
+ MGK 264 Insecticide Synergist, U.S. Pat. No. 2,576,512.  
\*\* MGK Repellent 326, U.S. Pat. No. 2,757,120.  
† Contain Petroleum Distillates


**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

See Additional Precautions on Side Panel

NET WEIGHT \_\_\_\_\_ OZ.

EPA Reg. No. 11715-173  
EPA Est. No. 11715-TN-1



## PRECAUTIONARY STATEMENTS

### CAUTION

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin, eyes, and clothing. In case of contact, immediately flush contaminated skin with plenty of water. Avoid contamination of feed and foodstuffs. Do not spray directly over food. Wash hands with soap and water after use.

### FIRST AID

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

### IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

### NOTE TO PHYSICIAN

Contains petroleum distillate- vomiting may cause aspiration pneumonia.

### ENVIRONMENTAL HAZARDS

Remove pets, birds and cover aquaria before spraying. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

### PHYSICAL OR CHEMICAL HAZARDS

**EXTREMELY FLAMMABLE.** Contents under pressure. Keep away from fires, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F. may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**For Face Flies:** Remove mucous secretions and saliva deposits from face of animal. Hold dispenser 18 to 24 inches from animal. Spray face and other body regions for 3-4 seconds per animal. Repeat daily as needed.

**For Horseflies, Horn Flies, Stable Flies, Deer Flies, Houseflies, Mosquitos, and Gnats:** Hold container 18 to 24 inches from animal. Apply lightly to coat with a sweeping motion. Apply to back, belly, ear, or leg regions. Do not spray entire

11715-173

05/20/2003

1/a

animal. Spray young animals sparingly. Do not apply to backs of horses prior to saddling. Mist directly over surface wounds minor cuts, and skin abrasions to keep flies away.

**For Use in Barns:** Close all doors and windows and direct spray upward in to center of area with a slow sweeping motion. Spray 5 to 10 seconds for each 1000 cubic feet of space. Do not remain in treated areas. Keep barn closed for 10 minutes after spraying. Ventilate thoroughly after treatment and before re-entry.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a cool place away from heat or open flame.

**DISPOSAL:** Do Not Puncture or Incinerate!

**If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

**MANUFACTURED BY:  
SPEER PRODUCTS, INC.  
4242 B.F. GOODRICH BLVD.  
MEMPHIS, TN 38118**

C:\MSPUB.REG173.PUB-(10/17/96)11715-173-NOTIF-2001-1&6(03-27-03)