315 /200

Dr. J. D. Commerford Speer Products, Inc. 4242 B. F. Goodrich Blvd. Memphis, TN 38181-0993

Dear Dr. Commerford:

Subject: Flash Point of the Product and Update Labeling

Speer - It Fogger I

EPA Registration No. 11715-178

Your Application Dated October 5, 1988

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling change indicated below prior to release for shipment of product bearing the amended labeling.

The submitted product chemistry information dealing with the flashpoint of the product is acceptable and has been made a part of the record for this product. There may be a change in the policy in the future regarding the flammability of aerosols and foggers, but for now, based on the data received, add "Extremely Flammable" to the beginning of the Physical and Chemical Hazards statement.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 15 Insecticide-Rodenticide Branch Registration Division (H7505C)

Richards

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS. Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. On not apply directly to food. In the home, all food processing surfaces and utensits should be sovered during treatment or thoroughly washed before use. Remove pets and birds and-eover fish aquariums before spraying. Remove all motor vehicles before using in garages.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerator. Newspapers should be spread on the floor for several feet around area of release.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - call physician or Poison Control Center immediately.

If Inhaled - remove victim to fresh air. Apply artificial respiration if indicated.

If on skin -remove contaminated clothing and wash affected area with soap and water.

If in eyes - flush eyes with plenty of water.
Obtain medical attention if irritation persists

SPEER-IT FOGGER I

TOTAL RELEASE FOGGER

KILLS FLEAS (ADULT & PRE-ADULT), ROACHES, ANTS, TICKS, SPIDERS, FLYING MOTHS, FLIES, MOSQUITOS, SILVERFISH, PALMETTO BUGS, WASPS, HORNETS, CRICKETS.

ONE UNIT TREATS 4,000 CUBIC FEET

ACTIVE INGREDIENTS:	
Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1-methylethyl)	
4-chloro-alpha-(1-methylethyl)	
benzeneacetate	0.4009
N-Octyl bicyclophetene	
	0.1669
Piperonyl Butoxide, technical**	0.1009
Pyrethrins	0.0509
INERT INGREDIENTS	99.2849

*MGK Synergist 264

**Equivalent to 0.080% of (butylcarbityl) (6-propylpiperonyl) ether and 0.020% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional Precautionary Statements on side panel.

Net Weight 4 oz. (114 grams)

Manufactured by
SPEER PRODUCTS, INC.
Memphis, TN 38118

EPA Reg No 11715-178

EPA Est No 11715-TN-1

100.000%

DIRECTIONS FOR L

It is a violation of Federal Law to use thin a manner inconsistent with its label

This product will kill fleas ladults and p roaches, houselies, black carpet beet ants, spiders, flying moths, mosquitos, sawtoothed grain beetles, rice we bugs, crickets, confused four beetle homets and palmetto bubs ... Cover of exposed foods, dishes and food handli ment. All food processing surfaces s covered immediately prior to treat thoroughly cleaned after treatment. Cle and windows. Open cabinets and do the treatment area. Shut off fans and ditioners. Put out all open flames ex koht. Place at least 6 feet away from Fogger should be placed on floor in the the room. Place newspapers under tainer to prevent marring surfaces. Use tainer for each 4,000 cubic feet of ung area (approximately 20'x20'x10' root additional units for remote rooms or v flow of mist is not assured. To start fogg tion foo-lock activator cap and press. arm's length when releasing. Point t away from face and eyes. Set in uprigit and leave the building at once. Lea turbed for 2 hours. Open doors and win allow to air for 1 hour. Do not use in foc food handling establishments, resta other areas where food is commercial pared or served.

STORAGE AND DISPO

Storage: Store in a cool, di away from heat-or open flame

Disposal: Do not re-use emp tarker. Wrap container and put collection. Do not puncture or income.

WU

Under the Fungicide amonded

