

SPEER ROACH SPRAY I

To control, cockroaches, waterbugs, palmetto bugs, scorpions, millipedes, centipedes, sowbugs, pillbugs, ants, silverfish, firebrats, spiders, crickets, clover mites, cheese mites, granary weevils, confused flour beetles, rust red flour beetles, drugstore beetles, meal worms, grain mites, cadellies, carpet beetles, bedbugs, fleas, ticks, clothes moths, house flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, bees, black flies.

FOR USE IN HOUSEHOLDS, GARAGES, KENNELS AND THE NON-FOOD/FEE AREAS OF WAREHOUSES, SCHOOLS, OFFICE BUILDINGS, THEATERS, HOTELS, MOTELS

ACTIVE INGREDIENT:

*Permethrin 3.50%
INERT INGREDIENTS: 96.50%
TOTAL 100.00%

* (3-phenoxylphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethyl) 2,2-dimethyl cyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max 65% (+/-) trans


KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel for Additional Precautionary Statements.

Net Weight:

EPA Reg. No. 11716-44

EPA Est. No. 11716-TN



Manufactured by
Speer Products, Inc.

P.O. Box 16993

Memphis, TN 38181-0993

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Prolonged or frequently repeated contact may cause allergic reactions in some individuals. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not apply when classrooms are in use.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared food/feed are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Non-food/non-feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center. Drink one to two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to shock hazard. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool area away from heat or open flame. **Disposal:** Replace cap and discard in trash. Do not puncture or incinerate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO KILL COCKROACHES, ANTS, CRICKETS, WATERBUGS, PALMETTO BUGS, SCORPIONS AND PILLBUGS: Spray on floors, along baseboards in the kitchen and baths. Special attention should be paid to areas around refrigerators and entry points such as doors, windows, vents, pipes, etc.

TO KILL FLYING INSECTS (e.g. mosquito, flies, gnats, wasps, and bees): Close space to be treated. Spray above head with a sweeping motion 3 feet from surfaces. Spray 10 grams (10 seconds) per 1,000 cubic feet of space. Keep treated area closed for at least 30 minutes after spraying. Do not remain in treated area and ventilate area before re-entry. Repeat as necessary.

TO KILL SOWBUGS, CENTIPEDES, SILVERFISH, FIREBRATS AND SPIDERS: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks and behind refrigerators.

TO KILL CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves, and carpet. Allow carpet to dry thoroughly before use. Repeat treatment as necessary.

TO KILL BEDBUGS: Spray mattresses, particularly around lumps and seams. Take beds apart and spray into all joints. Treat baseboards, moldings, and floors. Allow all treated articles to dry thoroughly before use. Repeat treatment as necessary.

TO CONTROL CLOTHES MOTHS: Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus, and other storages, directing the spray into cracks, joints, and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

6/13/97

PM 13

11715-184

P9 112

282

TO KILL EXPOSED STAGES OF CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, GRANARY WEEVILS, GRAIN MITES, DRUGSTORE BEETLES, MEAL WORMS, CADELLES: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.

TO KILL FLEAS AND BROWN DOG TICKS: Remove and destroy pet's old bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary.

DO NOT SPRAY ON ANIMALS. Old bedding should be removed and replaced with clean, fresh bedding after treatment. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.

Not for Use in USDA Meat and Poultry Plants.