

EPA Form 8570-1 (Rev.12-90) Previous editions are obsolete White - EPA File Copy (original) Yellow - Applicant copy

[Front Panel]

# SPEER ROACH SPRAY I

To control, cockroaches, waterbugs, palmetto bugs, scorpions, millipedes, centipedes, sowbugs, pillbugs, ants, silverfish, firebrats, spiders, crickets, clover mites, cheese mites, granary weevils, confused flour beetles, rust red flour beetles, drugstore beetles, meal worms, grain mites, cadelles, carpet beetles, bedbugs, fleas, ticks, clothes moths, house flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, bees, black flies.

FOR USE IN HOUSEHOLDS, GARAGES, KENNELS  
AND THE NON-FOOD/FEED AREAS OF  
WAREHOUSES, SCHOOLS, OFFICE BUILDINGS,  
THEATERS, HOTELS, MOTELS

## [ALTERNATE MARKETING LANGUAGE IN BRACKETS][Choose from the following]

[A revolution in aerosols] or [A revolutionary aerosol]  
[Next generation aerosol]  
[Not only provides quick kill, but creates a barrier to  
help keep roaches out]  
[Provides quick kill and creates a barrier to help keep  
roaches out]  
[Kills quickly]  
[Kills roaches you can't see] or [Kills roaches behind  
walls]  
[No unpleasant odor] [No messy residue]  
[Dry Formula] [Dry Spray]  
[NEW]

## ACTIVE INGREDIENT:

\*Permethrin ..... 3.50%

INERT INGREDIENTS: ..... 96.50%

TOTAL ..... 100.00%

\*(3-phenoxyphenyl)methyl(+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl cyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max 65% (+/-) trans

## KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Side Panel for Additional Precautionary  
Statements.

Net Weight:

EPA Reg. No. 11715-184

EPA Est. No. 11715-JN-1

[Start Side Panel Language]

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled, or absorbed through skin. Prolonged or frequently repeated contact may cause allergic reactions in some individuals. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not apply when classrooms are in use.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods/feed are served such as dining rooms but excluding areas where foods may be prepared or held. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Non-food/non-feed areas are areas such as garbage rooms, lavatories, floor drains(to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage(after canning or bottling).

## STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or poison control center. Drink one to two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

## PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to shock hazard. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in a cool, dry area away from heat or open flame. **Disposal:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in trash.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## INSERT STRAW FIRMLY INTO THE ACTUATOR

**TO KILL COCKROACHES, ANTS, CRICKETS, WATERBUGS, PALMETTO BUGS, SCORPIONS AND PILLBUGS:** Spray on floors, along baseboards in the kitchen and baths. Special attention should be paid to areas around refrigerators and entry points such as doors, windows, vents, pipes, etc.

**TO KILL FLYING INSECTS (e.g. mosquito, flies, gnats, wasps, and bees):** Close space to be treated. Spray above head with a sweeping motion 3 feet from surfaces. Spray 10 grams (10 seconds) per 1,000 cubic feet of space. Keep treated area closed for at least 30 minutes after spraying. Do not remain in treated area and ventilate area before re-entry. Repeat as necessary.

**TO KILL SOWBUGS, CENTIPEDES, SILVERFISH, FIREBRATS AND SPIDERS:** Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks and behind refrigerators.

**TO KILL CARPET BEETLES:** Spray directly on beetles, floors, baseboards, shelves, and carpet. Allow carpet to dry thoroughly before use. Repeat treatment as necessary.

**TO KILL BEDBUGS:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings, and floors. Allow all treated articles to dry thoroughly before use. Repeat treatment as necessary.

**TO CONTROL CLOTHES MOTHS:** Remove any infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to

Added Per Notification

NOTIFICATION  
JUL 25 1997

**TO KILL EXPOSED STAGES OF CONFUSED FLOUR BEETLES, RUST RED FLOUR BEETLES, GRANARY WEEVILS, GRAIN MITES, DRUGSTORE BEETLES, MEAL WORMS, CADELLES:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.

**DO NOT SPRAY ON ANIMALS.** Old bedding should be removed and replaced with lean, fresh bedding after treatment. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.

**Manufactured by  
Speer Products, Inc.  
P.O. Box 18993  
Memphis, TN 38181-0993**

c:\mspub\reg184n.pcl (7/22/97)  
Notification for additional marketing claims and  
new Storage and Disposal statements.  
Notification to add "Dry Formula" & "Dry Spray"

W  
W  
W