EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

Revise the Statement of Practical Treatment as follows:

TML 1/13/92

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

lawns and backyards..."

BEST AVAILABLE COPY

- Move the statement "If Swallowed" to the end of the section.
- Add "Get medical attention." to "If Inhaled."
- d. Revise the Precautionary Statements as follows:

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist and contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Obtain medical attention if irritation persists. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed.

Do not spray plants used for food or feed.

e. Revise the statement under Environmental Hazards to:

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

f. All products where precautionary labeling appears on other than the front panel must bear the following referral statement:

See side (back) panel for additional precautionary statements.

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY

SPEER YARD SPRAY II

Emulsifiable Concentrate for use on lawns made from 25% of EVERCIDE® Intermediate 2527

Front_Panel

EMULSIFIABLE CONCENTRATE FOR USE ON LAWNS TO KILL FLEAS AND TICKS AND OTHER OUTDOOR INSECTS LISTED ON THIS LABEL. ALSO KIJLS DEER TICKS AND OTHER IXODID SPECIES THAT CARRY AND TRANSMIT LYME DISEASE.

ACTIVE INGREDIENT: (S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-	
(1-methylethyl) benzeneacetate	0.441
	100.001
*Contains petroleum distillate EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.	

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Call a physician or Poison Control

Center immediately. Do not induce

vomiting because of aspiration pneumonia

hazard.

IF IN EYES:

Flush with plenty of water. Get

immediate medical attention.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if

irritation persists.

IF INHALED:

Remove victim to fresh air. Apply artificial respiration if indicated.

Net	Contents
	

Manufactured by:

SPEER PRODUCTS, INC. 4242 B.F. GOODRICH BLVD. MEMPHIS, TN 38118

EPA Req. No. 11715-ROU

BEST AVAILABLE COPY

vin Company to REA from Theory

1994

....11715-194

.EPA Est. No. - 24-715-TN-1

Back Panel

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not spray plants used for food or feed.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWN FLEA AND TICK CONTROL:

centrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals. Kills on contact the Ixodes dammini tick (deer tick), which transmits lyme disease. Also kills forraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea and tick control product in conjunction with this application.



HOSE END SPRAYER APPLICATION

Amount of Product to Use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1 1/3 fluid ounces	3 gallons	500 sq. ft. (50' x 10')
2 2/3 fluid ounces	6 gallons	1,000 sq. ft. (50' x 20')
5 1/3 fluid ounces	12 gallons	2,000 sq. ft. (50' x 40')

*MOTE: 1 fluid ounce = 2 Tablespoons = 6 Teaspoons

FOR OUTDOOR PESTS:

Mix concentrate in a compressed air sprayer or watering can at the rate of two (2) fluid ounces per one (1) gallon of water to control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to height of 2 to 3 feet where these pests are active and may find entrance. La sixteen (16) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

<u>DISPOSAL</u>: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

BEST AVAILABLE COPY