

SPEER YARD SPRAY II

(Emulsifiable Concentrate for use on residential lawns only.)

EMULSIFIABLE CONCENTRATE FOR USE ON RESIDENTIAL LAWNS ONLY TO KILL FLEAS AND TICKS AND OTHER OUTDOOR INSECTS LISTED ON THIS LABEL.

ALSO KILLS DEER TICKS AND OTHER IXODID SPECIES THAT CARRY AND TRANSMIT LYME DISEASE.

CONCENTRATE MAKES 36 GALLONS OF SPRAY

TREATS 6,000 SQUARE FEET

ACTIVE INGREDIENTS:

(S)-cyano (3-phenoxyphenyl) methyl-
 (S) -4-chloro-alpha-(1-methylethyl)
 benzeneacetate.....0.44%
 *INERT INGREDIENTS:.....99.56%
 100.00%

* Contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side (back) panel for additional precautionary statements

NET CONTENTS: _____ 16 FL. OZ.

EPA Reg. No. 11715-194
 EPA Est. No. 11715-TN-1

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 CAUTION**

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist and contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Obtain medical attention if irritation persists. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed. Do not spray plants used for food or feed.

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Contains petroleum distillate- vomiting may cause aspiration pneumonia.	

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ACCEPTED
 APR 10 2003
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11715-194

11715-194

4/10/2003

1/8

Read enclosed directions for use of hose-end sprayer attachment before using this product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

LAWN FLEA AND TICK CONTROL:

To kill fleas and ticks harboring in residential lawns and backyards, use this concentrate in a hose-end sprayer. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals. Kills on contact the Ixodes dammini tick (deer tick), which transmits lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product. Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding areas should also be treated with a registered flea and tick control product in conjunction with this application.

FOR OUTDOOR PESTS:

Mix concentrate in a compressed air sprayer or watering can at the rate of two (2) fluid ounces per one (1) gallon of water to control on contact ants, cockroaches, (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, spiders and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT:

To help prevent infestations of buildings by ants,

centipedes, crickets, sowbugs, and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: If empty: Do not reuse empty container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**MANUFACTURED BY:
SPEER PRODUCTS, INC.
4242 B.F. GOODRICH BLVD.
MEMPHIS, TN 38118**

C:/MSPUB/11715-194-(09/29/93)EPAACCEPTEDLABEL-
11715-194-NOTIF-2001-1&6(4-03-03)

DIRECTIONS FOR HOSE- END SPRAYER

The enclosed hose-end sprayer cap is calibrated to deliver the correct amount of Speer Yard Spray II. Use this hose-end sprayer cap only with the accompanying bottle of lawn spray in accordance with carton label directions.

To use Hose-end sprayer cap:

1. Check that valve is in OFF position.
2. Screw garden hose into back of spray cap (Note: end with black rubber washer).
3. Remove bottle cap from Speer Yard Spray II and save for storage after use.
4. Insert small end of dip tube into lawn spray bottle.
5. Screw lawn spray bottle counterclockwise into sprayer cap until tight.
6. Turn on water at faucet.
7. TO START FLOW OF INSECTICIDE, turn valve to ON position (see 1. above).
8. Spray evenly and completely over lawn and other infested areas giving particular attention to areas frequented by pets.
9. TO STOP FLOW OF INSECTICIDE at any time, simply turn valve to OFF position.

To store remaining insecticides, turn water off at faucet and remove insecticide bottle from sprayer. Leave dip tube in bottle and replace cap. Rinse off sprayer and store in accompanying box.

C:/MSPUB-11715-194(Notification11/12/93hose-end sprayer)