

# JAPANESE BEETLE SPRAY

Liquid Concentrate  
Stop Japanese Beetles and their damage\*

**ACTIVE INGREDIENTS:**

Sevin: Carbaryl (1-naphthyl) N-methylcarbamate.....42.6%

**INERT INGREDIENTS:**.....57.4%

TOTAL 100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
SEE BACK FOR ADDITIONAL PRECAUTIONS**

**NEW UNI-BOTTLE PRE-MEASURED TREATMENTS**

**USE ONE BOTTLE EACH TIME YOU SPRAY**

**EACH UNI-BOTTLE™ DILUTES TO MAKE ENOUGH SPRAY FOR ONE AVERAGE APPLICATION.\***

**BUY AND MIX EXACTLY WHAT YOU NEED.**

**NO MEASURING. ACCURATE AND EASY TO USE.**

**CONVENIENT. NO STORAGE OF PARTIALLY USED BOTTLES.**

\*Refer to back for complete use directions. Remove bottles as needed from back.

**DO NOT DESTROY THIS CARD UNTIL ALL UNITS HAVE BEEN USED.**

**NET CONTENTS: 8 Bottles, .08 fl. oz. each**

EPA Reg. No. 11715-209

EPA Est. No.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:**

Harmful if inhaled or swallowed. Do not breathe spray mist or take internally.

Avoid contact with skin. Wear gloves and long-sleeved work clothing. Wash

hands and face before eating. Wash thoroughly after handling.

REC'D L.A. 6/19/PPD1  
97 APR -9 12:53

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

**APR 25 1997**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

11715-209

### STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

Note for Physician: Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal. Do not use 2-PAM, opiates, or cholinesterase inhibiting drugs.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

### BEE CAUTION: MAY KILL HONEYBEES IN SUBSTANTIAL NUMBERS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Do not use when value of bees as pollinators is more important than insect control. Before applying, warn beekeepers to locate hives beyond bee flight range until one week after application or to take other equally effective precautions.

<b>USER SAFETY REQUIREMENTS</b>
<ul style="list-style-type: none"><li>• <u>Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when mixing and applying this product.</u></li><li>• <u>Wear a hat and eye protection when making overhead applications.</u></li><li>• <u>Remove clothing immediately if pesticide soaks clothing. Change clothing as soon as possible after use.</u></li><li>• <u>Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.</u></li><li>• <u>Do not allow children or pets to contact treated area until sprays have dried.</u></li></ul>

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply when air is calm to avoid drift and contact with eyes and skin. Start spraying at the farthest corner of the treatment area and work backward to avoid contact with wet surfaces. Allow spray to dry in treated areas before reentering. For trees taller than 10 feet, consider hiring a licensed professional. Spray thoroughly to wet upper and lower leaf surfaces, stems, and branches. Do not repeat applications more than once a week.

#### STORAGE & DISPOSAL

Protect from freezing. Do not reuse empty container bottle. Wrap container and put in trash collection.

Use any style clean sprayer. Dilute Uni-Bottles according to rates below. Where a dosage of 1 to 2 bottles is indicated, use 1 bottle on young plants and 2 on mature plants. Apply when insects or their damage first appear. Repeat as necessary.

For best results, apply full coverage spray to all exposed parts of plants especially upper and lower leaf surfaces. Do not store diluted spray. Unless other wise specified, application can be made on day of harvest.

#### ORNAMENTAL PLANTS, FLOWERS, SHRUBS, AND SHADE TREES

Rose, Carnation, Gladiolus, Zinnia, Chrysanthemum, Lilac, Arbor, Vitae, Juniper, Hydrangea, Azalea, Elm, Maple, Oak, Dogwood, Birch and Pines. (Do not use of Boston Ivy).

Application: To control Japanese Beetles, apply 1 bottle per 1 quart (32 oz.) of water when insects or their damage appear. Repeat weekly as needed.

#### VEGETABLE CROPS

Beans - 1 bottle per 1 quart (32 oz.) water to control Japanese Beetles.

Corn - 1 or 2 bottles per 1 quart (32 oz.) water to control Japanese Beetles.

Application: (Corn) Apply to entire plant. Repeat as necessary, but no more than once a week. For insects attacking silks and ears, apply at 7 day intervals starting when first silks appear and continuing until silks begin to dry. Three or more applications may be required depending on severity of infestation. Timing and good coverage are absolutely essential.

**LIMITED WARRANTY:** Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions.

Manufactured for:  
Speer Products, Inc.  
4242 B.F. Goodrich Blvd.  
Memphis, TN 38118

UNIT BOTTLE LABEL:

# JAPANESE BEETLE SPRAY

NET CONTENTS: .08 OZ.

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl) N-methylcarbamate.....42.6%

INERT INGREDIENTS:.....57.4%

TOTAL 100.00%

EPA REG. NO. 11715-209

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

## CAUTION

SEE BACK OF OUTER CONTAINER FOR ADDITIONAL  
PRECAUTIONS AND COMPLETE DIRECTIONS FOR USE OF  
THIS PRODUCT.