

MAR 1996

William L. Washburn  
Speer Products, Inc.  
P.O. Box 18993  
Memphis, TN 38181-0993

Dear Mr. Washburn:

Subject: Response to Dipropyl Isocinchomeronate DCI  
Farnam Wipe-P Fly Protectant  
EPA Registration Number 11715-235  
Submission Dated December 12, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below:

1. Revise the "IF INHALED" Statement of Practical Treatment to read as follows:

IF INHALED: Remove victim to fresh air. Get medical attention.

2. Add the statement "Contains petroleum distillates" as a footnote to the Inert Ingredients declaration.
3. Revise the Active Ingredient declaration for Pyrethrins. This product contains 0.05% Pyrethrins, not 0.25% as indicated on the proposed label. Make the appropriate adjustment to the Inert Ingredients declaration.

A stamped copy of the label is enclosed for your records. Submit three copies of revised final printed labeling prior to releasing product for shipment.

If you have any questions or comments, please contact me at (703) 305-6788.

Sincerely,

RPK

Richard P. Keigwin, Jr.  
Product Manager 10  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

FRONT LABEL

FARNAM  
**WIPE - P**  
FLY PROTECTANT

(After long-standing  
non-use, mix contents  
by inverting several times)

Just wipe it on Horses and Ponies.

Repels Horse Flies, House Flies, Deer Flies,  
Gnats and Mosquitoes. Also kills them on contact.

Effective for hours!

Do not use on animals intended for human consumption.

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

MAR 1996

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, this product is  
registered under EPA Reg. No.

11715-235

ACTIVE INGREDIENTS:

Pyrethrin.....	0.25%
Piperonyl Butoxide Technical**.....	0.50%
Di-n-propyl isocinchmeronate.....	1.00%

INERT INGREDIENTS: ..... 98.25%

\*\*Equivalent to .40% (Butylcarbityl)(6-propylpiperonyl) ether and .10% of related compounds.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See back panel for additional cautions

NET CONTENTS \_\_\_\_ OZ

# BACK PANEL

**WIPE P Fly protectant** is specially formulated for use on valued race horses and fine show horses, but will prove of equal value to pleasure riders seeking effective long-lasting fly protection for their animals. Actually helps in the removal of dirt and dandruff. Imparts a high sheen to the hair when brushed out. And, it is pleasant to use. Has a light, bright, pleasing fragrance.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

For animal use only. Do not use on humans. Keep out of reach of children. Harmful if swallowed. Wash hands thoroughly after using. Do not use on horses intended for human consumption. Avoid contamination of food or feed. Do not use or pour near heat or open flame. Do not use while smoking.

### STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED:** Do not induce vomiting. Immediately give large quantities of water. Do not give anything by mouth to an unconscious person. Seek medical attention.

**IF IN EYES:** Flush with water for at least 15 minutes. Seek medical attention if irritation persists.

**IF ON SKIN:** Wash with soap and water. Wash contaminated clothing before reuse.

**IF INHALED:** Move individual to fresh air. Seek medical help if irritation persists.

### ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

BACK PANEL CONT.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Before applying WIPE P to your horse, brush him down thoroughly to remove loose dust and dirt. Moisten (but do not soak) a folded piece of Turkish toweling (approximately 12" x 15" ) with WIPE P. Rub briskly against the growth direction of hair. Give special attention to shanks, legs, shoulders, neck and facial area of horse where flies tend to cause the greatest problem. Add more WIPE P to the applicator as needed, applying approximately one to two ounces for the total application on a daily basis (the variance will depend on the size of the horse but should not exceed 1 oz. on ponies or 2 oz. on horses). Avoid using excessive amounts. Do not soak the skin. Groom with a brush.

To kill attached ticks, dab WIPE P directly on the tick with a saturated cloth.

A FEW IMPORTANT POINTS TO REMEMBER:

\*In order to keep the applicator moist and ensure proper coverage of WIPE P it is recommended that the cloth used be kept in an airtight container (a tin can will do) between uses.

\*Regular daily applications of WIPE P may build up repellency. Because of this, its effectiveness may be increased enabling a reduction in the amount of WIPE P applied on a daily basis.

\*To provide maximum effectiveness, the best time for application is early morning.

\*Climatic conditions such as temperature and humidity and cleanliness of the horse's coat will affect the amount of repellent required to do an effective job. Because of this, you may have to experiment with the amount of WIPE P in order to arrive at the optimum amount needed.

**STORAGE AND DISPOSAL**

STORAGE: Store in a cool, dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

EPA REG. NO. 11715-235

EPA EST. NO. 34734-IA-01

Manufactured Exclusively For

SPEER PRODUCTS, INC.  
MEMPHIS, TN 38118