

1/13/2004

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JAN 13 2004

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. William L. Washburn Regulatory Affairs Manager Speer Products, Incorporated 4242 B. F. Goodrich Blvd P.O. Box 18993 Memphis, TN 38118

Subject: Amendment - Revised First Aid and Disposal Statements Speer Py-Perm Aqueous Insect Killer # 3 EPA Registration No. 11715-245 Your Submission Dated September 25, 2003

Dear Mr. Washburn:

The amendment referred to above, submitted in connection with registration under section 3 (c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the comments listed below.

- 1. Under the "Precautionary Statements" section, move the statements "Avoid contamination...surfaces are dry"to the "Directions for Use" section of your label.
- 2. Either delete the phrases "Repeat as necessary...Repeat application as necessary... and Repeat treatment as necessary" or indicate a time period for retreatment based upon the residual efficacy of your product.
- 3. Delete the phrase "A broad spectrum insecticide highly" from the bullet on the front panel.
- 4. Add the following statement to the "Directions for Use" section after the "Do not apply in classrooms when in use" statement: "Do not apply to institutions (including libraries, sports facilities, etc.,) in the immediate area when occupants are present."

A stamped copy of the label is enclosed for your records. If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sificerely

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

SPEER PY-PERM AQUEOUS INSECT KILLER #3

- For household and commercial/Industrial use in nonfood areas of industrial and institutional buildings: Homes, schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels
- Contains Pyrenone and Permanone
- Controls residential, industrial, and garden insects
- A broad spectrum insecticide highly effective against Ants, Carpenter Ants, Bees, Carpet Beetles, Centipedes, Clover Mites, Cockroaches, Crickets, Deet Ticks, Earwigs, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Millipedes, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowgugs, Spiders, Ticks, Wasps, and other listed insect pests.

ACTIVE INGREDIENTS:

4

Pyrethrins	0.20%
*Piperonyl Butoxide, Technical	
**Permethrin.	0.10%
INERT INGREDIENTS:***	<u>98.70%</u>
	100.00%

*Equivalent to 0.8% (Butylcarbityl) (6-propyl piperonyl) ether and 0.2% related compounds **(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2dichloroethenyl)2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (±)cis and max. 65% (±)trans. ***Contains petroleum distillates.

Pyrenone and Permanone- - Registered trademark of Roussel Uclaf Corp.

KEEP OUT OF REACH (# CHILDREN

CAUTION

See side panel for additional precautions.

NET CONTENTS

EPA Reg. No. 11715-245 EPA Est. No. 11715-TN-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes skin irritation. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Do not allow children or pets to contact treated areas until surfaces are dry.

FI	RST AID
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for
	treatment advice.

in EPA Latio bashed

Poder the Part Investigation Instance of the Mathematical Mathematical

IF SWALLOWED:	 Immediately call a poison control center or doctor. 	
	Do not induce	
	vomiting unless to to do so by a poison	
	control center or	
	doctor.	
	• Do not give any liquid	
	to the person.	
	Do not give anything	
	by mouth to an unconscious person.	
IF IN EYES:	Hold eye open and •	
IF IN EIES:	rinse slowly and	
	gently with water for	
	15-20 minutes.	
	Remove contact	
	lenses, if present, after	
	the first 5 minutes,	
	then continue rinsing	
	eye.	
	Call a poison control center or doctor for	
	treatment advice.	
HOT LINE NUMBER		
	ainer or label with you when	
	ol center or doctor, or going	
	ay also contact 1-877-757-	
4943 for emergency n	nedical treatment	
information.		
	O PHYSICIAN	
Contains petroleum distillates - vomiting may		
cause aspiration pneumonia.		

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting. Do not apply this product in conduits, motor housing, junctions and switch boxes or other electircal equipment because of

A

possible shock hazard. Do not use on surfaces than can be harmed or stained by water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infinit. Do not apply to classrooms when in use

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray a distance of 12 to 15 inches.

INDOGRS

1

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Vacate room after treatment and ventilate before reoccupying. Sweep up and discard fallen insects. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs, and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plulmbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Ventilate room thoroughly before reentry. Repeat application as necessary.

Exposed stages of Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, processing and handling equipment around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Leave room and keep area closed for 45 minutes to 1 hour after treatment. Ventilate room thoroughly before re-entry. Repeat application as necessary. Infested or stored food products in the home should be disposed of.

Carpet Beetles: spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow to dry throughly before use. Repeat treatment as necessary.

To control clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

OUTDOORS

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as gargage cans and composts piles. Repeat as necessary.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

For the Control of Garden Insects: For use on Roses, Dahlias, Asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwood, English Ivy, Euonymus, Fuschia, Geraniums, Crassula, Grape Vine, Kentia Palm, Laurel, Marigolds, Rhododendrons, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jews and Zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, $\pm j$ area. Do not use or store below 32°F.

DISPOSAL: Do Not Puncture of Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may choose their own emergency number and time of operation.]

MANUFACTURED BY: SPEER PRODUCTS 4242 B. F. GOODRICH BLVD. MEMPHIS, TN 38118

Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herewith.

Netserver/Reg./SPIIabels11715-245-NOTIF-2001-1&6(4-10-03)corrections(9-25-03)