SPEER PY-PERM AQUEOUS INSECT KILLER #3

- For household and commercial/Industrial use in nonfood areas of industrial and institutional buildings: Homes, schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels
- Contains Pyrenone and Permanone
- Controls residential, industrial, and garden insects
- A broad spectrum insecticide highly effective against Ants, Carpenter Ants, Bees, Carpet Beetles, Centipedes, Clover Mites, Cockroaches, Crickets, Deet Ticks, Earwigs, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Millipedes, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowgugs, Spiders, Ticks, Wasps, and other listed insect pests.

ACTIVE INGREDIENTS:

Pyrethrins	0.20%
*Piperonyl Butoxide, Technical	
**Permethrin	
INERT INGREDIENTS:***	<u>98,70%</u>
	100.00%

*Equivalent to 0.8% (Butylcarbityl) (6-propyl piperonyl) ether and 0.2% related compounds **(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2dichloroethenyl)2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (±)cis and max. 65% (±)trans. ***Contains petroleum distillates.

Pyrenone and Permanone- - Registered trademark of Roussel Uclaf Corp.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

NET CONTENTS

EPA Reg. No. 11715-245 EPA Est. No. 11715-TN-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing vapors or spray mist. Causes skin irritation. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Do not allow children or pets to contact treated areas until surfaces are dry.

FD	RST	AID
IF INHALED:	•	Move person to fresh air. If person is not
		breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
	•	Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:		Take off contaminated clothing. Rinse skin immediately with plenty of water for 15- 20 minutes. Call a poison control center or doctor for treatment advice.
	4	PTED 2004 Intersticido. Produkto Act 15-245

IF SWALLOWED:	Immediately call a	
	poison control center	
	or ductor.	
	Do not induce	
	comiting unless to to	
	do so by a poison	
	control center or	
	doctor.	
	• Do not give any liquid	
	to the person.	
	• Do not give anything	
	by mouth to an	
	unconscious person.	
IF IN EYES:	Hold eye open and	
	rinse slowly and	
	gently with water for	
	15-20 minutes.	
	Remove contact	
	lenses, if present, after	
	the first 5 minutes,	
	then continue rinsing	
	eye.	
	Call a poison control	
	center or doctor for	
	treatment advice.	
HOT L	INE NUMBER	
Have the product cont	tainer or label with you when	
	rol center or doctor, or going	
for treatment. You i	for treatment. You may also contact 1-877-757-	
4943 for emergency medical treatment		
information.		
NOTE T	O PHYSICIAN	

Contains petroleum distillates- vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting. Do not apply this product in conduits, motor housing, junctions and switch 21

١

245

boxes or other electircal equipment because of possible shock hazard. Do not use on surfaces than can be harmed or stained by water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray a distance of 12 to 15 inches.

INDOORS

Houseflies, Fruit Flies, Mosquitoes, Gnats,

Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Vacate room after treatment and ventilate before reoccupying. Sweep up and discard fallen insects. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs, and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plulmbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Ventilate room thoroughly before reentry. Repeat application as necessary.

Carpet Beetles: spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow to dry throughly before use. Repeat treatment as necessary.

فعديها

To control clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

OUTDOORS

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as gargage cans and composts piles. Repeat as necessary.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

For the Control of Garden Insects: For use on Roses, Dahlias, Asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African N

Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Delphiniums, Dogwood, English Ivy, Euonymus, Fuschia, Geraniums, Crassula, Grape Vine, Kentia Palm, Laurel, Marigolds, Rhododendrons, Roses, Rubber Plants, Snapdragons, Stocks, Wandering Jews and Zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area. Do not usse or store below 32°F. DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may choose their own emergency number and time of operation.]

MANUFACTURED BY: SPEER PRODUCTS 4242 B. F. GOODRICH BLVD. MEMPHIS, TN 38118

Buyer assumes all risk of use, storage or handling of this product not in strict accordance with directions given herewith.

Netserver/Reg./SPIIabels11715-245-NOTIF-2001-1&6(4-10-03)

....