

PM 19 11715-250 1/3/82

REC'D 3/0/90

ELITE FLEA & TICK POWDER II

FOR CATS AND DOGS
(Over 12 Weeks of Age)

KILLS FLEAS AND TICKS

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	1.00%
Carbaryl: (1-Naphthyl N-methylcarbamate)	12.50%
Silica Gel	10.00%
INERT INGREDIENTS:	76.40%
	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

NET WEIGHT _____ OZ.

EPA Reg. No. 11715-250
EPA Est. No. 11715-TN-1

ACCEPTED
APR 25 1997
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 11715-250

Manufactured by:
Speer Products, Inc.
4242 E.F., Goodrich Blvd.
Memphis, TN 38118

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND CATS

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use on nursing kittens or puppies. Do not use on kittens or puppies less than 12 weeks of age.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Notice to Physician and Veterinarian: Carbaryl is a cholinesterase inhibitor. Atropine by injection is antidotal.

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

IN CASE OF EMERGENCY CALL:
901/362-1950

(For Distributor labels phone number will vary)

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms. Do not apply directly to any body of water. Do not contaminate when disposing of equipment washwaters.

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control Fleas, Ticks and Lice on Dogs and Cats:

Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to

10/2

4/2

work dust down to the skin. Rub dust into hair and around feet, pads and between the toes so that they are well treated. This product should not be applied by children. Do not use on pregnant dogs or cats. Do not use on kittens or puppies under 12 weeks of age. Consult a Veterinarian before using this product on debilitated, aged or medicated animals. Do not reapply product more than once per week.

Dust bedding, kennel and sleeping area regularly. Dust bedding and doghouse using a shaker can or other dust applicator. Do not use more than once per week.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry location. Keep cap closed tightly.

DISPOSAL: Do not reuse bottle. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.

c:/msspub/reg250.pub (10/24/96)

2012