Regulatory Clerk

August 19, 1996

5. Date

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

Typed Name

Jean Butler

White - EPA File Copy (original)

Yellow - Applicant Copy

# **ELITE PYRETHRIN POWDER**



### QUICK KILL ACTION AND LONG LASTING CONTROL

Contains the Pleasant Citrus Scent of d-Limonene

For use in Residences, Institutions, Food Plants, Motels, Theaters, Schools, Truck Trailers, Boxcars, Hospitals, Office Buildings and Hotels.

CONTROLS: ANTS, COCKROACHES, SILVERFISH, FLEAS, TICKS, and Others Listed On Side Panels. **Contains Pyrethrins** 

On Residential Lawns and Gardens, Provides Rapid Control Of Insects On Vegetables Or Ornamental Plants.

Leaves No Objectionable Residues. Acceptable For Use To Day Of Harvest on Edible Plants.

This Dust may be used throughout the growing season; or as a preharvest treatment accepted for use up to the day of harvest on edible plants when other insecticides are prohibited due to residue restrictions and use limitations. May also be used to control fleas, ticks, and lice on cats and dogs.

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0.10%
Piperonyl Butoxide, Technical *	
INERT INGREDIENTS:	<u>98.90%</u>
	100.00%

\*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compound.

# KEEP OUT OF REACH OF CHILDREN CAUTION

AVOID INHALATION OF DUST

See side panel for Precautionary Statements.

MANUFACTURED BY SPEER PRODUCTS P.O. BOX 18993 MEMPHIS, TN 38181-0993

NET CONTENTS OZ

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC

ANIMALS
CAUTION

Avoid breathing dust and contact with skin and eyes.

# STATEMENT OF PRACTICAL TREATMENT

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. Give nothing by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing. Wash skin with soap and water. Contact a physician if irritation persists. Wash clothing before reuse.

IF IN EYES: Flush eyes with water for 10 to 15 minutes. Contact a physicial if irritation persists.

## **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

# [Information in brackets is for Use with Flea Comb Attachment]

I New FleaComber provides the most convenient way to apply flea powder to your pet. The comb-in applicator allows you to work powder deep into your pet's coat for fast, effective relief without the mess. Before first use, remove seal below cap. Replace cap. (Cap is designed to loosen if overtightened). 1

# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control Fleas, Ticks and Lice on Dogs and Cats, cust-[ comb ] powder liberally over the entire body. Rub [ Comb ] dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to put the powder in animal's eyes, nose or mouth. Dust bedding, kennel and sleeping area regularly. Repeat as needed.

NON FOOD AREAS: Homes, Institutions, Hospitals, Office Buildings, Warehouses, Hotels, Motels, Theaters, Schools, Truck Trailers and Railroad Cars: To control crawling insects including Ants, Cockroaches, Silverfish, Fleas and Ticks, apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind moldings, shelves, baseboards, pipe openings, cracks and crevices and other areas where insects may hide. Do not use on surfaces that come into direct contact with food. For severe infestations, apply this product behind cabinets and walls, in crawl spaces and in attics at the rate of 16 ounces per 1,000 square feet of surface area. In animal quarters, distribute this product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

### APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry plants, hotels, motels, hospitals and schools: Limited to crack and crevice treatment only. Using a bulbous or similar duster, apply a small amount of material directly into cracks, crevices such as expansion ioints between different elements of construction or between equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where Roaches, Ants, Silverfish, Spiders and Crickets hide. Care should be taken to avoid depositing the product onto exposed



1

surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat treatment as necessary.

Application of this product in the food areas or food handling establishments, other than as a crack and crevice treatment are not permitted.

RESIDENTIAL LAWNS AND GARDENS: Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

<b>₽</b> 7D	ΛD
n. 1	ur

#### TO CONTROL

CROI	10 CONTROL
Asparagus	Asparagus Beetles
Beans	Aphids, Leafhoppers, Mexican Bean Beetles
Broccoli, Cabbage, Brussel Sprouts, Cauliflower	Cabbage Loopers, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported Cabbageworms
Calami	Cabbaga Lagrana Lagf Tions

1	u	CI	CJ	y		

Cabbage Loopers, Leaf Tiers

#### Lettuce

Cabbage Loopers, Diamondback Moth Larvae, Imported Cabbageworms

#### Potatoes

Aphids, Colorado Potato, Beetles, Flea

Beetles, Leafhoppers

Radishes

Aphids, Flea Beetles

Spinach

Aphids, Cabbage Loopers, Webworms

**Tomatoes** 

Green Peach Aphids, Flea Beetles

Ornamentals

Aphids, Flea Beetles, Leafhoppers on: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus, Marigolds,

Roses, etc.

### STORAGE AND DISPOSAL

#### For containers larger than 5 pounds:

Do not contaminate water, food or feed by storage or disposal.

STORAGE AND SPILL PROCEDURE: Storage upright in original container at room termperature. Avoid exposure to moisture. In case of spill or leakage, sweep up and dispose of according to local and state chemical waste guidelines.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

### For containers 5 pounds or smaller:

**STORAGE:** Store in original container in an area inacessible to children and pets and away from heat and sunlight. Avoid exposure to moisture.

**DISPOSAL:** Do not reuse empty container. Wrap container in several layers of newspaper and put in trash.

THIS CONTAINER IS FILLED BY WEIGHT, NOT BY VOLUME. YOU CAN BE ASSURED OF THE PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING

EPA REG. NO.: 11715-254 EPA Est. No.: 11715-TN-1