ELITE PYRETHRIN POWDER

OUICK KILL ACTION AND LONG LASTING CONTROL

Contains the Pleasant Citrus Scent of d-Limonene Kills Fast

For use in Residences, Institutions, Food Plants, Motels, Theaters, Schools, Truck Trailers, Boxcars, Hospitals, Office Buildings and Hotels.

CONTROLS: ANTS, COCKROACHES, SILVERFISH, FLEAS, TICKS, and Others Listed On Side Panels. Contains Pyrethrins

On Residential Lawns and Gardens, Provides Rapid Control Of Insects On Vegetables Or Ornamental Plants.

Leaves No Objectionable Residues. Acceptable For Use To Day Of Harvest on Edible Plants.

This Dust may be used throughout the growing season; or as a preharvest treatment accepted for use up to the day of harvest on edible plants when other insecticides are prohibited due to residue restrictions and use limitations. May also be used to control fleas, ticks, and lice on cats and dogs only.

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
Piperonyl Butoxide,	
Technical*	1.00%
INERT INGREDIENTS:	<u>98,90%</u>
TOTAL	100.00%

*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compound.

KEEP OUT OF REACH OF CHILDREN CAUTION

Under the Faugicion

DE DEMENDE

AVCID INHALATION OF DUST

See side panel for Precautionary Statements France

SPEER PRODUCTS, INC. P.O. BOX 18993 MEMPHIS, TN 38181-0993

NET CONTENTS OZ

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON CATS AND DOGS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC **ANIMALS**

CAUTION

Avoid breathing dust and contact with skin and eyes. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

			
FIRST AID			
IF INHALED	•	Move person to	
		fresh air.	
	•	If person is not	
		breathing, call	
	-	911 or an	
		ambulance, then	
		give artificial	
	1	respiration,	
		preferably by	
	1	mouth-to-mouth,	
		if possible.	
	•	Call a poison	
		control center or	
		doctor for further	
	L	treatment advice.	
IF ON SKIN	•	Take off	
and the state of t	1	contaminated	
EPTED		clothing.	
	•	Rinse skin	
u 1 2002 l		immediately with	
V 1 2002		plenty of water	
Federal Insacticide.		for 15-20	
and Redemicide Act.		minutes.	
ed, for the posticide	•	Call a poison	
1715-254		control center or	
		doctor for	
		treatment advice.	
IF IN EYES	•	Hold eye open	
		and rinse slowly	

and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

[Information in brackets is for Use with Flea Comb Attachment]

New FleaComber provides the most convenient way to apply flea powder to your pet. The comb-in applicator allows you to work powder deep into your pet's coat for fast, effective relief without the mess. Before first use, remove seal below cap. Replace cap. (Cap is designed to loosen if overtightened). I

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

11/1/2002

To control Fleas, Ticks and Lice on Dogs and Cats, dust [comb] powder liberally over the entire body. Rub [Comb] dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to put the powder in animal's eyes, nose or mouth. Do not repeat treatment for one week. Do not use on puppies or kittens under 12 weeks. Dust bedding, kennel and sleeping area regularly. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication.

NON FOOD AREAS: Homes, Institutions, Hospitals, Office Buildings, Warehouses, Hotels, Motels, Theaters, Schools, Truck Trailers and Railroad Cars: To control crawling insects including Ants, Cockroaches, Silverfish, Fleas and Ticks, apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind moldings, shelves, baseboards, pipe openings, cracks and crevices and other areas where insects may hide. Do not use on surfaces that come into direct contact with food. For severe infestations, apply this product behind cabinets and walls, in crawl spaces and in attics at the rate of 16 ounces per 1.000 square feet of surface area. In animal quarters, distribute this product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISH WENTS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and boultry blants, hotels, motels, hospitals and schools: Limited to crack and previous treatment only. Using a bulbous or similar duster, apply a small amount of material directly into cracks, crevices such as expansion joints between different elements of construction or between

equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where Roaches, Ants, Silverfish, Spiders and Crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat treatment as necessary.

Application of this product in the food areas or food handling establishments, other than as a crack and crevice treatment are not permitted.

RESIDENTIAL LAWNS AND

GARDENS:Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

CROP	TO CONTROL
Asparagus	Asparagus Beetles

Beans Aphids, Leafhoppers, Mexican

Bean Beetles

Broccoli, Cabbage Loopers,
Diamondback Moth
Cabbage, Larvae, Flea Beetles,
Horleanin Bugs

Harlequin Bugs,

Brussel Sprouts, Imported Cabbageworms Cauliflower

Celery Cabbage Loopers, Leaf Tiers

Lettuce Cabbage Loopers,

Diamondback Moth

Larvae, Imported

Cabbageworms

Potatoes Aphids, Colorado Potato,

Beetles, Flea

Beetles, Leafhoppers

Radishes Aphids, Flea Beetles

Spinach Aphids, Cabbage Loopers, Webworms

Tomatoes Green Peach Aphids, Flea Beetles

Ornamentals Aphids, Flea Beetles, Leafhoppers on:

African Violets, Asters,

Azaleas, Begonias,

Camellias, Carnations,

Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiolus,

Marigolds,

Roses, etc.

STORAGE AND DISPOSAL For containers larger than 5 pounds:

Do not contaminate water, food or feed by storage or disposal.

STORAGE AND SPILL PROCEDURE: Storage upright in original container at room temperature. Avoid exposure to moisture. In case of spill or leakage, sweep up and dispose of according to local and state chemical waste guidelines.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

container disposal: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

For containers 5 pounds or smaller:

STORAGE: Store in original container in an area inaccessible to children and pets and away from heat and sunlight. Avoid exposure to moisture.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

THIS CONTAINER IS FILLED BY WEIGHT, NOT BY VOLUME. YOU CAN BE ASSURED OF THE PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING

In case of emergency or for product use information call (901) 362-1950, Monday - Friday, 7:30 AM - 4:30 PM, CST (distributors may elect to use their own phone numbers).

EPA REG. NO.: 11715-254 EPA Est. No.: 11715-TN-1

NTSVR:\WOR!\\11715-254amend(09-06-02jb)