

11715-254

3-31-2003

115

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 05-31-98



EPA

United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other: **NOTIFICATION**

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 11715-254	2. EPA Product Manager Joe Tavano	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Elite Pyrethrin Powder	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Speer Products, Inc. 4242 B.F. Goodrich Blvd. Memphis, TN 38118	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	
<input type="checkbox"/> Check if this is a new address		

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated <u>9/14/2001</u>	NOTIFICATION
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.) MAR 31 2003

Notification of additional marketing claim "Controls flea, ticks and lice." per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name Bill Washburn	Title Product Development & Regulatory Affairs Manager	Telephone No. (Include Area Code) 901-362-1950, ext. 1323
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Affairs Manager	
4. Typed Name Bill Washburn	5. Date March 18, 2003	

ELITE PYRETHRIN POWDER

QUICK KILL ACTION AND LONG LASTING CONTROL

*Contains the Pleasant Citrus Scent of d-Limonene
Kills Fast*

For use in Residences, Institutions, Food Plants, Motels, Theaters, Schools, Truck Trailers, Boxcars, Hospitals, Office Buildings and Hotels.

CONTROLS: ANTS, COCKROACHES, SILVERFISH, FLEAS, TICKS, and Others Listed On Side Panels.

Controls fleas, ticks and lice.

Contains Pyrethrins

On Residential Lawns and Gardens, Provides Rapid Control Of Insects On Vegetables Or Ornamental Plants.

Leaves No Objectionable Residues.

Acceptable For Use To Day Of Harvest on Edible Plants.

This Dust may be used throughout the growing season; or as a preharvest treatment accepted for use up to the day of harvest on edible plants when other insecticides are prohibited due to residue restrictions and use limitations. **May also be used to control fleas, ticks, and lice on cats and dogs only.**

ACTIVE INGREDIENTS:

Pyrethrins.....0.10%

Piperonyl Butoxide,

Technical*.....1.00%

INERT INGREDIENTS:.....98.90%

TOTAL 100.00%

*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% of related compound.

KEEP OUT OF REACH OF CHILDREN

CAUTION

AVOID INHALATION OF DUST

See side panel for Precautionary Statements.

SPEER PRODUCTS, INC.

P.O. BOX 18993

MEMPHIS, TN 38181-0993

NET CONTENTS OZ

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON CATS AND DOGS**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid breathing dust and contact with skin and eyes. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly

	<p>and gently with water for 15-20 minutes.</p> <ul style="list-style-type: none"> • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
--	--

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

[Information in brackets is for Use with Flea Comb Attachment]

[New FleaComber provides the most convenient way to apply flea powder to your pet. The comb-in applicator allows you to work powder deep into your pet's coat for fast, effective relief without the mess. Before first use, remove seal below cap. Replace cap. (Cap is designed to loosen if overtightened).]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTIFICATION

MAR 3 1 2003

5/6

To control Fleas, Ticks and Lice on Dogs and Cats, dust [comb] powder liberally over the entire body. Rub [Comb] dust into hair and around the feet, pads and between the toes so that they are well treated. Take care not to put the powder in animal's eyes, nose or mouth.

Do not repeat treatment for one week. Do not use on puppies or kittens under 12 weeks. Dust bedding, kennel and sleeping area regularly. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication.

NON FOOD AREAS: Homes, Institutions, Hospitals, Office Buildings, Warehouses, Hotels, Motels, Theaters, Schools, Truck Trailers and Railroad Cars: To control crawling insects including Ants, Cockroaches, Silverfish, Fleas and Ticks, apply a continuous visible film underneath and behind stoves, refrigerators and appliances. Treat on, around and behind moldings, shelves, baseboards, pipe openings, cracks and crevices and other areas where insects may hide. Do not use on surfaces that come into direct contact with food. For severe infestations, apply this product behind cabinets and walls, in crawl spaces and in attics at the rate of 16 ounces per 1,000 square feet of surface area. In animal quarters, distribute this product at the rate of 3 ounces per 100 square feet of surface area. Repeat treatment as necessary.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:

Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry plants, hotels, motels, hospitals and schools: Limited to crack and crevice treatment only. Using a bulbous or similar duster, apply a small amount of material directly into cracks, crevices such as expansion joints between different elements of construction or between

equipment bases and the floor, wall, voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where Roaches, Ants, Silverfish, Spiders and Crickets hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Repeat treatment as necessary.

Application of this product in the food areas or food handling establishments, other than as a crack and crevice treatment are not permitted.

RESIDENTIAL LAWNS AND

GARDENS: Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

CROP	TO CONTROL
Asparagus	Asparagus Beetles
Beans Mexican	Aphids, Leafhoppers, Bean Beetles
Broccoli, Diamondback Moth	Cabbage Loopers, Larvae, Flea Beetles,
Cabbage, Harlequin Bugs,	
Brussel Sprouts, Cauliflower	Imported Cabbageworms
Celery	Cabbage Loopers, Leaf Tiers
Lettuce	Cabbage Loopers,
Diamondback Moth	Larvae, Imported
Cabbageworms	
Potatoes	Aphids, Colorado Potato,
Beetles, Flea	Beetles, Leafhoppers
Radishes	Aphids, Flea Beetles

Spinach	Aphids, Cabbage Loopers,
Webworms	
Tomatoes	Green Peach Aphids, Flea
Beetles	
Ornamentals	Aphids, Flea Beetles,
Leafhoppers on:	
	African Violets, Asters,
Azaleas,	Begonias,
Camellias, Carnations,	Chrysanthemums, Dahlias, Dogwood,
	Geraniums, Gladiolus,
Marigolds,	Roses, etc.

STORAGE AND DISPOSAL

For containers larger than 5 pounds:

Do not contaminate water, food or feed by storage or disposal.

STORAGE AND SPILL PROCEDURE:

Storage upright in original container at room temperature. Avoid exposure to moisture. In case of spill or leakage, sweep up and dispose of according to local and state chemical waste guidelines.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

316

For containers 5 pounds or smaller:

STORAGE: Store in original container in an area inaccessible to children and pets and away from heat and sunlight. Avoid exposure to moisture.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

THIS CONTAINER IS FILLED BY WEIGHT, NOT BY VOLUME. YOU CAN BE ASSURED OF THE PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING

In case of emergency or for product use information call (901) 362-1950, Monday - Friday, 7:30 AM - 4:30 PM, CST (distributors may elect to use their own phone numbers).

EPA REG. NO.: 11715-254
EPA Est. No.: 11715-TN-1

NTSVRA:WORD\11715-254NOTIF3.03(3-18-03bw)

4/5

5/5



**SPEER
PRODUCTS**
incorporated

4242 b.f. goodrich blvd.
p. o. box 18993 memphis, tenn. 38118
telephone (901) 362-1950

March 20, 2003

Mr. Marion Johnson, PM 10
Document Processing Desk (NOTIF)
Office of Pesticide Programs – 7504C
U.S. Environmental Protection Agency
Crystal Mall 2, Room 266A
1921 Jefferson David Highway
Arlington, VA 22202

**Subject: Elite Pyrethrin Powder
EPA Reg. No. 11715-254
Notification of Additional Marketing Claim**

Dear Mr. Johnson:

I am submitting for your review a notification per PR Notice 98-10, to add to the front panel the additional marketing claim – "Controls flea, ticks and lice." This same claim already appears on the back panel in a different form.

A stamped self-addressed post card is enclosed for your notification of acceptance of the notification. Should you have any questions in regards to this notification, please do not hesitate to give me a call.

Sincerely,

**Bill Washburn
Regulatory Affairs Manager**

Service - Professionalism - Integrity

custom manufacturing: aerosol and liquid - product development - epa registrations available