

99112
PM 17 11715-255

**ELITE FLEA & TICK POWDER # 5
KILLS FLEAS, LICE & TICKS
ON DOGS & CATS**

REC'D 2/20/97

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND CATS**

'97 APR -2 A11 :28

Formulated for the control of Fleas, Ticks (including Ticks which transmit Lyme Disease) and Lice. Pleasantly scented to aid in the elimination of "animal odors".

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methyl-carbamate).....5.00%
Pyrethrins......10%
*Piperonyl Butoxide, Technical.....1.00%
INERT INGREDIENTS:.....93.90%
100.00%

* Equivalent to 0.8% of (butylcarbaryl) (6-propylpiperonyl) ether and 0.2% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

NET CONTENTS _____ OZ.

EPA Est. No. 11715-TN-1

EPA Reg. No. 11715-255

MANUFACTURED BY:

SPEER PRODUCTS
P. O. Box 18993
Memphis, TN 38181

ACCEPTED
APR 25 1997
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 11715-255

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. This product should not be applied by children. **Do not use on pregnant dogs or cats.** Do not use on kittens or puppies under 12 weeks of age. Consult a Veterinarian before using this product on debilitated, aged, nursing, or medicated animals.

FOR CONTROL OF FLEAS, TICKS AND LICE: Dust pet liberally by rubbing dust into animal's hair. Begin at tail and work toward the head. Take care not to get dust in animal's eyes, nose or mouth. Be sure to dust paws and between toes. Dust bedding, kennels and sleeping quarters using a shaker can or other dust applicator. Do not reapply more than once a week.

THIS BOTTLE IS FILLED BY WEIGHT NOT BY VOLUME. YOU CAN BE ASSURED OF PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING.

1092

2/2

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid breathing of dust when you apply powder. May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not treat puppies or kittens under 12 weeks of age. Keep out of reach of children.

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

IN CASE OF EMERGENCY CALL:

901/362-1950

(For Distributor labels phone number will vary)

FIRST AID

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Call a physician.

Notice to Physician and Veterinarian: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine sulfate is antidotal.

IF IN EYES: Flush with plenty of water. If irritation persists, see a physician.

IF ON SKIN: Wash with soap and water.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep cap closed tightly.

DISPOSAL: Do not reuse container. Wrap and put in trash.

c:\mspubreg.255.pub-(02/07/96)

2/2