



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (H7505C)
 401 "M" St., S.W.
 Washington, D.C. 20460

EPA Reg. Number:

11715-257

Date of Issuance:

02/08/95

NOTICE OF PESTICIDE-

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Speer Point Five
 Pyrethrin Spray

Name and Address of Registrant (include ZIP Code):

Mr. Jim Wallace, Manager
 Regulatory & Environmental Affairs
 4242 B. F. Goodrich Blvd.
 P.O. Box 18993 Memphis, TN 38118

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 11715-257".
- b. Under the section **Precautionary Statements Hazards to Humans and Domestic Animals** change the text to read as follows:

"In commercial food handling facilities, do not apply while food processing is underway. Cover or remove any food and food processing surfaces and equipment prior to application. After space spraying in food processing areas, wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound followed by a portable water rinse prior to use."

Signature of Approving Official:

Rebecca S. Cool

Date:

2/14/95

- c. Revise the **Environmental Hazards** section as follows:

"This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate."

- d. Revise the **Storage and Disposal** section to read:

Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

- e. Correct the following typographical errors:

-Remove the extra n from the word "an" in the last sentence under the section **Exposed stages of indian meal moths and angoumois grain moths:** etc.

- Change the "face" to "lace" bugs and remove the extra "a" following hydrangea under the section **Use on ornamentals (roses, etc.).**

- f. You may not list "master beetles" under the section **Use on vegetables (peppers, eggplants, etc.)** since master beetles do not appear on the label of the product you cited. You may have intended to list blister beetles, however, since they are listed on the label of the product you cited. Listing blister beetles is acceptable.

3. Submit two copies of the revised final printed label for the record.

4. Submit a revised Confidential Statement of Formula that states the flashpoint (see box 9) and not just the flame extension.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

SPEER POINT FIVE PYRETHRIN SPRAY

Contains Pyrenone®

For use in schools, hospitals, institutions, supermarkets, dairies, hotels, restaurants, drive-ins, motels, drug stores, food plants, milk rooms and animal quarters

Provides rapid control of houseflies, mosquitoes, small flying moths (Millers), gnats, wasps and accessible stages of cockroaches, water bugs, silverfish, flour beetles, weevils, grain mites and spiders.

Kills and repels stable flies, horse flies, face flies, deer flies, house flies, mosquitoes and gnats.

Controls garden insects on ornamental and vegetable plants.

ACCEPTABLE FOR USE TO DAY OF HARVEST ON EDIBLE PLANTS

ACTIVE INGREDIENTS:

Pyrethrins 0.5%
Piperonyl butoxide, technical* 5.0%

INERT INGREDIENTS: 94.5%

* Equivalent to 4% (butylcarbityl)(6-propyl-piperonyl) ether and 1% related compounds.

Pyrenone® - Registered trademark of Roussel Uclaf Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side (back) panel for additional precautions.

NET WEIGHT:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water. All food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Contact a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching finger to back of throat. Never give anything by mouth to an unconscious or convulsing person. **If inhaled:** Remove affected person to fresh air. Apply artificial respiration if indicated. **If in eyes or on skin:** Flush affected areas with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of wastes or cleaning of equipment.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

14 FEB 1995

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **House flies, mosquitoes, gnats, and moths (millers):** Close all windows and doors. Spray room at the rate of 2 seconds per 1000 cubic feet. Spray to all parts of the room, including under other light sources which attract insects. Keep nozzle in constant motion. Repeat treatment every 15 minutes after treatment.

Cockroaches, waterbugs, centipedes and sow bugs: Spray in cracks and crevices, behind baseboards and floor, around door frames, hitting insects with spray when they appear. Repeat treatment as necessary.

Ants: Spray trails, nests and other areas where ants are present. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, coverings where pets are kept. Repeat only a recommended pet spray.

Carpet beetles: Spray directly on floors, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, box springs, and seams. Take beds apart. Treat baseboards, molding and other areas. Fabric to dry thoroughly before use. Repeat as necessary.

In animal quarters and milking parlors: Spray for house flies, mosquitoes, gnats, and moths, close windows and doors. Spray at 2 seconds per 1000 cubic feet. Keep area closed for 10 minutes. Repeat treatment as necessary. Remain in treated area and ventilation completed.

To treat animals: To protect horses from attacks of stable flies, house flies, horse flies, mosquitoes, and gnats, spray 3 seconds on each side behind the ears, withers and forelegs thoroughly. For house flies, spray the face and head. Avoid eyes. Repeat treatment as necessary. Repeat treatment as necessary if troublesome.

Exposed stages of indian meal moths and angoumois grain moths: Close doors and windows. Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for that purpose.

Exposed stages of flour beetles, weevils and grain mites: Spray into cracks, and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary. Infested stored products in the home should be disposed of.

Controls garden insects on ornamental vegetable plants: Spray with a slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90° F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains.

Acceptable for use to day of harvest on edible plants.

Use on ornamentals (roses, asters, dahlias, african violets, azaleas, euonymus, hydrangeas, junipers, lilacs) to control aphids, rose chafers, japanese beetles, rose slugs, tent caterpillars, scales (including euonymus and juniper scales), leafhoppers, tarnish plant bugs, face bugs (including azalea lace bugs), thrips, (exposed), mealy bugs (including citrus mealy bugs), mites (including red spiders, spiders and broad mites), plant bugs, white flies, leaf miners, hydrangea leafhoppers, begworms and leaf rollers.

Use on vegetables (peppers, eggplants, potatoes, cucumbers, squash, melons, beans sweet corn and tomatoes) to control flea beetles, hornworms, stink bugs, colorado potato beetles, aphids (including green peach aphids), leafhoppers, master beetles, striped and spotted

cucumber beetles, mexican bean beetles, white flies, spotted beetles and japanese beetles.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. Do not transport or store below 32°F.

Disposal: Wrap container in newspaper and dispose of in trash.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Manufactured by: Speer Products
P.O. Box 18993
Memphis, TN 38181-0993

EPA Registration Number: 11715 - Not yet assigned

EPA Establishment Number: 11715-TN-1

© 1984 Speer Products

