

11715-257

8-20-2001

1/4

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20480
Application for Pesticide:



**Registration
Amendment
Other**

OPP Identifier Number

254103**Section I**

1. Company/Product Number 11715-257	2. Product Manager Marion Johnson	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SPEER POINT FIVE PYRETHRIN SPRAY	PM# 10	
5. Name and Address of Applicant (include ZIP Code) SPEER PRODUCTS, INC. P. O. Box 18993 Memphis, TN 38181-0993 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed label in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "ME TOO" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below

NOTIFICATION**AUG 20 2001****Explanation:** Use additional page(s) if necessary. (For section I and Section II)

Adding "SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE". This was inadvertently omitted from the original label which is a Me-Too of 4816-525 Multi-Purpose Insecticide. This statement should have been included.

Section III

1. Material in Which This Product Will Be Packaged:			2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "YES," Unit package wgt	No. per container	If "YES," Package wgt
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				

Section IV


1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Jean Butler	Title Regulatory Assistant	Telephone No. (include Area Code) 901/362-1950
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 		
3. Title Regulatory Assistant		
4. Typed Name Jean Butler		5. Date 08/13/01

NOTIFICATION STATEMENT:

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

NOTIFICATION

AUG 20 2001



SPEER POINT FIVE PYRETHRIN SPRAY

Contains Pyrenone®

For use in schools, hospitals, institutions, supermarkets, dairies, hotels, restaurants, drive-ins, motels, drug stores, food plants, milk rooms and animal quarters.

Provides rapid control of houseflies, mosquitoes, small flying moths (Millers), gnats, wasps and accessible stages of cockroaches, water bugs, silverfish, flour beetles, weevils, grain mites and spiders.

Kills and repels stable flies, horse flies, face flies, deer flies, house flies, mosquitoes and gnats.

Controls garden insects on ornamental and vegetable plants.

ACCEPTABLE FOR USE TO DAY OF HARVEST ON EDIBLE PLANTS

ACTIVE INGREDIENTS:

Pyrethrins 0.5%
Piperonyl butoxide, technical* 5.0%

INERT INGREDIENTS: 94.5%

* Equivalent to 4% (butylcarbityl)(6-propyl-piperonyl) ether and 1% related compounds.

Pyrenone® - Registered trademark of Roussel Uclaf Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side (back) panel for additional precautions.

NET WEIGHT:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, do not apply while food processing is underway. Cover or remove any food or food processing surfaces and equipment prior to application. After space spraying in food processing areas, wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound followed by a portable water rinse prior to use. All food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Contact a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching finger to back of throat. Never give anything by mouth to an unconscious or convulsing person. **If inhaled:** Remove affected person to fresh air. Apply artificial respiration if indicated. **If in eyes or on skin:** Flush affected areas with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

House flies, mosquitoes, gnats, wasps and small flying moths (millers): Close all doors and windows and spray room at the rate of 2 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.

Cockroaches, waterbugs, silverfish, crickets, spiders, centipedes and sow bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floor, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor coverings where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

Carpet beetles: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Allow treated fabric to dry thoroughly before using. Repeat treatment as necessary.

In animal quarters and milk rooms: For rapid control of house flies, mosquitoes, gnats, wasps and small flying moths, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

To treat animals: To protect beef cattle, dairy cattle and horses from attacks of stable flies, horse flies, deer flies, house flies, horn flies, mosquitoes and gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face

NOTIFICATION
AUG 20 2001

3/4

flies: spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

Exposed stages of indian meal moths and angoumois grain moths: Close doors and windows. Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for that purpose.

Exposed stages of flour beetles, weevils and grain mites: Spray into cracks, and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary. Infested stored products in the home should be disposed of.

Controls garden insects on ornamental vegetable plants: Spray with a slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90° F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains.

Acceptable for use to day of harvest on edible plants.

Use on ornamentals (roses, asters, dahlias, african violets, azaleas, euonymus, hydrangeas, junipers, lilacs) to control aphids, rose chafers, japanese beetles, rose slugs, tent caterpillars, scales (including euonymus and juniper scales), leafhoppers, tarnish plant bugs, lace bugs (including azalea lace bugs), thrips, (exposed), mealy bugs (including citrus mealy bugs), mites (including red spiders, spiders and broad mites), plant bugs, white flies, leaf miners, hydrangea leaf tiers, bagworms and leaf rollers.

Use on vegetables (peppers, eggplants, potatoes, cucumbers, squash, melons, beans sweet corn and tomatoes) to control flea beetles, hornworms, stink bugs,

colorado potato beetles, aphids (including green peach aphids), leafhoppers, blister beetles, striped and spotted cucumber beetles, mexican bean beetles, white flies, 12-spotted beetles and japanese beetles.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. Do not transport or store below 32°F.

Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

Manufactured by: Speer Products, Inc.
P.O. Box 18993
Memphis, TN 38181-0993

EPA Registration Number: 11715 - 257

EPA Establishment Number: 11715-TN-1

c:\mspub\reg257.pubNOTIFICATION[08/13/01]

4/17