

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

"Reregistration

<u>x</u> Registration

NOTICE OF PESTICIDE:

EPA Reg. Number: 11715-259

MARCH 13,

60,5475850

1997

Term of Issuance: Conditional

Name of Pesticide Product:

SPEER PY-PERM AQUEOUS INSECT KILLER #7

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

SPEER PRODUCTS

4242 B. F. Goodrich Blvd.

P. O. Box 18993

Memphis, TN 38181-0993

Note: Changes in labeling differing in substance from that accepted in Commection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 11715-259."
 - b. Add the statement "Do not use in or on electrical equipments or circuits due to possibility of shock hazard."
- 3. Submit three copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your

records.

Signature of Approving Official:

Date: MARCH 13, 1997

George T. LaRocca, Product Manager (13)

Insecticide-Rodenticide Branch Registration Division (H7505C)

EPA Form 8570-6

Enclosure:

M

SPEER PY-PERM **AOUEOUS INSECT KILLER #7**

- *Contains Pyrenone® and Permanone®
- *Seeks out bugs where they hide
- *Kills on contact
- *Controls industrial insects
- *For commercial/agricultural use
- *A broad spectrum insecticide highly effective against ants (including carpenter ants), bees, beetles (including carpet, flour, grain and ground beetles), centipedes, clover mites, cockroaches, crickets, (including mole rickets), carwigs, firebrats, fleas, millipedes, moths, illbugs, scorpions, silverfish, sowbugs, spiders, ticks, wasps, and other pests listed on the label
 - *Kills lice and their eggs
- *For use on bedding, furniture and other is a small all WILL COMMENTS objects infested with lice in EPA Letter Dated
- *Non-staining
- *No unpleasant odor
- *Water-based formula
- *For use on dogs and on premises to control designation and Rodenticide Admitents under pressure. Do not use or store near heat or necessary, ticks

ACTIVE INGREDIENTS:

Pyrethrins	0.15%
*Piperonyl Butoxide, Technical	
**Permethrin	
ERT INGREDIENTS:	
TAL	

* Funivalent to min. 0.6% (butylearbity) (6-propylatearony)) other and 0.1,5% polated countious da

**(3-phenoxyphenyl) methyl (+/-) air/trans 3-(2,2-dichicrosthenyl) 2,2dimethylovelous consecurity crylete. Circlerus ratio; min. 35% (+/-) cis and max, 6.9% (+/-) trans Pyrononott and Permanonott - Registered Trademarks of Roussel Uclaf

Corporation.

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh sir. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

See Side Panel For Use Cautions.

NET CONTENTS:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS systems (mills, dairies, edible oils, syrups). Not for use in CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Do not use in rooms/areas while occupied by patients, the Remove contaminated clothing and wash before reuse, elderly or infirm. Do not apply to classfooms when in use, Avoid contamination of feed and foodstuffs. Remove pets. before spraying. Vacate room after treatment and from a distance of 12 to 15 inches. ventilate before reoccupying. Do not allow children or INDOORS: pets to contact treated areas until surfaces are dry. Do not Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, use on cats.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a hitting insects with spray whenever possible. Repeat manner inconsistent with its labeling.

Do not apply directly to food.

Do not use in food/feed areas of food/feed handling where possible. Repeat as necessary. establishments, restaurants or other areas where food/feed. Indian Meal. Moths, Angoumois Grain Moths: Close: where foods may be prepared or held.

Nonfood areas are areas such as garbage rooms, Repeat application as necessary. bottling).

cold, frozen, raw) packaging (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing USDA Meat and Poultry Plants.

SHAKE WELL BEFORE USING

birds and cover or remove fish bowls and aquariums Remove protective cap, hold container upright and spray

Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Reneat treatment as

ticks

*Controls fleas and ticks on dogs that the pesticipen flame. Do not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Cockroaches, Waterbugs, Palmetto Bugs, Silverfish,

*Controls fleas and ticks on dogs that the pesticipen flame is not puncture or incinerate container. Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets. along baseboards and floors, around drains and plumbing, treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants

is commercially prepared or processed. Do not use in doors and windows, direct spray into all parts of room serving areas while food is exposed or facility is in especially around stored food product containers, pallets operation. Serving areas are areas where prepared foods and darkened areas. Spray 7 to 10 seconds for each 1000 are served such as dining rooms but excluding areas cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment.

lavatories, floor drains (to sewers), entries and vestibules. Exposed stages of Confused Flour Beetles, Cigarette offices, locker rooms, machine rooms, boiler rooms, Beetles, Drug Store Beetles, Saw-Toothed Grain Bettles. garages, mop closets, and storage (after canning or Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites in exposed adult and larvae stages: Spray into Commercial food/feed areas where the product cannot be cracks and crevices, processing and handling equipment. used include areas for receiving, serving storage, (dry, around cartons or containers or other areas where these

possible. Spray 30 seconds for each 100 square feet of fur in short bursts, directly behind the hand to insure downward angle. For best results, spray when air is calm. surface. Keep area closed for 45 minutes to 1 hour after penetrating the coat. Dampen the fur up to the head. Allow a few minutes for product to take effect. Spray with treatment. Space spray: Spray 20 seconds per 1000 cu. ft. Repeat application weekly if necessary to control wind if breeze is blowing. of space, moving toward the door. Leave room and keep infestations. NOTE: Do not use on cats. Not Flying Insects; Flies, Mosquitoes, Gnats, Small Flying area closed for 15 minutes following treatment. Ventilate recommended for use on pupples less than four weeks Moths, Hornets and Yellew Jackets. Allow for drift room thoroughly before reentry. Repeat application old, weekly or as necessary. Infested stored food products To Kill Lice and Louse eggs: Spray in an inconspicuous least 4 to 6 feet away. Give special attention to breeding should be disposed of, or treated using an approved area to test for possible staining or discoloration. Inspect areas such as garbage cans and compost piles. Repeat as product intended for this purpose.

necessary.

baseboards, moldings and floors. Repeat treatment as dry cleaned. Allow all sprayed articles to dry thoroughly insects as possible. necessary. Allow all sprayed articles to dry thoroughly before use. before use.

cracks, joints and crevices. After airing, infested articles treatment is completed, may be treated by spraying lightly, keeping nozzle at least. To Treat Livestock: To protect beef cattle, dairy cattle, three feet from fabric to avoid staining.

Fleas in buildings - Space spray; Hold can 36 inches above Horse Flies, Deer Flies, Face Flies, House Flies, Horn 32° F. rate of 10 seconds per 100 sq. ft, making sure that all each side being careful to spray back, withers and forelegs of in trash. Do not incinerate or puncture. loor, sofa and chair surfaces are contacted. Leave room thoroughly. To protect from Face Flies, spray the face and and keep area closed for 15 minutes. Open and ventilate head, but do not spray into eyes. Repeat treatment when Buyer assumes all risks of use, storage or handling of this before reoccupying. Repeat treatment after 7 days or as flies are troublesome. needed. Allow all sprayed articles to dry thoroughly For Swine: Do not ship animals for slaughter within 5 herewith. before use.

sleeping quarters, bed, entire floor and floor covering with the base of the hair. Repeat every 3 weeks if required. upholstered furniture and mattresses may also be treated over the birds with a fine mist. before use.

To Control Fleas, Ticks and Lice on dogs. Starting at the OUTDOORS:

insects tend to congregate. Contact as many insects as tail, stroke against the lay of the hair, spraying the parted Point spray nozzle away from face. Hold can on slight

again after drying, then proceed to spray entire area to be necessary.

In Animal Quarters and Milk Rooms: For rapid control Cockroaches, Crickets, Mole Crickets, Centipedes, and To control Clothes Moths and Carpet Beetles on wool and of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees Silverfish. Spray infested surface of patio or picnic area. other proteinaceous fibers; Remove infested articles from and Small-Flying Moths, close windows and doors and hitting as many insects as possible. Also spray legs of storage, brush thoroughly, and air for several hours in spray at the rate of 2 seconds per 1000 cubic feet of space, tables and chairs to repel ants. Spray ant hills for best sunlight, if possible, Apply spray liberally to empty chests. For best results, keep area closed for 10 minutes after control. closets, bureaus and other storages directing the spray into spraying. Do not remain in treated area and ventilate after

days of last treatment.

Fleas & Ticks (Adults and Larvae): Remove and To Control Blood Sucking Lice; Apoly to the infested EPA REG. NO. thoroughly clean or destroy pet bedding. Spray pet areas of the animal, using a stiff brush to get the spray to EPA EST. NO. 11715-TN-1

special attention to cracks and crevices around To Control Poultry Lice: Spray roosts, walls and nests or baseboards, and window and door frames. Infested cages thoroughly, This should be followed by spraying

with this product. A test application should be made to For Control of Bedbugs and Mites in poultry houses, upholstery or drapery fabrics in an inconspicuous place spray crevices of roost poles, cracks in walls, and cracks MRITY-PERMYPURASSAL in nests where the bedbugs and mites hide.

over area. Direct spray toward bushes, or grass from at

Carpet Beetles: Spray directly on beetles, floors, treated, Hold container upright with nozzle away from Mud Daubers and Wasp Nests; Spray mist directly on baseboards, shelves and carpets. Repeat treatment as you. Depress valve and spray from a distance of 8 to 10 insects and their nests from approximately 2 feet away. Inches. Spray each square foot for three seconds. Spray Contacted insects will fly away from fog. Applications Bedbugs: Spray mattresses, particularly around tufts and only those garments and parts of bedding, including should be made in late evening when insects are at rest. seams. Take beds apart and spray into all joints. Treat mattresses and furniture that cannot be either laundered or Spray into hiding and breeding places contacting as many

Crawling Insects: Ants, Cockroaches, including Asian

STORAGE AND DISPOSAL

goats, sheep, hogs and horses from attacks of Stable Flies, Store in a cool, dry area. Do not transport or store below

floor and direct spray toward floor and lower walls at a Flies, Mosquitoes, and Gnats; Spray about 3 seconds on Wrap container in several layers of newspaper and dispose

material not in strict accordance with directions given

NOT YET ASSIGNED

MANUFACTURED BY SPEER PRODUCTS, INC. MEMPHIS, TN 38118