

PM 3

11715-260

3/9/98

1615036229  
18

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (E7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:  
11715-  
260

Date of Issuance:  
MAR-9 1998

NOTICE OF PESTICIDE:  
 Registration  
 Reregistration

Term of Issuance: Conditional

(under FIFRA, as amended)

Name of Pesticide Product:  
Speer Py-Perm Aqueous  
Insect Killer #8

Name and Address of Registrant (include ZIP Code):

Speer Products Incorporated  
4242 B. F. Goodrich Blvd.  
P.O. Box 18993  
Memphis, TN 38118

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phase "EPA Registration No. 11715-260".

b. Change "Not for use in USDA meat and poultry plants" to read "Not for Use in Federally inspected Meat and Poultry Plants."

Signature of Approving Official:

Date:

c. Make the following revisions to the label to be in compliance and within the time frame specified in PR Notice 96-6 (Pet Pesticide Product Label Statements). "READ ENTIRE LABEL BEFORE USE." "USE ONLY ON DOGS." Clarify Reapplication Limitation. Change "do not treat puppies less than four weeks old" to "Do not treat puppies less than 12 weeks old." unless you have domestic animal safety data on file at the Agency to support use on younger animals. "Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals." "Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately." Under Statement of Practical Treatment expand the NOTE TO PHYSICIAN to include information for veterinarians.

3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

# SPEER PY-PERM AQUEOUS INSECT KILLER #8

- \*Contains Pyrenone® and Permanone®
- \*Seeks out bugs where they hide
- \*Kills on contact
- \*Controls industrial insects
- \*For commercial/agricultural use
- \*A broad spectrum insecticide highly effective against ants (including carpenter ants), bees, beetles (including carpet, flour, grain and ground beetles), centipedes, clover mites, cockroaches, crickets, (including mole crickets), earwigs, firebrats, fleas, millipedes, moths, pillbugs, scorpions, silverfish, sowbugs, spiders, ticks (including ticks which may cause lyme disease), wasps, and other pests listed on the label
- \*Kills lice and their eggs
- \*For use on bedding, furniture and other inanimate objects infested with lice
- \*Non-staining
- \*No unpleasant odor
- \*Water-based formula
- \*For use on dogs and on premises to control fleas and ticks
- \*Controls fleas and ticks on dogs for 14 days

## ACTIVE INGREDIENTS:

Pyrethrins.....	0.20%
*Piperonyl Butoxide, Technical.....	1.00%
**Permethrin.....	0.40%
<b>INERT INGREDIENTS:</b> .....	98.40%
<b>TOTAL</b> .....	100.00%

\*Equivalent to min. 0.82% (butylcarbitol)(6-propylpiperonyl)ether and 0.2% related compound.  
 \*\*3-phenoxyphenyl methyl (+/-) cis/trans. 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropane-carboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.

Pyrenone® and Permanone® - Registered Trademarks of P. H. Mussel Uelaf Corporation.  
 EPA REG. NO. 11715-260  
 EPA EST. NO. 11715-TN-1  
**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**  
 See Rear Panel for Use Directions  
**NET CONTENTS:** for the pesticide listed under EPA Reg. No. 11715-260

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover or remove fish bowls and aquariums before spraying. Do not allow children or pets to contact treated areas until surfaces are dry. **Do not use on cats.**

## ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water by disposal of waste.

## PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not use this product in or near electrical equipment due to the possibility of shock hazard.

## STATEMENT OF PRACTICAL TREATMENT

**IF INHALED:** Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply directly to food. Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas

where foods may be prepared or held. Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Commercial food/feed areas where the product cannot be used include areas for receiving, serving storage, (Dry, Cold, Frozen, Raw) packaging (Cleaning, Slicing, Cooking, Grinding), edible waste storage, enclosed processing systems (Mills, Dairies, Edible Oils, Syrups).

Not for use in USDA Meat and Poultry Plants.

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

## SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches.

## INDOORS:

**Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths:** Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

**Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs:** Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

**Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**Indian Meal Moths, Angoumois Grain Moths:** Close doors and windows, direct spray into all parts of room

JK

especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Ventilate room thoroughly before reentry. Repeat application as necessary.

**Exposed Stages of Confused Flour Beetles, Cigarette Beetles, Drug Store Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites in exposed adult and larvae stages:** Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Contact as many insects as possible. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Space spray: Spray 20 seconds per 1000 cu. ft. of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Ventilate room thoroughly before reentry. Repeat application weekly or as necessary. Infested stored food products should be disposed of, or treated using an approved product intended for this purpose.

**Carpet Beetles:** Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

**Bedbugs:** Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use.

**To Control Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers:** Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, trunks, and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

**Fleas in buildings - Space spray:** Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate

before reoccupying. Repeat treatment after 7 days or as needed. Allow all sprayed articles to dry thoroughly before use.

**Fleas & Ticks, including Ticks which may cause Lyme disease (Adults and Larvae):** Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

**To Control Fleas, Ticks and Lice on dogs.** Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. **NOTE:** Do not use on cats. Not recommended for use on puppies less than four weeks old.

**To Kill Lice and Louse eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

**In Animal Quarters and Milk Rooms:** For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small-Flying Moths, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Retreat as needed but not more often than once every 14 days.

**To Treat Livestock:** To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from Face Flies, spray the face and

head, but do not spray into eyes. Repeat treatment as needed but not more often than once every 14 days.

**For Swine:** Do not ship animals for slaughter within 5 days of last treatment.

**To Control Blood Sucking Lice:** Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

**To Control Poultry Lice:** Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

**For Control of Bedbugs and Mites in poultry houses,** spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

#### **OUTDOORS:**

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

**Flying Insects: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets.** Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

**Mud Daubers and Wasp Nests:** Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

**Crawling Insects: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish.** Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

#### **STORAGE AND DISPOSAL**

**Storage:** Store in a cool, dry area. Do not transport or store below 32° F.

**Disposal:** Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**MANUFACTURED BY  
SPEER PRODUCTS, INC.  
MEMPHIS, TN 38118**

caMSPLB PY-PERM9.PUB(12/31/97)

UN

UN

7/5