1970-		1.100.081.000.981.091.091.091.090.0000000000	ים היירים המיסטימי מאראי איז מערכי בערבי ערייי מיינים איז מעימי מאראי איז איז איז איז מערכי בערבי	
0/547970-	PM 13	11715 -	261	144
MITEO STATE	U.S. ENVIRON Office o	MENTAL PROTECTION AGENCY of Pesticide Programs tion Division (H7505C)	EPA Reg. Number:	Date of Issuance:
	401	1 "W" St., S.W. ington, D.C. 20460	11715- 261	OCT 2 19
ANAL ARCTECT	NOTICE OF PE	STICIDE:	Term of Issuar	
		gistration registration	Condition	nal
(under FIFRA, as amended)		Name of Pestic	Name of Pesticide Product:	
				-Perm Aqueous iller #9-
Name and Address	of Registrant (include	ZIP Code):		· · · · · · · · · · · · · · · · · · ·
Speer Prod 4242 B.F.		, P.O. Box 18993	, Memphis, T	N 38181-0993
be submitted to a	nd accepted by the Reg	substance from that accept istration Division prior t efer to the above EPA regi	to use of the label in c	
		y the registrant, the above al Insecticide, fungicide		reby
In order to prote cancel the regist with the registra exclusive use of	ct health and the envi ration of a pesticide tion of a product unde the name or to its use	ed as an endorsement or re ronment, the Administrator in accordance with the Act or this Act is not to be co if it has been covered by	r, on his motion, may at t. The acceptance of an onstrued as giving the r y others.	any time suspend or y name in connection egistrant a right to
		nditionally regi rovided that you		ordance with
reregistra Agency req data; and	tion of your p uires all reg submit accepta	cite all data re product under FI istrants of simi able responses r IFRA section 4.	IFRA sec. 3(c)( llar products t	5) when the o submit such
2. M	ake the follow	wing label chang	Jes:	
labeling. only. The used revis  Refer to t This state c. lice and I	261". The sites of We assume the refore to avoin the the "For How "For How he definition ment must apport Delete the displayed n Animal Quart	PA Registration application mus e product is int id confusion as usehold Use" sta ousehold Resider of residential ear directly be irection for cor ters. These dire roduct on livest	st be stated or tended for resinate to where the product to read tial Use Only" use in 40 CFR low the product trol of blood ections are a c	the dential use oroduct can be l: Sec. 152.3. name. sucking arry-over
Signature of App	oving Official:		Date: (	DGT 2 1995

ſ

page 2 EPA Reg. No. 11715-261

d. Revise the second sentence under Environmental Hazards to read "Do not apply directly to water".

وكال فالانتجاب لاك

2014

Ē

4

e. Under Directions for Use delete:

" Do not use in rooms/areas .....classrooms when in use". Your product is for residential use whereas the above statement is applicable for institutional use.

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure:

# **SPEER PY-PERM AQUEOUS INSECT KILLER #9**

\*Contains Pyrenone® and Permanone®

- \*Seeks out bugs where they hide
- \*Kills on contact
- \*Controls residential and garden insects
- \*For household use
- \*Non-staining

\*A broad spectrum insecticide highly effective against ants (including carpenter ants), bees, beetles (including carpet, flour, grain and ground beetles), centipedes, clover mites, cockroaches, crickets (including mole crickets), earwigs, firebrats, fleas, millipedes, moths, pillbugs, scorpions, silverfish, sowbugs, spiders, ticks, (including ticks which may cause Lyme Disease) wasps, and other pests listed on the label

- \*Kills lice and their eggs
- \*For use on bedding, furniture and other inanimate
- objects infested with lice
- \*No unpleasant odor
- \*Water-based formula

\*For use on dogs and on premises to control fleas and ticks

\*Controls fleas and ticks on dogs for 14 days

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0.20%
*Piperonyl Butoxide, Technical	
**Permethrin	
INERT INGREDIENTS:	98.40%
TOTAL	
*Figuration of the second state of the second	Manalated componentia

dimethylcyclopropanecarboxylate. Cis/trans ratio min 35% (-/-) cas and max 65% (+/-) trans Pyrenone® and Permanone® registered Trademarks of Roussel Uclaf Corporation.

### **KEEP OUT OF REACH OF CHILDREN** CAUTION See Side Panel For Use Cautions.

#### **NET CONTENTS:**

STATEMENT OF PRACTICAL TREATMENT IF INHALED: Remove victim to fresh air. If not the room, especially win breathing give artificial respiration, preferably mouth to which attract these inse mouth. Get medical attention.

#### **PRECAUTIONARY STATEMENTS** HAZARDS TO HUMANS & DOMESTIC ANIMALS necessary. **CAUTION**

Harmful if inhaled. Avoid breathing vapor or spray mist. Firebrats, Crickets, See Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets, places such as cracks and birds and cover or remove fish bowls and aquariaums along baseboards and floo before spraying. Do not allow children or pets to contact hitting insects with spr treated areas until surfaces are dry. Do not use on cata,

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not necessary. contaminate water by disposal of waste.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or necessary. Allow all spra open flame. Do not puncture or incinerate container, before use, Exposure to temperatures above 130°F, may cause To control Clothes Moths bursting.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a chests, closets, bureaus an manner inconsistent with its labeling.

In the home, all food processing surfaces and utensils articles may be treated by s should be covered during treatment or thoroughly washed at least three jeet from fab before use. Exposed food should be covered or removed. Do not use in rooms/areas while occupied by patients, the above floor and direct spra elderly or infirm. Do not apply to classrooms when in use. at a rate of 10 seconds per

### SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray and keep area closed for 1 from a distance of 12 to 15 inches.

## **INDOORS:**

Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, Fleas & Ticks including Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow disease (Adults and Larv Flies and Small Flying Moths: Close all doors and clean or destroy pet beddir windows and direct spray upward into center of room with bed, entire floor and floor ( a slow sweeping motion. Spray 5-10 seconds for average to cracks and crevices are

room, naving toward the motion. Leave room and after spraying. Ventilate 1 Sweep up and discard fall

Cockroaches, Waterbugs Centipedes, Sowbugs an treatment as necessary.

Ants: Spray trails, nests an where possible. Repeat as Carpet Beetles: Spray baseboards, shelves and

Bedbugs: Spray mattresse seams. Take beds apart a baseboards, moldings an

other proteinaceous fibers storage, brush thoroughly sunlight, if possible. Ap into cracks, joints and c Fleas in buildings - Spafloor, sofa and chair surfa before reoccupying. Repea needed.

and door frames. Infested upholstered furniture and Contacted insects will fly away from fog. Applications fabrics in an inconspicuous place before use.

head, stroke against the lay of the hair, spraying the Asian Cockroaches, Crickets, Centipedes and Silverfish. parted fur in short buysts, directly behind the hand to Spray infested surface of patio or picnic area, hitting ac insure penetrating the coat. Dampen the fur up to the tail. many insects as possible. Also spray legs of tables and Repeat application weekly if necessary to control chairs to repel ants. Spray ant hills for best control. infestations. NOTE: Do not use on cats. Not FOR THE CONTROL OF GARDEN INSECTS; For use again after drying, then proceed to spray entire area to be Leafminers.

treated. Hold container upright with nozzle away from May be used on plants, as well as a multi-purpose spray in inches. Spray each square foot for three seconds, Spray infestations to prevent spreading in large garden areas. before use.

IN ANIMAL QUARTERS: For rapid control of House grape vine, Kentia palm, laurel, marigolds, Flics, Mosquitocs, Gnats, Wasps, Hornets, Bees and rhododendrons, roses, rubber plants, snapdragons, stocks, Small-Flying Moths, close windows and doors and spray wandering lews and zinnias. at the rate of 2 seconds per 1000 cubic feet of space. For Effective when used as directed against Whiteflies, best results, keep area closed for 10 minutes after Aphids, Spider and Red Mites, exposed Thrips, Lace spraying. Do not remain in treated area and ventilate after Bugs, Japanese Beetles, Pavement Ants, Clover Mites and treatment is completed.

To control Blood Sucking Lice: Apply to the infested closer than 18 inches. Use sweeping motion. Sprav in one the base of the hair. Repeat every 3 weeks if required. **OUTDOORS:** 

downward angle. For best results, spray when air is calm.

wind if breeze is blowing.

FLYING INSECTS: Flics, Mosquitoes, Gnats, Small herewith. Flying Moths, Hornets and Yellow Jackets. Allow fog to

drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding Storage: Store in a cool, dry area. Do not transport or areas such as garbage cans and compost piles. Repeat as store below 32°F. necessary.

-----

Mud Daubers and Wasp Nests: Spray mist directly on and dispose of in trash. Do not incinerate or puncture. insects and their nests from approximately 2 feet away

mattresses may also be treated with this product. A test should be made in late evening when insects are at rest. EPA REG. NO. application should be made to upholstery or drapery Spray into hiding and breeding places contacting as many EPA EST. NO. 11715-TN-1 insects as possible.

~~

To control Fleas, Ticks and Lice on dogs: Starting at the CRAWLING INSECTS: Ants, Cockroaches, including

. ....

recommended for use on puppies less than 4 weeks old, on roses, dahlias, asters and other ornamentals to kill To kill Lice and Louse eggs: Spray in an inconspicuous Japanese Beetles hit by spray, as well as Whiteflies, area to test for possible staining or discoloration. Inspect Aphids, exposed Thrips, Spiders, Red Mites, and

you. Depress valve and spray from a distance of 8 to 10 small gardens and for spot treatments of incipient insect

only those garments and parts of bedding, including May also be used on other plants such as African violets, mattresses and furniture that cannot be either laundered or asters, azaleas, begonias, camellias, carnations, dry cleaned. Allow all sprayed articles to dry thoroughly chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula,

Army Worms. When spraying plants, do not operate

areas of the animal, using a stiff brush to get the spray to second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90° F. Contact insects directly Point spray nozzle away from face. Hold can on slight whenever possible. Repeat treatment as infestations occur.

Allow a few minutes for product to take effect. Spray with Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given

#### STORAGE AND DISPOSAL

**Disposal:** Wrap container in several layers of newspaper

.

#### MANUFACTURED BY SPEER PRODUCTS, INC. MEMPHIS, TN 38118

NOT YET ASSIGNED

ACCENTED WIS'S COMMENTS in EPA Letter ilated

2 1995

Under the Protonal Incerticide, as protocied and the president registered, wight EPA Set. No. 1715=

MN(PY-PFH11)P1:B:5/9/94