11715-275 9/3/2003 Page 18-

UNITED STATES ENVIRONMENTAL PROTECTION AGENC'

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. William L. Washburn Regulatory Affairs Manager Speer Products, Incorporated 4242 B. F. Goodrich Blvd P.O. Box 18993 Memphis, TN 38118

SEP - 3 2003

Subject:

Amendment - Revised First Aid Statements

Speer- It Fogger II Total Release Aerosol

EPA Registration No. 11715-275

Your Submission Dated April 24, 2003

Dear Mr. Washburn:

The amendment referred to above, submitted in connection with registration under section 3 (c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the comments listed below.

- 1. Under the "Precautionary Statements" section, move the following statements to your "Directions for Use" section: "Avoid contamination of ...before spraying."
- 2. Add the following statements to the "Directions for Use" section: "Do not apply in classrooms when in use. Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply to institutions (including libraries, sports facilities, etc.,) in the immediate area when occupants are present."
- 3. Delete the phrase "or when necessary" from the statement "Repeat spraying in two weeks or when necessary."

A stamped copy of the label is enclosed for your records. If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely

George T. LaRocca Product Manager 13

Insecticide Branch

Registration Division (7505C)

SPEER-IT FOGGER II TOTAL RELEASE AEROSOL

Made from EVERCIDE® Concentrate 2601 Water Base Formula

For Use in Homes and Food and Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, office buildings, theaters, garages, hotels, motels, hospitals and kennels.

ONE UNIT TREATS UP TO 6,000 CUBIC FEET.

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
Piperonyl butoxide, Technical*	0.100%
N-Octyl bicycloheptene dicarboximide**	0.167%
(S)-cyano(3-phenoxyphenyl)methyl-(S)-	4-
chloro-alpha-(1-methylethyl)	
benzeneacetate	0.100%
INERT INGREDIENTS***	<u>99.583%</u>
	100.000%

- *Equivalent to 0.080% (butylcarbityl)(6-propylpiperonyl)ether and 0.020% related compounds.
- **MGK® 264, Insecticide Synergist
- ***Contains Petroleum Distillates

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Precautionary Statements

NET CONTENTS:

EPA Reg. No. 11715-275 EPA Est. No.11715-TN-1 SEP - 3 2003

Under the Federal Insecticide, Funzicide, and Rodenticide Act

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash with soap and warm water after use. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contamination of food or feedstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

	ETDOM A ID	
FIRST AID		
IF SWALLOWED:	 Immediately ca control center of Do not induce 	or doctor. vomiting
	poison control doctor.	center or
	person.	-
	 Do not give an mouth to an un person. 	
IF INHALED:	 Move person to If person is not call 911 oir an then give artific respiration, promouth-to-mout Call a poison coor doctor for fit treatment advi 	breathing. ambulance, cial eferably by th, if possible. control center arther ce.
IF ON SKIN OR CLOTHING:	 Take off contaction clothing. 	minated
EPTED MMENTS etter Dated	 Rinse skin implenty of water minutes. Call a poison of or doctor for tradition 	r for 15-20 control center
	IF SWALLOWED: IF INHALED: IF ON SKIN OR CLOTHING: EPTED HMENTS	IF SWALLOWED: Immediately cancontrol center of control center of control center of poison control doctor. Do not give an person. Do not give an mouth to an unperson. If INHALED: Move person to call 911 oir an then give artific respiration, promouth-to-mouth Call a poison of or doctor for fit treatment advi IF ON SKIN OR CLOTHING: Take off contact clothing. Rinse skin immediately cancontrol center of water minutes. Call a poison of or doctor for treatment of water minutes. Call a poison of or doctor for treatment control center of the control center of c

IF IN EYES:

 Hold eye open and rinse slowly and gently with water for 15-20 minutes.

٠ ٦

- Remove contact lenses, if present, after the first 5 minutes, then continue missing eye.
- Call a poison control center
 or doctor for treatment
 advice

HOT I INE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distailate- vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient
Ingrediente Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT! To avoid FLAMMABILITY HAZARDS use can as follows:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to

 ϕ



as amended, for the positions regimered under EPA Reg. Plo.

enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.) Call your gas utility or management company if you need assistance with your pilot lights.

This product will kill ants, cockroaches, confused flour beetles, crickets, fleas, houseflies, mosquitoes, rice weevils, saw-toothed grain beetles, small flying moths, sow bugs, spiders and ticks.

Do not apply when food processing facility is in operation or foods are exposed. Cover or remove all food and food processing equipment before application. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Food areas include areas for receiving, storage, packaging (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are places where prepared foods are served, such as dining rooms, but not excluding areas where foods may be prepared or held. Non-food areas include entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not treat establishments where livestock feed is present.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be

treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: Place several layers of newspaper or pad on stand or table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table with valve locked open. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

TO KILL TICKS AND FLEAS: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

[Distributors may choose their own emergency number and time of operation.]

MANUFACTURED BY: SPEER PRODUCTS, INC. 4242 B. F. GOODRICH BLVD. MEMPHIS, TN 38181-0993

D:program files\MSPUB\reg.275.pub-(98-6Notif.-03/11/99)-11715-275-NOTIF-2001-1&6(4-24-03) かり

. >