

SPEER TOTAL RELEASE AEROSOL III WITH NYLAR®

One Unit Treats up to 6,000 Cubic Feet of Unobstructed Space [27 x 27 x 8].

[] or () indicates alternate or optional wording

[Speer Total Release Aerosol III with NyLar®] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Speer Total Release Aerosol III with NyLar®] stops [prevents] the flea and cockroach from developing into egg laying adults

[Speer Total Release Aerosol III with NyLar®] can be used as part of an integrated pest management [IPM] program

[Speer Total Release Aerosol III with NyLar®] can be a biorational approach to insect control

[Speer Total Release Aerosol III with NyLar®] keeps working in areas exposed to the sun

Inhibits reinfestation by cockroaches for up to [144 days] [24 weeks] [6 months] kills [controls] existing cockroaches and effectively breaks the cockroach life cycle

Works with nature to interrupt [break] the life cycle of the cockroach

Effectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations]

[Speer Total Release Aerosol III with NyLar®] keeps working on cockroaches for 144 days [24 weeks] [6 months]

Stops cockroaches from generating reproductive offspring

Prevents [stops][inhibits] nymphal cockroaches from becoming adults [breeding adults][reproductive adults] [egg laying adults]

[Speer Total Release Aerosol III with NyLar®] works for 144 days [24 weeks] [6 months] against hatching cockroaches [nymphal (preadult) cockroaches] [hatching eggs (nymphs)]

Inhibits reinfestation by fleas for up to 210 days [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults
Prevents fleas from developing into the biting adult stage

Prevents [stops] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for 210 days [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite

[Speer Total Release Aerosol III with NyLar®] keeps working on fleas for 210 days [30 weeks][7 months]

Controls [stops (kills)(prevents)] stages of fleas that don't look like fleas

Kills Ticks, Spiders, Ants, and other listed insects

Also kills [controls] Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

ACTIVE INGREDIENTS:

(S)-cyano (3-phenoxyphenyl) methyl-(S)-4-chloro-alpha-(1-methylethyl) benzeneacetate.....0.10%
(RS)-2-methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-(1RS)-cis, trans-chrysanthemate.....0.04%
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine.....0.60%

INERT INGREDIENTS:.....99.26%
100.00%

NYLAR® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

NET WEIGHT: 6 OZ.

EPA REG. NO. 11715-310
EPA EST. NO. 11715-TN-1

ACCEPTED
JUN 19 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11715-310

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets, birds, and cover fish aquariums before spraying.

FIRST AID	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

11715-310

6/19/2003

Page 183

FIRST AID (Cont'd)	
IF SWALLOWED:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p align="center">HOT LINE NUMBER</p> <p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.</p>	
<p align="center">NOTE TO PHYSICIAN</p> <p>Contains petroleum distillate- vomiting may cause aspiration pneumonia.</p>	

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient
 Ingrediente Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

[Speer Total Release Aerosol III with Nylar®] contains a combination of three insecticides that stops [blocks][interrupts][terminates] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first insecticide is [Speer Nylar® EC] an insect growth regulator, that will not allow the cockroach and flea to reproduce viable offspring thereby providing long term [residual] control. [Speer Nylar® EC] inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Speer Nylar® EC] is similar to insect growth hormones that occur naturally in insects causing interference with the flea's growth and development. The second, [Etoc®] is a highly active insecticide that provides quick knock-down and flushing of insects from their hiding place to aid in a more complete control [kill]. The third active insecticide provides activity until [Speer Nylar® EC] takes effect.

[Speer Total Release Aerosol III with Nylar®] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [Speer Total Release Aerosol III with Nylar®] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [Speer Total Release Aerosol III with Nylar®] will kill adult cockroaches and inhibits their natural ability to reproduce future generations for 144 days [24 weeks] [6 months] by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

[This fogger] [Speer Total Release Aerosol III with Nylar®] kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

before they grow up to bite. [Speer Nylar® EC], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. [Speer Total Release Aerosol III with Nylar®] can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floor cracks and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [such as][brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn][home and garden] spray, [brand name][pressurized] flea and tick [indoor][premise] spray.

[Speer Total Release Aerosol III with Nylar®] can provide long term control of both cockroaches and fleas with the insect growth regulator [Speer Nylar® EC] by preventing their offspring from becoming reproductive adults. When used as directed, [Speer Total Release Aerosol III with Nylar®] kills present [today's] cockroaches and fleas and prevents new [tomorrow's] populations from developing and also effectively controls other listed insects.

Kills [controls] insects [on contact] [such as]:
 Cockroaches, [adults (nymphs)], Smoky Brown Cockroach [adults (nymphs)], Brown Banded Cockroach [adults (nymphs)], Asian Cockroach [adults (nymphs)], German Cockroach [adults (nymphs)], American Cockroach [adults (nymphs)], Australian Cockroach [adults (nymphs)], Oriental Cockroach [adults (nymphs)] Waterbugs [adults (nymphs)], Palmetto Bugs, Crickets, Sowbugs, Millipedes, Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder Bug, Earwigs, Lice, Pillbugs, Centipedes, Clover Mites, Fleas [adults (larvae) (eggs) (preadult)], Ticks [that may carry and transmit Lyme Disease], Brown Dog Ticks, Lone Star Ticks, Deer Tick, Other Ixodid species, American Dog Tick, Gulf Coast Tick, Foraging Ants [Fire Ants] [Pharaoh Ants], Carpenter Ants [Eastern (Western)].

Handwritten initials: *2*, *W*

Granary Insects: Caddises, Rice Weevils, Flat Grain Beetles, Flour Beetles, Cigarette Beetle, Confused Flour Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Grain Mites, Cheesemites.

Carpenter Bees, Spiders, Scorpions, Dust Mites, Dermestids [Carpet Beetles (Trogoderma)], Flies, Midges, Flying Moths, Indian Mealworm, Gnats, Cluster Fly, Mosquitoes, Sciarid Fly, Firebrat, Silverfish, Booklice, Bedbug, Woodborers (exposed stages), Almond Moth, Chocolate Moth, Tobacco Moth, Indian Meal Moth, Angoumois Grain Moth, Hornets, Wasps, Yellowjackets [Eastern (Western)].

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree Houses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

DO NOT use more than one fogger per room.

DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft. x 27 ft. x 8 ft. ceiling) of unobstructed area.

PREPARATION:

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Put out all flames and pilot lights. Close outside doors and windows. Remove pets and birds, but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated.

For more effective control of Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental cockroach.], [Crickets, (Waterbugs)(Palmetto Bugs)] and storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows.

turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used, increase airing-out time accordingly. Thoroughly clean all covered food processing areas before using. After first use, treat twice more about 3 months apart.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool dry place. Keep container closed.

DISPOSAL: Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

MANUFACTURED BY:
SPEER PRODUCTS, INC.
4242 B. F. GOODRICH BLVD.
MEMPHIS, TN 38118

D:\Program files\mspub\reg310.pub-(98-6Notif-03/22/99)11715-310-NOTIF-2001-1&6(5-1-03)

6
8
w