11715-313	9/8	4/2001		Page 1 2 4 20060. Approval expires 05-31-98
CEPA Environmental Programment, Weshington,	States tection Age		Registration Amendments Other	OPP Identifier Number
Аррі	ication for I	Pesticide - Sect	ion I	
1. Company/Product Number 11715-313		2. EPA Product Man	•	3. Proposed Classification
4. Company/Product (Name)	 = -	Mr. Marion J	ohnson	None Restricted
SPEER-IT FOGGER III WITH NYLAR		# 10		
5. Name and Address of Applicant (Include ZIP Code) SPEER PRODUCTS, INC. P.O. Box 18993 Memphis, TN 38181-0993 Check if this is a new address				e with FIFRA Section 3(c)(3) al in composition and labeling
	Sec	tion - II		
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below. Explanation: Use additional page(s) if necessary. (For Addition of marketing language "Hom already has "Homes" listed for local environment from flea infestations	r section I and Se ne Protection ations for u	Agency lett "Me Too" A Other - Expl otion II.) on". The reginese. The production	er dated polication. ain below. stered producted protects	the home
label.				4
	Sect	tion - III		
Material This Product Will Be Peckaged in:	1			
be subdiffied of indirect Unit Packaging wgt. con		pe wgtcontaining	Selection of the select	recellant on the late of the end of the late of the la
3. Location of Net Contents Information 4. Siz	e(s) Retail Contai		0, 0000 and 0, 00000	Directions and Consultations
Label _te = 1 pc. Container	M. 1968 (F. 17	4.0	On Labeling	accompanying product
6. Manner in Which Label Is Affixed to Product	Lithograph Paper glued	Other		
	Stenciled	ion - IV 🐃	ار الماريخ الم	and the second s
1. Contact Point (Complete items directly below for iden				see this analogaing 1 manager
Name	Title	ideal to be contacted,		piephone No. (Include Area Code)
Jean Butler	Regu	latory Affairs	Assistant 9	01/362-1950
I certify that the statements I have made on this for a scknowledge that any knowingly false or mislead both under applicable law.	ling statement me			
2. Signature Carl Butles	3. Title Regul	atory Affairs	Assistant	The state of the s
Jean Butler	5. Date	9/7/01		Single of the state of the stat

SPEER-IT FOGGER III WITH NYLAR®

One [6 oz.] Unit Treats up to [6.000] Cubic Feet of and transmit Lyme Disease Unobstructed Space [27 x 27 x 8].

[Note: 1 ounce of product will cover 1,000 cubic feet of area. Variance in can sizes will alter the coverage areas listed using this formula.]

[] or () indicates alternate or optional wording

[Speer-It Fogger III with Nylar[®]] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes Istops their growth and development

[Speer-It Fogger III with Nylar*] stops [prevents] the flea from developing into egg laving adults

[Speer-It Fogger III with Nylar] can be used as part of an integrated pest management [IPM] program

[Speer-It Fogger III with Nylar[®]] can be a biorational approach to insect control

[Speer-It Fogger III with Nylar®] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 monthsl

Kills adult and preadult fleas, including flea eggs for [210 days [30 weeks] [7 months]

Prevents fleas from developing into the biting adult stage Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite

[Speer-It Fogger III with Nylar®] activity keeps working for [210 days] [30 weeks][7 months]

Controls [stops (kills)(prevents)] stages of fleas that don't look like fleas

Prevents (stops) the emergence of adult fleas

Flea eggs deposited onto treated areas will not develop into adult fleas

Larvac crawling onto treated areas will not develop into adult

[Speer-It Fogger III with Nylar[®]] acts on the immature life stage of the flea, preventing it from developing into biting adults

Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other

listed insects

Also kills Deer Ticks and other Ixodid species that may carry Effective long term control

ACTIVE INCREDIENTS

ı	ACITY E INGREDIENTS.	
'	2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy]	
	pyridine	0.100%
	Pyrethrins	
	N-Octyl bicycloheptene dicarboximide*	0.400%
	Permethrin [**(3-Phenoxyphenyl) methyl (+	or -) cis-trans-
1	3-(2,2-dichloroethenyl) 2,2-dimethylcyclopro	pane-
ı	carboxylate]	
	Related compounds	0.035%
	INERT INGREDIENTS:	
	*MGK [®] 264, Insecticide Synergist	
l	**Cis-trans isomers ratio: Max 55% (+ or -) cis and	l Min. 45% (+ or
) trans NYLAR® MGK® - Registered trademarks of McLa	ughlin Gormley
	King Co.	-

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated Remove pets, birds, and cover fish aquariums before clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air if effects occur, and call a physician.

NET CONTENTS: 6 02

EPA REG. NO. 11715-313 EPA EST. NO. 11715-TN-1

MANUFACTURED BY SPEER PRODUCTS, INCZ P.O. Box 18993 MEMPHIS, TN 38181-09

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS: :

CAUTION Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soan and water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feed stuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

spraying.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient Ingrediente Altamente Inflamable This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may

cause bursting.

[Speer-It Fogger III with Nylar®], an insect growth regulator, is similar to growth hormones that occur naturally in insect. [Speer-It Fogger III with Nylar®] inhibits development of the immature stages of the flea for [210 days][30 weeks][7 months] preventing them from reaching the biting adult stage.

[Speer-It Fogger III with Nylar[®]] contains a combination of three insecticides that stops [blocks] [interrupts][terminates] the flea life cycle in three ways and controls other listed insects. The first insecticide is [Speer Nylar® EC] an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower), which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [Speer Nylar®EC] takes effect.

[Speer-It Fogger III with Nvlar[®]] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] feggs (hatching eggs)(larvae)]. Kills hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] before they grow up to bite. [Speer Nylar EC], the insect growth regulator in this fogger, continues to kill [control] hatching fleas [preadult (larval) fleas] [eggs (hatching eggs)(larvae)] for 210 days [30 weeks][7 months] by preventing their development into the adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize

tick shampool, in conjunction with this application and Buildings, Other Public Buildings, Pet Grooming [pressurized] [Ready-to-Use] [RTU] flea and tick Verandas, Warehouses, and Zoos. [indoor][premise] spray.

Kills [controls] insects [on contact (residually)] [such It is a violation of Federal law to use this product in a

Cockroaches. [adults (nymphs)], Smoky Brown Cockroach [adults (nymphs)], Brown Banded Cockroach [adults (nymphs)], Asian Cockroach [adults (nymphs)], German Cockroach [adults (nymphs)], Cockroach [adults (nymphs)], Palmetto Bugs. species, American Dog Tick, Gulf Coast Tick. Foraging Ants [Fire Ants] [Pharaoh Ants]. Carpenter Ants [Eastern (Western)].

Beetles, Flour Beetles, Cigarette Beetle, Confused before re-entry. Flour Beetle, Drugstore Beetle, Lesser Grain Borer, For best results, treat all infested areas [sites]. Use one Grain Weevils, Warehouse Beetle, Red Flour Beetle, x 27 ft. x 8 ft. ceiling) of unobstructed area. Grain Mites, Cheesemites.

Carpenter Bees, Carpet Beetles [Dermestids, PREPARATION; (Trogoderma)], Flies, Midges, Flying Moths, Indian Remove or cover exposed food, dishes, utensils, Fly, Firebrat, Silverfish. Angoumois Grain Moth, Hornets, Yellowiackets [Eastern (Western)].

prior to re-entry. As part of a complete flea control Parlors. Pet Sleeping Areas, Railroad Cars. program use EPA registered [brand name] outdoor Restaurants, Rooms, Schools, Ships, Storage Areas, flawnifhome and garden spray, fbrand namel Supermarkets, Theaters, Trailers, Tree Houses, Trucks,

DIRECTIONS FOR USE

manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

DO NOT use more than one fogger per room. DO American Cockroach [adults (nymphs)]. Australian NOT use in small, enclosed spaces such as closets. cabinets, or under counters or tables. Do not use in a Waterbugs [adults (nymphs)], Sowbugs, Millipedes, room 5 ft. x 5 ft. or smaller; instead, allow fog to enter Beetles, Ground Beetles, Elm Leaf Beetles, Boxelder from other rooms. Turn off ALL ignition sources Bug, Earwigs, Lice, Pillbugs, Centinedes, Clover such as pilot lights (shut off gas valves), other open Mites, Fleas [adults (larvae) (eggs) (preadult)]. Ticks flames or running electrical appliances that cycle [that may carry and transmit Lyme Disease]. Brown off and on (i.e., refrigerators, thermostats, etc.). Dog Ticks, Lone Star Ticks, Deer Tick, Other Ixodid Call your gas utility or management company if you need assistance with your pilot lights.

For use only when building has been vacated by Granary Insects: Cadelles, Rice Weevils. Flat Grain human beings and pets. Ventilate area for 30 minutes

Merchant Grain Beetle, Saw-toothed Grain Beetle, fogger for each 6,000 cubic feet (approximately 27 ft.

Mealworm, Gnats, Cluster Fly, Mosquitoes, Sciarid surfaces and food-handling equipment. Shut off fans Booklice, Bedbug, and air conditioners. Put out all flames and pilot lights. Woodborers (exposed stages), Almond Moth, Close outside doors and windows. Remove pets and Chocolate Moth, Tobacco Moth, Indian Meal Moth, birds, but leave pets' bedding as this is a primary Wasps, hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. reintroduction of adult fleas from outdoors, use EPA For use in: Apartments, Attics, Basements, Boats, Cover or remove fish tanks and bowls. Leave rugs, registered flea and tick products, [such as][brand Cabins, Campers, Closed Porches, Condominiums, draperies and upholstered furniture in place. This name] flea or flea and tick collar, [brand name] pet Dormitories, Drive-Ins, Drugstores, Factories, Food product will not harm furniture when used as directed. powder, [brand name] pet spray, [brand name] pet dip, Plants, Garages, Homes, Hospitals, Hotels, Institutions. Open interior closet doors and cabinets or areas to be [brand name] pet shampoo, flea shampoo or flea and Kennels, Kitchens, Motels, Nursing Homes, Office treated. [Cover waxed wood floors and waxed

furniture in the immediate area surrounding the or open flame. fogger]. (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Boetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetlel and Cockroaches ISmoky Brown Cockroach, Brown Banded Cockroach, D:\Program files\mspub\reg313.pub-(Notif.-09/7/01) Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental cockroach.], [Crickets, (Waterbugs)(Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with too of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table. stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used increase airing out time accordingly.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Home Protection