***	1
A. WHITEO STATES	l
	l
CAPAL PROTECTION	١
	ı

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pessicide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

11715**-**319

Term of Issuance:

EPA Reg. Number:

Date of Issuance:

001 1.5 1997

Conditional

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration

Name of Pesticide Product:

Speer Py-Perm Aqueous Insect Killer #2

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Speer Products Incorporated 4242 B. F. Goodrich Blvd.

P.O. Box 18993

Memphis, TN 38118

Noter Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration.

Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number:

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phase "EPA Registration No. 11715-319".
- b. Move the sites of application i.e. "For Household Use Only: For Use in Rooms xxx etc." to the front panel.
- c. Under indoor use delete use of paint brush. It is unlikely the layperson will know how to use a paint brush in applying this pesticide. Also we do not recommend use of articles not intended for pesticide application for the general public.

Signature of Approving Official:	Date;	

EPA Form 8570-6

. 18

SPEER PERMETHRIN DUSTING POWDER

Contains Permanone®

Provides Quick Killing Action and Residual Control of Fleas and Ticks on Dogs for up to 14 Days

Beetles, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Millipedes, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps. and Other Pests as Listed on Side Panel.

Odorless, Nonstaining Formulation.

ACTIVE INGREDIENTS:

Piperonyl Butoxide, Technical*	2.00%
Permethrin**	0.50%
INERT INGREDIENTS:	97.50%
	100.00%

^{*}Equivalent to 1.6% (butylearbityl)(6-propylpiperonyl) other and 0.4% related compounds.

PERMANONE - Registered Trademark of AgrEvo Environmental Health, Inc.

EPA REG. NO. 11715-not yet assigned (Ft RO-EPA EST. NO. 11715-TN-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NET CONTENTS:

KECD EPA/0PP**/0PD1**

Under the Federal Insectickle, Funccioide, and Rodenticide Act as amonded, for the pesticide registered under EPA Reg. No. 1/715.319

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

be covered during application or thoroughly washed with soap necessary. and water after use

debilitated or pregnant animals.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when treatment of pet areas. disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Household Use Only: For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

Speer Permethrin Dusting Powder provides quick killing action and long lasting control of fleas and ticks on dogs,

INDOOR USE:

Speer Permethrin Dusting Powder is intended for applications with hand or power duster (Actisol® or similar equipment), with a paint brush or by other suitable means, to hiding and See Side Panel For Additional Precautionary presented apply insecticide directly into gracks and gravitational precautionary presented apply insecticide directly into gracks and gravitational precautionary presented apply insecticide directly into gracks and gravitational precautions are placed as a polymer place and gravitational precautions and gravitational precautions are placed as a polymer placed apply insecticide directly into gravitational precautions and gravitational precautions are placed as a polymer placed apply insecticide directly into gravitational precautions and gravitational precautions are placed as a polymer placed apply insecticide directly into gravitational precautions are placed as a polymer placed apply insecticide directly into gravitations. bulbous duster or other suitable equipment. Apply lightly and uniformly to infested areas.

COCKROACHES (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), ANTS, CRICKETS, SILVERFISH AND Harmful if inhaled. Avoid breathing dust. Avoid contact with FIREBRATS: Apply thoroughly at a rate of 3 to 6 ounces per eyes or clothing. Wash thoroughly with soap and water after 100 square feet to all areas where these pests crawl and hide. handling. Remove contaminated clothing and wash before especially in cracks and crevices and hidden surfaces around reuse. Take care not to introduce the product into the air during sinks and storage areas, behind baseboards, around doors and A Broad Spectrum Ready-To-Use Insecticide Highly indoor application; use only in well ventilated areas. Do not windows, behind and under refrigerators, cabinets, sinks and Effective Against Ants, Carpenter Ants, Bees, Carpet apply where children are likely to contact treated surfaces, stoves and in attics and crawl spaces. For Ants, aprinkle freely Remove or cover aquaria before application. Do not apply to around ant trails, doors and windows and other places where areas, surfaces or utensils which will contact food or feed, ants enter premises around nests hidden under steps, Exposed food should be covered or removed during brickwork concrete, etc. Break apart accessible nests and application. All food processing surfaces and utensils should scatter powder freely on and around debris. Repeat as

> BROWN DOG TICKS AND FLEAS IN BUILDINGS: Apply Do not apply product directly in/on eyes, mouth or genitalia of dust at a rate of 3 to 6 ounces per 100 square feet to infested animals. Do not treat or cause exposure to puppies less areas such as pet beds and resting quarters, nearby cracks and than four weeks old. Do not use this product on old, sick, crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after

> > SPIDERS: Apply at a rate of 3 to 6 ounces per 100 square feet along and behind baseboards, to window and door frames. corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

> > SOWBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES AND SCORPIONS: Apply at a rate of 3 to 6 ounces per 100 square feet around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

> > WASPS AND BEES: It is generally advisable to treat wasp and bee nests in the evening when the insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects light. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. For best results, check nests carefully one

^{**(3-}phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2dimethylcyclopropanecarboxylate. Cls/trans ratio: min. 35% (::) cis and max.

necessary. Do not use this product to treat overhead nests.

PANTRY PESTS - GRAIN BEETLES (RUSTY, and in crawl spaces and other areas where pests hide. MERCHANT AND SAW-TOOTHED), FLOUR BEETLES, (RED AND CONFUSED), DRUGSTORE BEETLES, RICE To help prevent invasion of buildings and structures by the WEEVILS. LESSER GRAIN BORERS, SPIDER BEETLES above pests, treat a band of soil and vegetation 6 to 10 feet AND TOBACCO MOTHS: Treat exposed stages. Apply dust wide around and adjacent to the building or structure at a rate at a rate of 3 to 6 ounces per 100 square feet in cracks and of 3 to 6 ounces per 100 square feet. Also treat the building crevices behind and under cupboards and cabinets for residual foundation and crawl spaces where pests are active and find control. Do not apply directly on food, utensils or food storage entrance. Apply thoroughly and uniformly to the band area arcas.

CARPET BEETLES (BLACK, FURNITURE AND noted above. VARIED): Dust at a rate of 6 ounces per 100 square feet on and under edges of floor coverings, under rugs and furniture. Notice: Buyer assumes all responsibility for safety and use not and in closets or other localities where these insects are found. in accordance with directions.

BEDBUGS: Dust mattresses at a rate of 3 ounces per 100 square feet, particularly around tufts and seams. Take beds. Do not contaminate food, feed or water by storage or disposal, apart and dust into all joints. Treat baseboards, moldings and Pesticide Storage and Spill Procedures: Store upright at floors. Repeat treatment as necessary.

these pests are found. This is an adjunct treatment and will not waste disposal facility. control moth larvae already on the clothes. Do not apply to Container Disposal: Completely empty liner by shaking and clothing.

ON DOGS

ITCHING AND SCRATCHING DUE TO INSECT BITES: dispose of in same manner. bead and working back. Work dust into hair and around the reuse container. Wrap container in several layers of newspaper feet, pads and between the toes by rubbing against the lay of and discard in trash. the hair until dust penetrates to skin. Contact ticks with powder. Take care not to get the powder in animal's eyes, nosc or mouth. Dust bedding, kennel, sleeping areas, carpeting and furniture used by infested animals. Repeat at weekly intervals if necessary.

OUTDOOR USE

PERIMETER TREATMENT: Use Speer Permethrin Dusting Powder as a residual treatment for control of Ants, Bees,

or two days after treatment to ensure complete kill, then Brown Doy Ticks, Centipedes, Cockroaches, Crickets, remove and destroy nest to prevent emergence of newly- Earwigs, Firebrats, Fleas, Ground Beetles, Millipedes, hatched insects. If removal is not feasible, retreat the nest, if Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Wasps. Make a residual treatment around windows and doors, porches, screens, caves, patios, garages, under stairways

> Pay particular attention to ant hills and wasp nests in the band area. Wasp and bee nests in trees and shrubs may be treated as

STORAGE AND DISPOSAL

room temperature. Keep away from moisture. Sweep up and dispose of with chemical waste.

WEBBING CLOTHES MOTHS: Use this product as a crack Pesticide Disposal: Pesticide that cannot be used according to and crevice treatment in closets and other storage areas where label instructions must be disposed of at or by an approved

tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incincration if allowed by State and local TO KILL FLEAS, TICKS AND LICE AND TO REDUCE authorities, If drum is contaminated and cannot be reused,

Apply powder liberally over the entire body, beginning at the CONTAINERS ONE POUND AND SMALLER: Do not

MANUFACTURED BY SPEER PRODUCTS MEMPHIS, TN 38118