

11715-319

6/2/2003

1/3

SPEER PERMETHRIN DUSTING POWDER

- Contains Permanone®
- Provides Quick Killing Action and Residual Control of Fleas and Ticks on Dogs for up to 14 Days
- A Broad Spectrum Ready-To-Use Insecticide Highly Effective Against Ants, Carpenter Ants, Bees, Carpet Beetles, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Millipedes, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, and Other Pests as Listed on Side Panel.
- Odorless, Nonstaining Formulation.

For Household Use Only: For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

ACTIVE INGREDIENTS:

Piperonyl Butoxide, Technical* 2.00%
Permethrin** 0.50%

INERT INGREDIENTS: 97.50%
100.00%

*Equivalent to 1.6% (butylcarbityl)(6-propylpiperonyl) ether and 0.4% related compounds.

** (3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. *Cis/trans* ratio: min. 35% (±) cis and max. 65% (±) trans.

PERMANONE - Registered Trademark of AgrEvo Environmental Health, Inc.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel For Additional Precautionary Statements

NET CONTENTS: _____

EPA REG. NO. 11715-319
EPA EST. NO. 11715-TN-1

**READ ENTIRE LABEL BEFORE EACH USE
ON ANIMAL APPLICATION FOR DOGS ONLY**

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing dust. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Take care not to introduce the product into the air during indoor application; use only in well ventilated areas. Do not apply where children are likely to contact treated surfaces. Remove or cover aquaria before application. Do not apply to areas, surfaces or utensils which will contact food or feed. Exposed food should be covered or removed during application. All food processing surfaces and utensils should be covered during application or thoroughly washed with soap and water after use.

Do not apply product directly in/on eyes, mouth or genitalia of dogs. **Do not treat or cause exposure to puppies less than twelve weeks old. DO NOT** use this product on cats.

Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
--------------------	---

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR USE:

Speer Permethrin Dusting Powder is intended for applications with hand or power duster (Actisolk or

ACCEPTED

JUN - 2 2003

Under the provisions of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11715-319

similar equipment), or by other suitable means, to hiding and runway areas and other places where insects are found. To apply insecticide directly into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly to infested areas.

COCKROACHES (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ANTS, CRICKETS, SILVERFISH AND FIREBRATS:** Apply thoroughly at a rate of 3 to 6 ounces per 100 square feet to all areas where these pests crawl and hide, especially in cracks and crevices and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves and in attics and crawl spaces. For **Ants**, sprinkle freely around ant trails, doors and windows and other places where ants enter premises around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and scatter powder freely on and around debris. Repeat as necessary.

BROWN DOG TICKS AND FLEAS IN BUILDINGS: Apply dust at a rate of 3 to 6 ounces per 100 square feet to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas.

SPIDERS: Apply at a rate of 3 to 6 ounces per 100 square feet along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

SOWBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES AND SCORPIONS: Apply at a rate of 3 to 6 ounces per 100 square feet around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

WASPS AND BEES: It is generally advisable to treat wasp and bee nests in the evening when the insects are

less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects light. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For ground wasps, dust entrance and surrounding areas. For best results, check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

PANTRY PESTS - GRAIN BEETLES (RUSTY, MERCHANT AND SAW-TOOTHED), FLOUR BEETLES, (RED AND CONFUSED), DRUGSTORE BEETLES, RICE WEEVILS, LESSER GRAIN BORERS, SPIDER BEETLES AND TOBACCO MOTHS: Treat exposed stages. Apply dust at a rate of 3 to 6 ounces per 100 square feet in cracks and crevices behind and under cupboards and cabinets for residual control. Do not apply directly on food, utensils or food storage areas.

CARPET BEETLES (BLACK, FURNITURE AND VARIED): Dust at a rate of 6 ounces per 100 square feet on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

BEDBUGS: Dust mattresses at a rate of 3 ounces per 100 square feet, particularly around tufts and seams. Take beds apart and dust into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

WEBBING CLOTHES MOTHS: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. Do not apply to clothing.

ON DOGS ONLY: Speer Permethrin Dusting Powder provides quick killing action and long lasting control of fleas and ticks on dogs.

TO KILL FLEAS, TICKS AND LICE AND TO REDUCE ITCHING AND SCRATCHING DUE TO

INSECT BITES Apply powder liberally over the entire body, beginning at the head and working back. Work dust into hair and around the feet, pads and between the toes by rubbing against the lay of the hair until dust penetrates to skin. Contact ticks with powder. Take care not to get the powder in animal's eyes, nose, mouth or genitalia. Dust bedding, kennel, sleeping areas, carpeting and furniture used by infested animals. Do not treat dogs under 12 weeks of age. Repeat treatment at weekly intervals if necessary.

OUTDOOR USE

PERIMETER TREATMENT: Use Speer Permethrin Dusting Powder as a residual treatment for control of *Ants, Bees, Brown Dog Ticks, Centipedes, Cockroaches, Crickets, Earwigs, Firebrats, Fleas, Ground Beetles, Millipedes, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Wasps*. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure at a rate of 3 to 6 ounces per 100 square feet. Also treat the building foundation and crawl spaces where pests are active and find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and wasp nests in the band area. Wasp and bee nests in trees and shrubs may be treated as noted above.

STORAGE AND DISPOSAL

Do not contaminate food, feed or water by storage or disposal.

STORAGE: Store upright at room temperature. Keep away from moisture. Sweep up and dispose of with chemical waste.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

In case of emergency or for product use information
please call 901/362-1950 Monday thru Friday CST
(Distributors may use their own phone numbers and
hours of operation).

**MANUFACTURED BY:
SPEER PRODUCTS, INC.
4242 B. F. GOODRICH BLVD.
MEMPHIS, TN 38118**

E:\MSPUB\reg319 pub-(10/16/97)11715-319-NOTIF-2001-1&6(5-5-03)