160/55/4050 18/

CO STATES TO STATES TO STATES TO STATES TO STATES TO STATES TO STATE STATES TO
--

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)

401 "M" St., S.W. Washington, D.C. 20460 EPA Reg. Number:

Term of Issumne:

Date of Issuance:

Conditional

11715-321 OCT 16 1997

NOTICE OF PESTICIDE:

____ Registration ____ Reregistration

Name of Pesticide Product

Speer Py-Perm Aqueous Insect Killer #2

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Speer Products Incorporated 4242 B. F. Goodrich Blvd.

P.O. Box 18993

Memphis, TN 38118

Note: Charges in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in continence. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phase "EPA Registration No. 11715-321".
- b. Under Directions for Use add "Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared, processed or stored. Not for use in Federally Inspected Meat and Poultry Plants.".

Signature of Approving Official:	Date:
	-
	1
	-

EPA Form 8570-6

page 2 EPA Reg. No. 11715-321

- c. Revise your label to be in compliance with PR Notice 96-6 (Pet Pesticide Product Label Statements).
- 3. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures

SPEER PY-PERM AQUEOUS INSECT KILLER #2

Contains Pyrenone® and Permanone® Controls Residential and Garden Insects Seeks Out Bugs Where They Hide Kills On Contact For Household Use Non-Staining

A Broad Spectrum Insecticide Highly Effective Against Ants. (Including Carpenter Ants), Bees, Beetles (Including Carpet, Flour, Grain, and Ground Beetles), Centipedes, Clover Mites, Cockroaches, Crickets (Including Mole Crickets), Earwigs, Firebrats, Millipedes, Moths. Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Wasps, and Other Pests Listed on the Label.

Kills Lice and Their Eggs

For Use On Bedding, Furniture and Other Inanimate Objects Infested with Lice,

No Unpleasant Odor

Water-Based Formula

For Use on Dogs and on Premises to Control Fleas and Ticks.

Controls Fleas and Ticks on Dogs for 14 Days.

ACTIVE INGREDIENTS: Demodlaring

ryicumus	
Piperonyl Butoxide, Technical*	
Permethrin**	
INERT INGREDIENTS:	99,20%
*Equivalent to min 0.4% (butylearbityl)(6-propylpi	
related compounds,	2-dichlorouthunsd\ 2.2-

Λ 1/10/

dimethyleyclopropanecarboxylate, Cis/trans ratio: min. 35% (+/-) cis and max.

Pyranone and Permanone - Registered Trademarks of Roussol Uclaf Corporation.

EPA REG, NO. 11715-not yet assigned EPA EST. NO. 11715-TN-1

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See Side Panel For Additional Precautions

NET CONTENTS:

STATEMENT OF PRACTICAL TREATMENT

medical attention.

PRECAUTIONARY STATEMENT'S HAZARD TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. contamination of feed and foodstuffs, Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before re-occupying. Do not allow Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, children or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS

equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open where possible. Repeat as necessary. flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this Carpet Beetles: Spray directly on beetles, floors, baseboards, product in or on electrical equipment due to the possibility of shelves and carpets. Repeat treatment as necessary. shock hazard.

DIRECTIONS FOR USE

inconsistent with its labeling.

In the home, all food processing surfaces and utensils should Exposed food should be covered or removed.

elderly or infirm. Do not apply to classrooms when in use.

SHAKE WELL BEFORE USING.

Remove protective cap, hold contained EBREAT and spray from a distance of 12 to 15 inches. with COMMENTS in EPA Letter Dated

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Rog. No. 11715-321

INDOORS:

Cluster Flies, Houseflies, Fruit Flies, Mosquitoes, Gnats, IF INHALED: Remove victim to fresh air. If not breathing Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow give artificial respiration, preferably mouth to mouth. Get Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room, moving toward the door. Direct spray to all parts of the room, esuccially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room Remove contaminated clothing and wash before reuse. Avoid thoroughly before re-entry. Sweep up and diseard fallen insects. Repeat treatment as necessary.

Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along This product is toxic to fish. Do not apply directly to any body baseboards and floors, around drains and plumbing, hitting of water. Do not contaminate water when disposing of insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat It is a violation of Federal law to use this product in a manner baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before

be covered during treatment or thoroughly washed before use. TO CONTROL Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, Do not use in rooms/areas while occupied by patients, the if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

> Fleas in buildings - Space spray: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft, making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed

W

Reneat treatment after 7 days or as needed.

Fleas & Ticks (Adults and Larvae): Remove and thoroughly CRAWLING INSECTS: Ants. Cockroaches, including Infested upholstered furniture and mattresses may also be and chairs to repel ants. Spray ant hills for best control. treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before FOR THE CONTROL OF GARDEN INSECTS: For use on use

TO CONTROL Fleas, Ticks and Lice on dogs. Starting at Thrips, Spiders, Red Mites and Leafminers. the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure May be used on plants such as African violets, asters, azaleas, old.

TO KILL Lice and Louse eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again Effective when used as directed against Whiteflies, Aphids, after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress Japanese Beetles, Pavement Ants, Clover Mites and Army valve and spray from a distance of 8 to 10 inches. Spray each Worms. When spraying plants do not operate closer than 18 square foot for three seconds. Spray only those garments and inches. Use sweeping motion, Spray in one second bursts. Be parts of bedding, including mattresses and furniture that cannot cautious about wetting tender foliage, young plants and new be either laundered or dry cleaned. Allow all sprayed articles growth. Do not spray plants when temperatures exceed 90°F. to dry thoroughly before use.

OUTDOORS:

Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Store in cool dry area. Do not transport or store below 32°F. wind if breeze is blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Buyer assumes all responsibility for safety and use not in Moths, Hornets, Wasps and Yellow Jackets: Allow fog to accordance with directions. drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

Mud Daubers and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in the late evening when insects are at rest. Spray into

for 15 minutes. Open and ventilate before re-occupying, hiding and breeding places contacting as many insects as possible.

clean or destroy pet bedding. Spray pet sleeping quarters, bed, Asian Cockroaches, Crickets, Mole Crickets, Centipedes entire floor and floor covering, with special attention to cracks and Silverfish: Spray infested surface of patio or picnic area. and crevices around baseboards, and window and door frames. hitting as many insects as possible. Also spray legs of tables

> roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed

penetrating the coat. Dampen the fur back to the tail Repeat begonias, camellias, carnations, chrysanthemums, dahlias, application weekly if necessary to control infestations. NOTE: delphiniums, dogwood, English ivy, euonymus, fuschia, Not recommended for use on pupples less than four weeks geraniums, crassula, grape vinc, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

> Spider and Red Mites, exposed Thrips, Lace Bugs, Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE AND DISPOSAL

Allow a few minutes for product to take effect. Spray with Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

MANUFACTURED BY SPEER PRODUCTS MEMPHIS, TN 38118

RECD CPA/JPP/DPD1

呂

24

23

:07