JAMED STATES 11715 - 323

8 28 2003

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 2 8 2003

Mr. William L. Washburn Regulatory Affairs Manager Speer Products, Incorporated 4242 B. F. Goodrich Blvd P.O. Box 18993 Memphis, TN 38118

Subject:

Amendment - Revised First Aid and Disposal Statements

Speer-It Fogger IV Total Release Aerosol

EPA Registration No. 11715-323 Your Submission Dated May 5, 2003

Dear Mr. Washburn:

The amendment referred to above, submitted in connection with registration under section 3 (c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable, subject to the comments listed below.

- Under the "Precautionary Statements" section, move the statements "Not for use...before 1. spraying" to the "Directions for Use" section of your label.
- 2. Under "To Kill Ticks and Fleas", add the following sentence to the end of the paragraph: "Also, treat your yard with a product registered for yard application."
- 3. Delete the phrase "or when necessary" from the statement "Repeat spraying in two weeks or when necessary."
- Add the following statement to the "Directions for Use" section of the label: "Do not 4. allow children or pets to contact treated area until surfaces are dry."

5. The results of a primary eye irritation study for this type formulation indicates it is Toxicity Category IV. Therefore you can remove the "If In Eyes" first aid statement from the labeling.

A stamped copy of the label is enclosed for your records. If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely,

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

SPEER-IT FOGGER IV TOTAL RELEASE AEROSOL

Water Base Fogger

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, and Cahins.

ONE UNIT TREATS UP TO 6,000 CUBIC FEET

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]......0.20% (S)-cyano (3-phenoxyphenyl) methyl-(S)-4-chloroalpha-(1-methylethyl) benzeneacetate......0.10% N-Octyl bicycloheptene dicarboximide*.....1.00% INERT INGREDIENTS**:.....98.70% 100.00%

*MGK® 264. Insecticide Synergist **Contains petroleum distillate MGK® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautions

NET CONTENTS: 6 QZ CEPTED

with COMMENTS in EPA Letter Dated

EPA REG. NO 11715-323

ζ.

EPA EST. NO. 11715-TN-1 Buder the Federal Insectici Fungicide, and Redenticide ne amended, for the pesticities residented under EPA

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin or inhaled. Avoid contact with skin or clothing and inhaling spray mist. Wash thoroughly after handling, Remove contaminated clothing and wash before reuse.

Not for use in Federally Inspected Meat and Poultry Plants.

Do not use in commercial/feed handling establishments. restaurants or other areas where food/feed is commercially prepared, processed or stored. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraving.

| FIRST AID | |
|----------------------------------|---|
| IF ON SKIN OR ON CLOTHING: | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| IF INHALED: | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. |
| IF IN EYES: | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |

IF SWALLOWED:

- Immediately call a poison control center or doctor.
- Do not induce vomiting unless told to do so by a poison control center of _ ? dector.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

NOTE TO PHYSICIAN

Contains petroleum distillate- vomiting may cause aspiration pneumonia.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient Ingrediente Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

Contents under pressure. Keep away from heat, sparks. and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT! TO AVOID FLAMMABILITY HAZARD, USE AS FOLLOWS:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x (V

11215-323

5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.) Call your gas utility or management company if you need assistance with your pilot lights.

This product will kill ants, cockroaches, confused flour beetles, crickets, fleas, houseflies, mosquitoes, rice weevils, saw-toothed grain beetles, small flying moths, sow bugs, spiders and ticks.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area.

Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: Place several layers of newspaper or pad on stand or on table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table with valve locked open. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

> MANUFACTURED BY: SPEER PRODUCTS, INC. 4242 B. F. GOODRICH BLVD. MEMPHIS, TN 38118

D:\Program files\MSPUB\REG323.PUB-(PR Notice98-6-04/08/99)11715-323-NOTIF-2001-1&6(5-5-03)