11/17/2004

Page 174

SECURITY BRAND

Vegetable and Ornamental Insect Spray
Ready-To-Use

USE ON RESIDENTIAL HOUSE PLANTS, HOME LAWN ORNAMENTALS, AND HOME VEGETABLE GARDENS ONLY

ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional precautionary statements on side panel

NET CONTENTS: 30 FL. OZ.

EPA Reg. No. 11715-348 EPA Est. No. 11715-TN-1

Manufactured By: SPEER PRODUCTS, INC. P.O. Box 18993 Memphis, TN 38181-0993 NOV 17 2004

Under the Polaret Incocticide, Fungicide, and inclinitative Act, as amended, for the posticide registered under BPA Reg. No. N/7/5-348

(Back Label)

For use on house plants including ferns, peperonia, philodendron, African violets, begonias, geraniums, and other potted or indoor plants. To control aphids, scale crawlers, spider mites, whiteflies, thrips, mealybugs, and leafhoppers. Use a fine mist spray directed at the insect pest. Avoid heavy applications, which result in runoff, excessive spray deposits could cause injury to sensitive plants.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

^{*}Equivalent to min. 0.16% (butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds.

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Remove birds and cover fish aquariums before spraying indoors. Avoid spraying food and foodstuffs.

aquariums before spraying indoors. Avoid spraying tood and toodstutts.	
FIRST AID	
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers or for product use information, call 901–362–1950.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not transport or store under 32°F. If freezing occurs, thaw and agirate vigorously.

t reac

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

TO OPERATE: SHAKE WELL BEFORE USING. Turn nozzle to "spray" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage.

This product may be used indoors, outdoors or in home greenhouses throughout the growing season, or as preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. This product may be applied on day of harvest.

To control the insects listed, direct the spray to cover the insect pest and also the upper and lower leaf surfaces. Begin treatment as soon as insects appear. Make sure spray penetrates dense foliage. Repeat application weekly or as needed to control infestations.

INSECTS CONTROLLED ON ROSES, ORNAMENTALS AND VEGETABLES

Aphids

Blister Beetle

Colorado Potato Beetle

Cucumber Beetle

Eastern Tent Caterpillar

Flea Beetle

Green Peach Aphid

Harlequin Bug

Japanese Beetle Adult

Leaftier

Mexican Bean Beetle

Spider Mites

Thrips

Whiteflies

Asparagus Beetle

Cabbage Looper

Cross-Striped Cabbageworm

Diamondback Moth Larvae

Fireworm

Forest Tent Caterpillar

Gypsy Moth

Imported Cabbageworm

Leafhopper

Mealybug

Scale Crawlers

Stink Bug

Webworm

FOR USE ON THE FOLLOWING VEGETABLES:

Asparagus

Beans

Broccoli

Brussels Sprouts

Cabbage

Cauliflower

Celery

Collards

Eggplant

Kale

Lettuce

Mustard Greens

Peppers

Potatoes

Radishes

Spinach

Tomatoes

Turnips

FOR USE ON ORNAMENTAL TREES, SHRUBS AND FLOWERS INCLUDING: African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwoods, Geraniums, Gladiolas, Marigolds, Roses and Wandering Jew.

STORAGE AND DISPOSAL

STORAGE: Store this product in original container and keep in a locked storage area. DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

NTSVR:/REGULATORY/SPI LABELS/11715/11715-348pending amendment Add Home & Garden Use Restriction to remove from WPS requirements per Ann Siebold 11-15-04jb