

11724

Dec 19, 1974  
Accepted  
11724-38

DEC 19 1974  
UNDER THE FEDERAL INSECTICIDE-  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 11724-38

KoolKlor

SANITIZER USE DIRECTIONS DEODORANT

FOR GENERAL SANITIZING PURPOSES: Use KoolKlor at 1 ounce for each 15 gallons of water. Provides 100 ppm available chlorine. Allow to contact all surfaces to be sanitized for not less than 2 minutes.

FOOD OR BEVERAGE PROCESSING PLANTS

1. FLUSH utensils and equipment with clean water.
2. CLEAN in the usual manner with recommended Intex detergent.
3. RINSE\* thoroughly with clean water, until all detergent residues are gone.
4. SANITIZE with KoolKlor solution by flushing, CIP circulation, or spraying. For flushing and circulation method, use 1 ounce of KoolKlor to each 15 gallons of water (100 ppm available chlorine). For spraying, use 1-1/3 ounces KoolKlor to each 5 gallons of water (400 ppm available chlorine).
5. RINSE any treated food contact surfaces with potable water before reuse.

SANITIZING DISHES, GLASSES, SILVERWARE, KITCHEN UTENSILS (HAND WASHING)

1. SCRAPE and preflush all articles to be washed.
2. WASH in first compartment with clean water using recommended Intex detergent.
3. RINSE in second compartment with clean rinsing water, until all detergent residues are gone.
4. SANITIZE in third compartment with KoolKlor solution (1 ounce to 15 gallons of water (100 ppm available chlorine).

Note: Sanitizing Solutions should be tested at least after each 400 articles to assure that the concentration does not drop below 50 ppm available chlorine during sanitizing operations. Chlorine test papers may be used for this purpose. Surfaces should be sanitized in a continuous or continuous DO NOT SOAK.

Inquiries about this product should include the Laboratory Inspection Number stamped below and the Product Number



FOR INDUSTRIAL USE ONLY

# KOOLKLOR

## 8090

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene (diquat) 37.0%

INERT INGREDIENTS

\* Provides 20% available chlorine 63.0%  
100.0%

### WARNING

KEEP OUT OF REACH OF CHILDREN

SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON RIGHT PANEL

INTEX PRODUCTS, INC. • P. O. BOX 6648 • GREENVILLE, SOUTH CAROLINA 29615

DI  
1.  
2.  
3.  
4.  
FC  
Us  
PF  
V  
In  
M  
e)  
F  
m  
w  
sv  
C  
IN  
be  
ga  
Ri  
De

Dec 19, 1974  
Accepted  
11724-38

DEC 19 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED. UNDER NO. 11724-38



FOR INDUSTRIAL USE ONLY

# KOOLKLOR

## 8090

**ACTIVE INGREDIENT:**

Sodium Dichloro-s-triazinetriene dihydrate\* 37.0%

**INERT INGREDIENTS**

63.0%

\* Provides 20% available chlorine

100.0%

### WARNING

KEEP OUT OF REACH OF CHILDREN

SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON RIGHT PANEL

KEEP CONTAINER CLOSED . . .  
STORE IN COOL, DRY PLACE

**DAIRY PLANTS**

1. FLUSH utensils and equipment with clean water.
2. CLEAN in the usual manner with the recommended Intex detergent — brushing or with C-I-P cycle.
3. RINSE thoroughly with clean water, until all detergent residues are gone.
4. SANITIZE immediately with KoolKlor solution, 1 ounce to each 15 gallons of water, as required by governing sanitizing code.

**FOR DEODORIZING AND DISINFECTING (RINSE OR SPRAY)  
Cold Storage Rooms — Refuse Containers — Walls and Floors.**

Use KoolKlor solution 2 ounces to each 5 gallons of water (600 ppm available chlorine). Contact all surfaces to be disinfected.

**KoolKlor DILUTION CHART**

|                                 |                              |
|---------------------------------|------------------------------|
| 1 ounce to 15 gallons water     | = 100 ppm available chlorine |
| 1 1/2 ounces to 5 gallons water | = 400 ppm available chlorine |
| 2 ounces to 5 gallons water     | = 600 ppm available chlorine |

**WARNING:** Harmful if swallowed.  
Irritating to eyes and mucous membranes.  
May cause skin irritation. Do not get in eyes, on skin or on clothing.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water. For eyes, get medical attention. If swallowed, give milk, water or egg whites. Call a physician immediately.

**IMPORTANT:** Do not mix with acids, ammonia, bowl cleaners or other chemicals. Hazardous gases may be released.

Rinse empty container thoroughly and discard. Do not re-use container.

EPA Reg. No. 11724-38  
EPA Est. No. 11724 S.C. 1

PRODUCTS, INC. • P. O. BOX 6648 • GREENVILLE, SOUTH CAROLINA 29606

11724-38

Dec 19, 1974  
Accepted  
11724-38

DEC 19 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND ROBERTS ACT  
FOR ECONOMIC PEST CONTROL  
ED UNDER NO. 11724-38

KoolKlor

USE DIRECTIONS: SANITIZER DEODORANT

FOR GENERAL SANITIZING PURPOSES: Dilute 1/2 cup of KoolKlor in 10 gallons of water. Use on all surfaces.

FOOD OR BEVERAGE PROCESSING PLANTS:

1. Dilute 1/2 cup of KoolKlor in 10 gallons of water.
2. Apply to all surfaces.
3. Rinse with clean water.
4. SANITIZE with KoolKlor solution by spraying or scrubbing. For floor sanitizing, use 1/2 cup of KoolKlor in 10 gallons of water.

SANITIZING DISHES, GLASSES, SILVERWARE, KITCHEN UTENSILS, HARD WASHING

1. Dilute 1/2 cup of KoolKlor in 10 gallons of water.
2. Wash with solution.
3. Rinse with clean water.
4. SOAK in solution for 10 minutes.

Note: For best results, always use clean water. Do not mix with other cleaning products. Do not use on marble or waxed surfaces.

Requires about this product should include the following information: Number stamped below and the Product Number.

[Empty box for stamp]



FOR INDUSTRIAL USE ONLY

# KOOLKLOR 8090

ACTIVE INGREDIENT  
INERT INGREDIENTS

### WARNING

KEEP OUT OF REACH OF CHILDREN

SEE FIRST STATEMENT AND OTHER DIRECTIONS ON CONTAINER

KEEP CONTAINER STORED IN

DAIRY PLANTS  
Immediately flush with 10 gallons of water as needed.  
FOR DEODORIZING AND DISINFECTING Cold Storage Rooms - Ref. to label for details.

### WARNING:

Irritating to eyes and skin. May cause skin irritation, eyes, on skin or on clothing.

### FIRST AID:

In case of eye contact, immediately flush eyes with water. For eyes, get to a physician immediately. If swallowed, give milk or water. Call a physician immediately. Do not use in confined spaces. Do not mix with other cleaning products. Do not use on marble or waxed surfaces. Do not re-use container.

EPA Reg. No. 11724-38

T

11724-38

Dec 19, 1974  
Accepted  
11724-38

DEC 19 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND ROBOTICIDE ACT  
FOR ECONOMIC PEST CONTROL  
REGISTERED UNDER NO. 11724-38

KoolKlor  
DIRECTIONS  
DEODORANT

PURPOSES Use KoolKlor at 100 ppm available chlorine. Also  
diluted for not less than 200 ppm for

WASHING PLANTS  
Rinse with clean water.  
Rinse with recommended Intex detergent  
in water, until all detergent residue is

removed by thoroughly rinsing with clean water.  
For disinfection, use 100 ppm available  
chlorine for 30 minutes. KoolKlor is not to be  
used on available chlorine.

WASHING SURFACES with potable water.  
**SILVERWARE, KITCHEN UTENSILS  
WASHING:**  
Items to be washed  
with warm water (120° F. minimum)  
in clean running water, until free

of residue. Rinse with KoolKlor solution (100 ppm  
available chlorine).  
Do not test at least after every use.  
Concentration does not change during  
use. During sanitizing, do not  
test for free chlorine. Do not  
test for free chlorine. DO NOT

include the Laboratory Inspection  
Product Number



FOR INDUSTRIAL USE ONLY

# KOOLKLOR 8090

ACTIVE INGREDIENT

INERT INGREDIENTS

## WARNING

KEEP OUT OF REACH OF CHILDREN

SEE FIRST AID STATEMENT AND OTHER PRECAUTIONS ON RIGHT PANEL

KEEP CONTAINER CLOSED  
STORE IN COOL, DRY PLACE

**FOR DEODORIZING AND DISINFECTING RINSE OR SPRAY**  
Cold Storage Rooms - Refuse Containers - Walls and Floors  
KoolKlor DILUTION CHART  
100 ppm available chlorine  
100 ppm available chlorine

**WARNING:** Harmful if swallowed.  
Irritating to eyes and mucous membranes.  
May cause skin irritation. Do not get in  
eyes, on skin or on clothing.

**FIRST AID:** In case of contact, im-  
mediately flush eyes or skin with plenty of  
water. For eyes, get medical attention. If  
swallowed, give milk, water or egg whites.  
Call a physician immediately.

**IMPORTANT:** Do not mix with acids, ammonia,  
bleach cleaners or other chemicals. Hazardous  
gases may be released.  
Rinse empty container thoroughly and discard.  
Do not reuse container.