

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 05-31-98.



United States Environmental Protection Agency Washington, DC 20460

<input type="checkbox"/> Registration
<input type="checkbox"/> Amendment
<input checked="" type="checkbox"/> Other

OPP Identifier Number
243615

Application for Pesticide - Section I

1. Company/Product Number 11725-7	2. EPA Product Manager Ruth Douglas	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) TEK-Trol Disinfectant Cleaner Concentrate	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Bio-Tek Industries, Inc. 1380 West Marietta Street, NW Atlanta, GA 30318 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(ii), my product is similar or identical in composition and labeling to: EPA Reg. No. 11725-7 Product Name TEK-Trol	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated
<input type="checkbox"/> Resubmission in response to Agency letter dated	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification of change in label language in accordance with PR Notice 93-10
Addition of effluent discharge labeling statement.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal		Glass
* Certification must be submitted		Paper		Other (Specify)	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Wendy A. McCombie, Lewis & Pazianos 1338 G St., SE WDC 20003	Title Agent for Bio-Tek	Telephone No. (include Area Code) 202-546-8420
2. Signature 		3. Title Agent for Bio-Tek
4. Typed Name Wendy A. McCombie	5. Date 8-7-95	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)

TEK-TROL DISINFECTANT CLEANER CONCENTRATE

DESCRIPTION

TEK-TROL is a synthetic detergent with broad spectrum kill of gram positive and gram negative microorganisms, provides effective cleaning and disinfecting in one operation, non-flammable and non-volatile in use dilutions, excellent solubility, dilutes in hot, cold, soft or hard water of up to 1000 ppm water hardness.

The TEK-TROL high foaming detergent system has been especially formulated to provide heavy duty cleaning, wetting and penetration of soils and organic matter and easy rinsing of surfaces. Excellent clinging foam is obtained at 1/2 oz. per gallon of water (1:256) to provide prolonged contact time.


TEK-TROL, at 1/2 oz. per gallon of water (1:256) provides residual control of odor causing bacteria in the presence of moisture.

TEK-TROL is recommended for use when used as directed on ceramic and glazed tile surfaces, stainless steel, aluminum, chrome, galvanized metal, glass, and other non-porous surfaces such as treated wood, polyethylene, polypropylene, PVC (polyvinyl chloride), polystyrene, vinyl, fiberglass, viton, ethylene propylene, nitrile, acrylic, and polyurethane.

TEK-TROL at 1/2 oz. per gallon of water (1:256) is ideally suited for disinfecting and cleaning in all areas of Hospitals, Medical Research Centers, Health Care Facilities, Schools, Animal Care Facilities and Research Centers, Laboratories, Veterinary Facilities, Zoos, Kennels, and Swine Operations. In Food Processing Plants as a floor and wall cleaner - in poultry processing, meat packing plants, frozen food and canning operations, in poultry and turkey barns, Breeder and Laying Operations. Poultry House Grow-out Operations, Hatcheries - in hatchers and setters, evaporative coolers, humidifying systems and ceiling fans, live haul equipment, chick busses, transfer trucks, trays, coop washing, polyethylene chick boxes, foot pans and feed bins. Equine facilities including stables, stalls, breeding and foaling areas and transport vehicles.

TEK-TROL is recommended for use in fogging (wet misting) operations as an adjunct either preceding or following regular cleaning and disinfecting procedures. Use at a dilution of 1/2 oz. per gallon (1:256). Check with a Bio-Tek representative to determine effective fogging schedule for particular use sites. Leave the room when fogging. In well ventilated areas, such as hatcheries, only 10 to 15 minutes is necessary before reentering. If used in a poorly ventilated area, allow at least 2 hours, or air thoroughly, before reentry. Before fogging in food processing areas, all food and food packaging items must be removed or carefully protected. Treated food contact surfaces must be thoroughly scrubbed with TEK-TROL at 1/2 oz. per gallon (1:256) and rinsed with potable water prior to reuse.

Toxicity tests required by the U.S. Environmental Protection Agency for TEK-TROL DISINFECTANT-CLEANER have been done, in conformity with the FDA and EPA Good Laboratory Practice Regulations.



Proven effective as a disinfectant by the following tests: A.O.A.C. (use dilution test method) in conformance with the 14th Edition 1984. All dilutions at 1:256 . The following organisms tested at 1000 ppm water hardness as calcium carbonate and 10% horse serum (as organic soil):

Staphylococcus aureus ATCC# 6538
Streptococcus pyogenes ATCC# 9342
Shigella sonnei ATCC# 25931
Klebsiella pneumoniae ATCC# 4352
Enterobacter aerogenes ATCC# 13048
Proteus vulgaris ATCC# 13315
Pseudomonas aeruginosa ATCC# 15442
Mycobacterium bovis (BCG)
A.O.A.C. Tuberculocidal Test
Trichophyton mentagrophytes ATCC# 9533
A.O.A.C. Fungicidal Test
Pasteurella multocida ATCC# 6529
Beta streptococcus, ATCC#19615
Mycoplasma synoviae
Rhodococcus equi, ATCC#6939
Salmonella choleraesuis
Kunzendorf Strain
Taylorella equigenitalis (C.E.M.)
Kentucky Strain 3056

Salmonella enteriditis ATCC# 13076
Aspergillus fumigatus ATCC# 6285
Salmonella choleraesuis ATCC# 10708
Salmonella schottmuelleri ATCC# 8749
Salmonella pullorum ATCC# 19945
Salmonella gallinarum ATCC# 9184
Salmonella typhimurium ATCC# 13311
Salmonella arizonae #7:l, 7,8
Salmonella arizonae PD 36
Escherichia coli ATCC# 11229
Alcaligenes faecalis Strain# 838
Enterococci Group D Species
Mycoplasma gallisepticum
Staphylococcus hyicus
Streptococcus equi, ATCC#39506
Streptococcus suis, Type II
Streptococcus pyogenes, ATCC#19615


*The following Viruses tested in accordance with U.S. Environmental Protection Agency Pesticide Assessment Guidelines on inanimate environmental surfaces. Tested at 1000 ppm water hardness as calcium carbonate and 10% serum (as organic soil):

- Herpes Simplex Type 1
- Avian infectious bronchitis virus
- Transmissible gastroenteritis virus
Purdue Strains, ATCC# VR-763
- Canine parvovirus, Strain CPV MLV (Cornell)
- Parainfluenza virus, Type I,
Sendai Strain ATCC# VR 105
- Avian reovirus
- Porcine rotavirus, ATCC#VR-893
- Avian rotavirus, AVR-1
- Duck enteritis virus (D.V.E.)
- Avian Laryngotracheitis
- Newcastle disease virus
- Avian influenza virus
- Pseudorabies virus, Aujeszky Strain,
ATCC# VR-135
- Mouse hepatitis virus, Strain MHV-A59
ATCC # VR-764
- Avian adenovirus
- Equine herpes virus, ATCC#VR-700
(Equine rhinopneumonitis)
- Equine arteritis, ATCC#VR-796
(Equine viral arteritis)
- Influenza A-2/Hong Kong virus,
ATCC#VR-544
- HIV-1 (AIDS virus)

Hard Surface Mildewcidal Test Method: CSMA method 23 at 1000 ppm water hardness as calcium carbonate and 10% horse serum (as organic soil):

Aspergillus niger ATCC# 6275
(black mold)

Penicillium variable NRRL# 3765
(Green mold)



4 9 17

TEK-TROL
DISINFECTANT - CLEANER CONCENTRATE

STAPHYLOCIDAL PSEUDOMONACIDAL SALMONELLACIDAL
ASPERGILLOCIDAL PARVOCIDAL TUBERCULOCIDAL VIRUCIDAL+
FUNGICIDAL MILDEWCIDAL DEODORANT

ACTIVE INGREDIENTS:

ortho-Phenylphenol	12.0%
ortho-Benzyl-para-chlorophenol	10.0%
para-tertiary-Amylphenol	4.0%

INERT INGREDIENTS:

	74.0%
TOTAL	100.0%

EPA REG. NO. 11725-7

EPA EST. NO. 11725-GA-1

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS:


Hazard to Humans and Domestic Animals

DANGER. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. May be harmful or fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

- If on Skin - Wash with plenty of soap and water. Get medical attention.
- If in Eyes - Hold eyelids open and flush eyes with plenty of water. Get medical attention.
- If Swallowed - Call a physician immediately. Drink large quantities of water. Never give anything by mouth to an unconscious person. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA


CONDUCTIVE

TEK-TROL has been tested by Hood Patterson-Dewar, Electrical Testing Engineers, for its effect on conductive flooring. The method used conforms to the specifications known as NFPA Standard No. 56A, published by the National Fire Protection Association, Second Edition, 1987. TEK-TROL meets the requirement of NFPA 56A.

Manufactured by:



BIO-TEK INDUSTRIES, Inc.
1380 West Marietta Street, N.W., Atlanta, GA 30318, USA
Telephone (404) 799-2050 Telex: 671-2844
FAX: (404) 799-2058



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

HOSPITAL USE DIRECTIONS:

1. To clean, disinfect, and deodorize walls and other non-porous surfaces, use 1/2 oz. of TEK-TROL per gallon of water (1:256). Apply with cloth, sponge, mop, mechanical spray device or foaming apparatus, making sure all surfaces are wetted thoroughly. Allow surface to remain wet for 10 minutes. For heavily soiled areas a preliminary cleaning is required, remove gross soil and proceed per above.
2. When completed rinse with clear water.
3. TEK-TROL is an effective tuberculocide against Mycobacterium bovis in 10 minutes at 20° C when used on hard, non-porous inanimate surfaces. Follow above directions, including removal of gross fifth or heavy soil prior to application of TEK-TROL.
4. KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type I (HIV-I) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use protective equipment such as disposable rubber gloves, gowns, masks or eye coverings.
- CLEANING PROCEDURE: Blood or body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.
- CONTACT TIME: To kill HIV-1 (AIDS virus) a contact time of 10 minutes at room temperature must be allowed.
- DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.


HATCHING EGG SANITIZER:

TEK-TROL is recommended for use as a Hatching Egg Sanitizer, with best results being achieved in water temperatures ranging from 78 F to 110 F. The recommended dilution is 1/2 oz. per gallon of water (1:256), and may be applied through automatic washing systems, immersion tanks, foaming apparatus, low pressure sprayers, and fogging (wet misting) systems.

GENERAL USE DIRECTIONS:

1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, and garbage cans: Remove gross filth and heavy soil with a preliminary cleaning step prior to application of TEK-TROL. Apply solution of 1/2 oz. of TEK-TROL per gallon of water (1:256) with a sponge, mop, mechanical spray device or foaming apparatus making sure that all surfaces are wetted thoroughly. Allow surface to remain wet for 10 minutes. Air dry.
2. To clean and disinfect such articles as combs, brushes, razors, scissors, instruments and rubber goods: All instruments and devices must be thoroughly cleaned to remove excess debris, rinsed and rough dried, including the hollows and lumens, before immersion in solution. Soak for 10 minutes in a solution containing 1/2 oz. TEK-TROL per gallon of water (1:256).
3. To disinfect fabrics such as sheets, linens, aprons and uniforms: First rinse to remove gross filth or heavy soil, then soak for 10 minutes in a solution containing 1/2 oz. of TEK-TROL per gallon of water (1:256).
4. To clean gross filth or heavy soil on surfaces prior to disinfection, use 1/2 oz. of TEK-TROL per gallon of water (1:256).

BIO-TEK INDUSTRIES, INC., recommends the use of the BIO-TEK proportioner to provide the automatic method to obtain the 1/2 oz. per gallon solution (1:256).



**DIRECTIONS FOR USE IN POULTRY HOUSES, FARM PREMISES,
SWINE PRODUCING FACILITIES, EQUINE FACILITIES AND VEAL BARN:**

Do not use in milking stalls, milking parlors, or milk houses.

1. Remove all animals and feed from the premises.
2. Remove all trucks, coops, crates, water troughs and feed racks.
3. Remove all gross soil, litter, manure, droppings from animals and poultry from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals and poultry.
4. Thoroughly clean and saturate all surfaces with a solution of 1/2 oz. of TEK-TROL per gallon of water (1:256). Use high pressure sprayer or apply layer of foam with BIO-TEK foaming apparatus.
5. Allow to remain in contact for at least ten minutes.
6. Immerse halters, ropes and other types of equipment used in handling and restraining animals, forks, shovels, scrapers used for removing litter and manure, in a solution of TEK-TROL at 1/2 oz. per gallon of water (1:256). Allow to remain in contact for 10 minutes.
7. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers, and mangers with a solution of TEK-TROL at 1/2 oz. per gallon of water (1:256). Rinse with potable water before reuse.
8. Ventilate buildings, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set or dried.

STORAGE AND DISPOSAL

Pesticide Disposal -- Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Do not contaminate water, food, or feed by storage or disposal.

Container Disposal -- Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS _____ U.S. GALLONS

9917



United States Environmental Protection Agency Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number	243603
-----------------------	--------

Application for Pesticide - Section I

1. Company/Product Number 11725-7	2. EPA Product Manager Ruth Douglas	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Tek-Trol Disinfectant Cleaner Concentrate	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Bio-Tek Industries, Inc. 1380 West Marietta Street, NW Atlanta, GA 30318 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 11725-7 Product Name TEK-Trol Disinfectant...	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification of label changes in accordance with PR Notice 95-1
Effluent discharge labeling statement for containers with a capacity of greater than 5 gal.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify)		
* Certification must be submitted		If Yes, Unit Packaging wgt. per container	If Yes, Package wgt. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Wendy A. McCombie, Lewis & Pazianos 1338 G Street, SE, WDC 20003	Title Agent for Bio-Tek	Telephone No. (include Area Code) 202-546-8427
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Agent for Bio-Tek	SECTION I - FIFRA USE ONLY
4. Typed Name Wendy A. McCombie	5. Date 8-7-95	

CERTIFICATION OF ACCORDANCE WITH PR NOTICE 95-1


TEK-Trol Cleaner Disinfectant Concentrate
(EPA Reg No. 11725-7)

I certify that this notification is consistent with PR 95-1 and EPA regulations at 40 CFR 152-46 and that no other changes have been made to the labeling of this product. I further understand that if this notification is not consistent with the terms of PR Notice 95-1 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Company Agent: Wendy A. McCombie
Agent for Bio-Tek Industries, Inc.

Signature: *Wendy A. McCombie*

Date: August 7 1995



[Please note: text included in brackets will appear only on those containers with a capacity greater than or equal to five gallons]

TEK-TROL DISINFECTANT CLEANER CONCENTRATE

DESCRIPTION

TEK-TROL is a synthetic detergent with broad spectrum kill of gram positive and gram negative microorganisms, provides effective cleaning and disinfecting in one operation, non-flammable and non-volatile in use dilutions, excellent solubility, dilutes in hot, cold, soft or hard water of up to 1000 ppm water hardness.

The TEK-TROL high foaming detergent system has been especially formulated to provide heavy duty cleaning, wetting and penetration of soils and organic matter and easy rinsing of surfaces. Excellent clinging foam is obtained at 1/2 oz. per gallon of water (1:256) to provide prolonged contact time.


TEK-TROL, at 1/2 oz. per gallon of water (1:256) provides residual control of odor causing bacteria in the presence of moisture.

TEK-TROL is recommended for use when used as directed on ceramic and glazed tile surfaces, stainless steel, aluminum, chrome, galvanized metal, glass, and other non-porous surfaces such as treated wood, polyethylene, polypropylene, PVC (polyvinyl chloride), polystyrene, vinyl, fiberglass, viton, ethylene propylene, nitrile, acrylic, and polyurethane.

TEK-TROL at 1/2 oz. per gallon of water (1:256) is ideally suited for disinfecting and cleaning in all areas of Hospitals, Medical Research Centers, Health Care Facilities, Schools, Animal Care Facilities and Research Centers, Laboratories, Veterinary Facilities, Zoos, Kennels, and Swine Operations. In Food Processing Plants as a floor and wall cleaner - in poultry processing, meat packing plants, frozen food and canning operations, in poultry and turkey barns, Breeder and Laying Operations. Poultry House Grow-out Operations, Hatcheries - in hatchers and setters, evaporative coolers, humidifying systems and ceiling fans, live haul equipment, chick busses, transfer trucks, trays, coop washing, polyethylene chick boxes, foot pans and feed bins. Equine facilities including stables, stalls, breeding and foaling areas and transport vehicles.

TEK-TROL is recommended for use in fogging (wet misting) operations as an adjunct either preceding or following regular cleaning and disinfecting procedures. Use at a dilution of 1/2 oz. per gallon (1:256). Check with a Bio-Tek representative to determine effective fogging schedule for particular use sites. Leave the room when fogging. In well ventilated areas, such as hatcheries, only 10 to 15 minutes is necessary before reentering. If used in a poorly ventilated area, allow at least 2 hours, or air thoroughly, before reentry. Before fogging in food processing areas, all food and food packaging items must be removed or carefully protected. Treated food contact surfaces must be thoroughly scrubbed with TEK-TROL at 1/2 oz. per gallon (1:256) and rinsed with potable water prior to reuse.

Toxicity tests required by the U.S. Environmental Protection Agency for TEK-TROL DISINFECTANT-CLEANER have been done, in conformity with the FDA and EPA Good Laboratory Practice Regulations.



Proven effective as a disinfectant by the following tests: A.O.A.C. (use dilution test method) in conformance with the 14th Edition 1984. All dilutions at 1:256. The following organisms tested at 1000 ppm water hardness as calcium carbonate and 10% horse serum (as organic soil):

- Staphylococcus aureus ATCC# 6538
- Streptococcus pyogenes ATCC# 9342
- Shigella sonnei ATCC# 25931
- Klebsiella pneumoniae ATCC# 4352
- Enterobacter aerogenes ATCC# 13048
- Proteus vulgaris ATCC# 13315
- Pseudomonas aeruginosa ATCC# 15442
- Mycobacterium bovis (BCG)
 - A.O.A.C. Tuberculocidal Test
- Trichophyton mentagrophytes ATCC# 9533
 - A.O.A.C. Fungicidal Test
- Pasteurella multocida ATCC# 6529
- Beta streptococcus, ATCC#19615
- Mycoplasma synoviae
- Rhodococcus equi, ATCC#6939
- Salmonella choleraesuis
 - Kunzendorf Strain
- Taylorella equigenitalis (C.E.M.)
 - Kentucky Strain 3056

- Salmonella enteritidis ATCC# 13076
- Aspergillus fumigatus ATCC# 6285
- Salmonella choleraesuis ATCC# 10708
- Salmonella schottmuelleri ATCC# 8749
- Salmonella pullorum ATCC# 19945
- Salmonella gallinarum ATCC# 9184
- Salmonella typhimurium ATCC# 13311
- Salmonella arizonae #7:1, 7,8
- Salmonella arizonae PD 36
- Escherichia coli ATCC# 11229
- Alcaligenes faecalis Strain# 838
- Enterococci Group D Species
- Mycoplasma gallisepticum
- Staphylococcus hyicus
- Streptococcus equi, ATCC#39506
- Streptococcus suis, Type II
- Streptococcus pyogenes, ATCC#19615


+The following Viruses tested in accordance with U.S. Environmental Protection Agency Pesticide Assessment Guidelines on inanimate environmental surfaces. Tested at 1000 ppm water hardness as calcium carbonate and 10% serum (as organic soil):

- Herpes Simplex Type 1
- Avian infectious bronchitis virus
- Transmissible gastroenteritis virus
 - Purdue Strains, ATCC# VR-763
- Canine parvovirus, Strain CPV MLV (Cornell)
- Parainfluenza virus, Type I,
 - Sendai Strain ATCC# VR 105
- Avian reovirus
- Porcine rotavirus, ATCC#VR-893
- Avian rotavirus, AVR-1
- Duck enteritis virus (D.V.E.)
- Avian Laryngotracheitis
- Newcastle disease virus
- Avian influenza virus
- Pseudorabies virus, Aujeszky Strain,
 - ATCC# VR-135
- Mouse hepatitis virus, Strain MHV-A59
 - ATCC # VR-764
- Avian adenovirus
- Equine herpes virus, ATCC#VR-700
 - (Equine rhinopneumonitis)
- Equine arteritis, ATCC#VR-796
 - (Equine viral arteritis)
- Influenza A-2/Hong Kong virus,
 - ATCC#VR-544
- HIV-1 (AIDS virus)

Hard Surface Mildewcidal Test Method: CSMA method 23 at 1000 ppm water hardness as calcium carbonate and 10% horse serum (as organic soil):

Aspergillus niger ATCC# 6275
(black mold)

Penicillium variable NRRL# 3765
(Green mold)



TEK-TROL
DISINFECTANT - CLEANER CONCENTRATE

STAPHYLOCIDAL PSEUDOMONACIDAL SALMONELLACIDAL
ASPERGILLOCIDAL PARVOCIDAL TUBERCULOCIDAL VIRUCIDAL⁺
FUNGICIDAL MILDEWCIDAL DEODORANT

ACTIVE INGREDIENTS:

ortho-Phenylphenol	12.0%
ortho-Benzyl-para-chlorophenol	10.0%
para-tertiary-Amylphenol	4.0%

INERT INGREDIENTS:

	74.0%
TOTAL	100.0%

EPA REG. NO. 11725-7

EPA EST. NO. 11725-GA-1

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS:


Hazard to Humans and Domestic Animals

DANGER. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. May be harmful or fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

Statement of Practical Treatment

- If on Skin - Wash with plenty of soap and water. Get medical attention.
- If in Eyes - Hold eyelids open and flush eyes with plenty of water. Get medical attention.
- If Swallowed - Call a physician immediately. Drink large quantities of water. Never give anything by mouth to an unconscious person. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA


CONDUCTIVE

TEK-TROL has been tested by Hood Patterson-Dewar, Electrical Testing Engineers, for its effect on conductive flooring. The method used conforms to the specifications known as NFPA Standard No. 56A, published by the National Fire Protection Association, Second Edition, 1987. TEK-TROL meets the requirement of NFPA 56A.

Manufactured by:



BIO-TEK INDUSTRIES, Inc.
1380 West Marietta Street, N.W., Atlanta, GA 30318, USA
Telephone (404) 799-2050 Telex: 671-2844
FAX: (404) 799-2058



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

HOSPITAL USE DIRECTIONS:

1. To clean, disinfect, and deodorize walls and other non-porous surfaces, use 1/2 oz. of TEK-TROL per gallon of water (1:256). Apply with cloth, sponge, mop, mechanical spray device or foaming apparatus, making sure all surfaces are wetted thoroughly. Allow surface to remain wet for 10 minutes. For heavily soiled areas a preliminary cleaning is required, remove gross soil and proceed per above.
2. When completed rinse with clear water.
3. TEK-TROL is an effective tuberculocide against Mycobacterium bovis in 10 minutes at 20° C when used on hard, non-porous inanimate surfaces. Follow above directions, including removal of gross fifth or heavy soil prior to application of TEK-TROL.
4. KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- **PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use protective equipment such as disposable rubber gloves, gowns, masks or eye coverings.
- **CLEANING PROCEDURE:** Blood or body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.
- **CONTACT TIME:** To kill HIV-1 (AIDS virus) a contact time of 10 minutes at room temperature must be allowed.
- **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.




HATCHING EGG SANITIZER:

TEK-TROL is recommended for use as a Hatching Egg Sanitizer, with best results being achieved in water temperatures ranging from 78 F to 110 F. The recommended dilution is 1/2 oz. per gallon of water (1:256), and may be applied through automatic washing systems, immersion tanks, foaming apparatus, low pressure sprayers, and fogging (wet misting) systems.

GENERAL USE DIRECTIONS:

1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, and garbage cans: Remove gross filth and heavy soil with a preliminary cleaning step prior to application of TEK-TROL. Apply solution of 1/2 oz. of TEK-TROL per gallon of water (1:256) with a sponge, mop, mechanical spray device or foaming apparatus making sure that all surfaces are wetted thoroughly. Allow surface to remain wet for 10 minutes. Air dry.
2. To clean and disinfect such articles as combs, brushes, razors, scissors, instruments and rubber goods: All instruments and devices must be thoroughly cleaned to remove excess debris, rinsed and rough dried, including the hollows and lumens, before immersion in solution. Soak for 10 minutes in a solution containing 1/2 oz. TEK-TROL per gallon of water (1:256).
3. To disinfect fabrics such as sheets, linens, aprons and uniforms: First rinse to remove gross filth or heavy soil, then soak for 10 minutes in a solution containing 1/2 oz. of TEK-TROL per gallon of water (1:256).
4. To clean gross filth or heavy soil on surfaces prior to disinfection, use 1/2 oz. of TEK-TROL per gallon of water (1:256).

BIO-TEK INDUSTRIES, INC., recommends the use of the BIO-TEK proportioner to provide the automatic method to obtain the 1/2 oz. per gallon solution (1:256).



**DIRECTIONS FOR USE IN POULTRY HOUSES, FARM PREMISES,
SWINE PRODUCING FACILITIES, EQUINE FACILITIES AND VEAL BARN:**

Do not use in milking stalls, milking parlors, or milk houses.

1. Remove all animals and feed from the premises.
2. Remove all trucks, coops, crates, water troughs and feed racks.
3. Remove all gross soil, litter, manure, droppings from animals and poultry from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals and poultry.
4. Thoroughly clean and saturate all surfaces with a solution of 1/2 oz. of TEK-TROL per gallon of water (1:256). Use high pressure sprayer or apply layer of foam with BIO-TEK foaming apparatus.
5. Allow to remain in contact for at least ten minutes.
6. Immerse halters, ropes and other types of equipment used in handling and restraining animals, forks, shovels, scrapers used for removing litter and manure, in a solution of TEK-TROL at 1/2 oz. per gallon of water (1:256). Allow to remain in contact for 10 minutes.
7. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers, and mangers with a solution of TEK-TROL at 1/2 oz. per gallon of water (1:256). Rinse with potable water before reuse.
8. Ventilate buildings, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set or dried.

STORAGE AND DISPOSAL

Pesticide Disposal -- Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Do not contaminate water, food, or feed by storage or disposal.

Container Disposal -- Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NET CONTENTS _____

U.S. GALLONS _____