Form Approved. OMB No. 2070-0060. OPP Identifier Number Registration EDUCTION ACT NOTICE LESISTED STIONS **Environmental Protection Agency** Amendment 243632 ES.O aperave of batachies at non-Washington, DC 20460, per natural polynomer short Other noishthan announced to make the control to the Application for Pesticide - Section I 2. EPA Product Manager 3. Proposed Classification Company/Product Number 11725 - 7Ruth Douglas Restricted 4. Company/Product (Name) PM# TEK-TROL Disinfectant Cleaner Concentrate 32 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) Bio-Tek Industries, Inc. (b)(i), my product is similar or identical in composition and labeling 1380 West Marietta Street, NW Atlanta, GA 30318 11725-7 EPA Reg. No. TEK-TROL Disinfectant-Cleaner Conc Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in response to " Agency letter dated Resubmission in response to Agency letter dated the second restricted to the department of the part of the part of the second s "Me Too" Application. Bigging College College Notification - Explain below: HER HOUSE REAL REPORTS Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of minor changes in label language as per 95-2. Notification is consistent with PR Notice 95-2 (See attached statement). Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes\* Yes with a mestal week of the Yes अन्य स्थानक अनुसर्थ अनुसर्थ । Plastic No the secondary my seekers No Glass This - which will be in the winter If "Yes" 101 16012 6: Not per one Unit Packaging wgt och container som raper or reserve escrete if "Yes" ഗുടഞ്ഞ aNo. perഈവിക്ക Package wgt പ്രപ്രവേദങ്ങള് മ \* Certification must be submitted . 650 is, but nonething this to suites. not exeduce. The product must be arrest if and the Last 5. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) Retail Container ther eigen and letters of performic secondarials to the long on Label actions and the MCT Label willedat be Container warmen's ed Principling touborg gnitynagmocoa gniledal no: 😘 🏂 🙀 , y letter, for notificadons to the Agenov, for Other 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled is a making and as making allow regard a primitive as the stack and provide the direction of 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Wendy A. McCombie, Lewis & Pazianos Title Telephone No. (Include Area Code) 1338 G St., SE Washington, DC: 20003; of an Agent of or Bio Tek, is worked anomaly 202-546-8427 - 202 to agy r 6. Date Application Certification or equipment in which product will be monotoned by Received a natisco. I certify that the statements I have made on this form and all attachments thereto are true, accurate and completezi I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or aga-(Stamped) u - फ्रेसेंटबार तील डिट्डाविक की क्षेत्र से सटकारण की प्रवाद है. उर्वपदर्रेत both under applicable law. sheat where is the first 2. Signature 21/ Agent for Bio-Tek Industries, Inc. .o. ant hier 4 se 5. Date 4. Typed Name 1-5. Self-explant of 1-5-96 PATE Wendy A. McCombie EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolute. White - EPA File Copy (original) Yellow - Applicant Copy



1338 G Street S.E. Washington, D.C. 20003 telephone 202.546.8427 fax 202.546.8424

Consultants In Government Affairs

TEK-TROL Disinfectant Cleaner Concentrate (EPA Reg. No. 11725-7) Bio-Tek Industries, Inc.

# Notification of Minor Change in Label Language as per PR Notice 95-2:

This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Wendy A. McCombie

Agent for Bio-Tek Industries, Inc.

Date

## TEK-TROL DISINFECTANT CLEANER CONCENTRATE

#### DESCRIPTION

TEK-TROL is a synthetic detergent with broad spectrum kill of gram positive and gram negative microorganisms, provides effective cleaning and disinfecting in one operation, non-flammable and non-volatile in use dilutions, excellent solubility, dilutes in hot, cold, soft or hard water of up to 1000 ppm water hardness.

The TEK-TROL high foaming detergent system has been especially formulated to provide heavy duty cleaning, wetting and penetration of soils and organic matter and easy rinsing of surfaces. Excellent clinging foam is obtained at 1/2 oz. per gallon of water (I:256) to provide prolonged contact time.


TEK-TROL, at 1/2 oz. per gallon of water (1:256) provides residual control of odor causing bacteria in the presence of moisture.

TEK-TROL is recommended for use when used as directed on ceramic and glazed tile surfaces, stainless steel, aluminum, chrome, galvanized metal, glass, and other non-porous surfaces such as treated wood, polyethylene, polypropylene, PVC (polyvinyl chloride), polystyrene, vinyl, fiberglass, viton, ethylene propylene, nitrile, acrylic, and polyurethane.

TEK-TROL at 1/2 oz. per gallon of water (1:256) is ideally suited for disinfecting and cleaning all environmental surfaces in Hospitals, Medical Research Centers, Health Care Facilities, Schools, Animal Care Facilities and Research Centers, Laboratories, Veterinary Facilities, Zoos, Kennels, and Swine Operations. In Food Processing Plants as a floor and wall cleaner - in poultry processing, meat packing plants, frozen food and canning operations, in poultry and turkey barns, Breeder and Laying Operations. Poultry House Grow-out Operations, Hatcheries - in hatchers and setters, evaporative coolers, humidifying systems and ceiling fans, live haul equipment, chick busses, transfer trucks, trays, coop washing, polyethylene chick boxes, foot pans and feed bins. Equine facilities including stables, stalls, breeding and foaling areas and transport vehicles.

TEK-TROL is recommended for use in fogging (wet misting) operations as an adjunct either preceding or following regular cleaning and disinfecting procedures. Use at a dilution of 1/2 oz. per gallon (1:256). Check with a Bio-Tek representative to determine effective fogging schedule for particular use sites. Leave the room when fogging. In well ventilated areas, such as hatcheries, only 10 to 15 minutes is necessary before reentering. If used in a poorly ventilated area, allow at least 2 hours, or air thoroughly, before reentry. Before fogging in food processing areas, all food and food packaging items must be removed or carefully protected. Treated food contact surfaces must be thoroughly scrubbed with TEK-TROL at 1/2 oz. per gallon (1:256) and rinsed with potable water prior to reuse.

Toxicity tests required by the U.S. Environmental Protection Agency for TEK-TROL DISINFECTANT-CLEANER have been done, in conformity with the FDA and EPA Good Laboratory Practice Regulations.



Proven effective as a disinfectant by the following tests: A.O.A.C. (use dilution test method) in conformance with the l4th Edition I984. All dilutions at 1:256. The following organisms tested at 1000 ppm water hardness as calcium carbonate and 10% horse serum (as organic soil):

Staphylococcus aureus ATCC# 6538 Streptococcus pyogenes ATCC# 9342 Shigella sonnei ATCC# 25931 Klebsiella pneumoniae ATCC# 4352 Enterobacter aerogenes ATCC# 13048 Proteus vulgaris ATCC# 13315 Pseudomonas aeruginosa ATCC# I5442 Mycobacterium bovis (BCG) A.O.A.C. Tuberculocidal Test Trichophyton mentagrophytes ATCC# 9533 A.O.A.C. Fungicidal Test Pasteurella multocida ATCC# 6529 Beta streptococcus, ATCC#19615 Mycoplasma synoviae Rhodococcus equi, ATCC#6939 Salmonella choleraesuis Kunzendorf Strain Taylorella equigenitalis (C.E.M.) Kentucky Strain 3056

Salmonella enteriditis ATCC# 13076 Aspergillus fumigatus ATCC# 6285 Salmonella choleraesuis ATCC# 10708 Salmonella schottmuelleri ATCC# 8749 Salmonella pullorum ATCC# 19945 Salmonella gallinarum ATCC# 9184 Salmonella typhimurium ATCC# 13311 Salmonella arizonae #7:1, 7,8 Salmonella arizonae PD 36 Escherichia coli ATCC# 11229 Alcaligenes faecalis Strain# 838 Enterococci Group D Species Mycoplasma gallisepticum Staphylococcus hyicus Streptococcus equi, ATCC#39506 Streptococcus suis, Type II Streptococcus pyogenes, ATCC#19615

<sup>†</sup>The following Viruses tested in accordance with U.S. Environmental Protection Agency Pesticide Assessment Guidelines on inanimate environmental surfaces. Tested at 1000 ppm water hardness as calcium carbonate and 10% serum (as organic soil):

- -- Herpes Simplex Type 1
- -- Avian infectious bronchitis virus
- -- Transmissible gastroenteritis virus Purdue Strains, ATCC# VR-763
- -- Canine parvovirus, Strain CPV MLV (Cornell)
- -- Parainfluenza virus, Type I, Sendai Strain ATCC# VR 105
- -- Avian reovirus
- -- Porcine rotavirus, ATCC#VR-893
- -- Avian rotavirus, AVR-1
- -- Duck enteritis virus (D.V.E.)
- Avian Laryngotracheitis

- -- Newcastle disease virus
- -- Avian influenza virus
- -- Pseudorabies virus, Aujeszky Strain, ATCC# VR-135
  - -- Mouse hepatitis virus, Strain MHV-A59 ATCC # VR-764
- -- Avian adenovirus
- -- Equine herpes virus, ATCC#VR-700 (Equine rhinopneumonitis)
- -- Equine arteritis, ATCC#VR-796 (Equine viral arteritis)
- -- Influenza A-2/Hong Kong virus, ATCC#VR-544
- -- HIV-1 (AIDS virus)

Hard Surface Mildewcidal Test Method: CSMA method 23 at 1000 ppm water hardness as calcium carbonate and 10% horse serum (as organic soil):

Aspergillus niger ATCC# 6275 (black mold)

Penicillum variable NRRL# 3765 (Green mold)



# TEK-TROL DISINFECTANT - CLEANER CONCENTRATE

# STAPHYLOCIDAL PSEUDOMONACIDAL SALMONELLACIDAL ASPERGILLOCIDAL PARVOCIDAL TUBERCULOCIDAL VIRUCIDAL FUNGICIDAL MILDEWCIDAL DEODORANT

# **ACTIVE INGREDIENTS:**

ortho-Phenylphenol 12.0% ortho-Benzyl-para-chlorophenol 10.0% para-tertiary-Amylphenol 4.0%

**INERT INGREDIENTS:** 

74.0%

TOTAL

100.0%

EPA REG. NO. 11725-7

EPA EST. NO. 11725-GA-1

### KEEP OUT OF REACH OF CHILDREN

# DANGER PRECAUTIONARY STATEMENTS:

Hazard to Humans and Domestic Animals

DANGER. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. May be harmful or fatal if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

### Statement of Practical Treatment

If on Skin -

Wash with plenty of soap and water. Get medical attention.

If in Eyes -

Hold eyelids open and flush eyes with plenty of water. Get medical attention.

If Swallowed - Call a

Call a physician immediately. Drink large quantities of water. Never give

anything by mouth to an unconscious person. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed...



# CONDUCTIVE

TEK-TROL has been tested by Hood Patterson-Dewar, Electrical Testing Engineers, for its effect on conductive flooring. The method used conforms to the specifications known as NFPA Standard No. 56A, published by the National Fire Protection Association, Second Edition, 1987. TEK-TROL meets the requirement of NFPA 56A.

Manufactured by:


LOGO

BIO-TEK INDUSTRIES, Inc.

1380 West Marietta Street, N.W., Atlanta, GA 30318, USA

Telephone (404) 799-2050 Telex: 67I-2844

FAX: (404) 799-2058



#### DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **HOSPITAL USE DIRECTIONS:**

- To clean, disinfect, and deodorize walls and other non-porous environmental surfaces, use 1/2 oz. of TEK-TROL per gallon of water (1:256). Apply with cloth, sponge, mop, mechanical spray device or foaming apparatus, making sure all surfaces are wetted thoroughly. Allow surface to remain wet for 10 minutes. For heavily soiled areas a preliminary cleaning is required, remove gross soil and proceed per above.
- 2. When completed rinse with clear water.
- 3. TEK-TROL is an effective tuberculocide against Mycobacterium bovis in 10 minutes at 20° C when used on hard, non-porous inanimate surfaces. Follow above directions, including removal of gross fifth or heavy soil prior to application of TEK-TROL.
- 4. KILLS HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate environmental surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type I (HIV-I) (associated with AIDS).

# SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

- PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use protective equipment such as disposable rubber gloves, gowns, masks or eye coverings.
- CLEANING PROCEDURE: Blood or body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.
- CONTACT TIME: To kill HIV-1 (AIDS virus) a contact time of 10 minutes at room temperature must be allowed.
- DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.




#### HATCHING EGG SANITIZER:

TEK-TROL is recommended for use as a Hatching Egg Sanitizer, with best results being achieved in water temperatures ranging from 78 F to 110 F. The recommended dilution is 1/2 oz. per gallon of water (1:256), and may be applied through automatic washing systems, immersion tanks, foaming apparatus, low pressure sprayers, and fogging (wet misting) systems.

### **GENERAL USE DIRECTIONS:**

- To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, and garbage cans: Remove gross filth and heavy soil with a preliminary cleaning step prior to application of TEK-TROL. Apply solution of 1/2 oz. of TEK-TROL per gallon of water (1:256) with a sponge, mop, mechanical spray device or foaming apparatus making sure that all surfaces are wetted thoroughly. Allow surface to remain wet for 10 minutes. Air dry.
- 2. To clean and disinfect such articles as combs, brushes, razors, scissors, and rubber goods: Wipe articles clean and soak for 10 minutes in a solution containing 1/2 oz. TEK-TROL per gallon of water (1:256).
- To disinfect fabrics such as sheets, linens, aprons and uniforms: First rinse to remove gross filth or heavy soil, then soak for 10 minutes in a solution containing 1/2 oz. of TEK-TROL per gallon of water (1:256).
- 4. To clean gross filth or heavy soil on environmental surfaces prior to disinfection, use 1/2 oz. of TEK-TROL per gallon of water (1:256).

BIO-TEK INDUSTRIES, INC., recommends the use of the BIO-TEK proportioner to provide the automatic method to obtain the 1/2 oz. per gallon solution (1:256).



# DIRECTIONS FOR USE IN POULTRY HOUSES, FARM PREMISES, SWINE PRODUCING FACILITIES, EQUINE FACILITIES AND VEAL BARNS:

Do not use in milking stalls, milking parlors, or milk houses.

- 1. Remove all animals and feed from the premises.
- Remove all trucks, coops, crates, water troughs and feed racks.
- 3. Remove all gross soil, litter, manure, droppings from animals and poultry from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by animals and poultry.
- 4. Thoroughly clean and saturate all surfaces with a solution of 1/2 oz. of TEK-TROL per gallon of water (1:256). Use high pressure sprayer or apply layer of foam with BIO-TEK foaming apparatus.
- 5. Allow to remain in contact for at least ten minutes.
- 6. Immerse halters, ropes and other types of equipment used in handling and restraining animals, forks, shovels, scrapers used for removing litter and manure, in a solution of TEK-TROL at 1/2 oz. per gallon of water (1:256). Allow to remain in contact for 10 minutes.
- 7. Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers, and mangers with a solution of TEK-TROL at 1/2 oz. per gallon of water (1:256). Rinse with potable water before reuse.
- 8. Ventilate buildings, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set or dried.

### STORAGE AND DISPOSAL

Pesticide Disposal -- Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Do not contaminate water, food, or feed by storage or disposal.

Container	Disposal	Triple	rinse	(or e	equivalent).	Then	offer	for	recycling	or	recondition	ning	g, or
	puncture	e and	dispos	e of	in a sanita	ry lan	dfill, o	r inc	ineration	or i	if allowed	by s	tate
	and loca	al auth	orities,	by b	ourning. If bu	urned,	stay o	out c	of smoke.		•	••••	•

	•••••
NET CONTENTS	U.S. GALLONS •
	••••
	••••

