| ACTIVE INGREDIENT:<br>Potassium dimethyldithiocarbamate<br>Potassium dimethyldithiocarbamate<br>INGREDIENTS<br>Potassium dimethyldithiocarbamate<br>INGREDIENTS<br>Potassium dimethyldithiocarbamate<br>INGREDIENTS<br>Potassium dimethyldithiocarbamate<br>INGREDIENTS<br>No. 1/238-20<br>18.6%<br>83.4%<br>This product contains 1.48 lb. of active ingredient per gallon and weighs 8.93<br>lb. per gallon.   | DIRECTIONS FOR USE<br>GENERAL CLASSIFICATION   It is a violation of Federal law to use this product in a manner inconsistent with<br>its labeling.   Kemcide-6 is used in cooling water systems and industrial air-washing systems to con-<br>irol microbiological slime. In cooling systems, add 3 4 to 10.3 ft. oz. of Kemcide-6 per 1000<br>gal. of water to the cooling tower sump. In air-washing systems, add 12 to 20.5 ft. oz. of<br>Kemcide-6 per 1000 gal. of water to water-collection trays. Repeat treatments every 1-5<br>days, or as needed. The required frequency depends on relative amount of bleed and<br>severity of slime problem.   STORAGE AND DISPOSAL   PROHIBITIONS: Do not contaminate water, food, or feed by storage or   |
|--|---|
| WARNING  | disposal. Open dumping is prohibited.<br>PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate that cannot be<br>used or chemically reprocessed should be disposed of in a landfill approved for<br>pesticides, or buried in a safe place away from water supplies.  |
| KEEP OUT OF REACH OF CHILDREN   PRECAUTIONARY STATEMENTS   HAZARDS TO HUMANS AND DOMESTIC ANIMALS   WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear gog gles or face shield and rubber gloves when handling. Wash thoroughly after handling.   STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, cell a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's rongue. Ernetigs, such as 2 teaspoonsful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry nusterd in warn water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites flour and water, or other nonoily | CONTAINER DISPOSAL:<br>METAL: Triple rinse (or equivalent) and offer for recycling, reconditioning, or<br>disposal in an approved landfill or bury in a safe place. Containers over 30<br>gallons should be resealed before offering for reconditioning.<br>PLASTIC: Containers under 30 gallons must not be reused but should be triple<br>rinsed and disposed of in an inclinerator or landfill approved for pesticide con-<br>tainers or buried in a safe place. Containers over 30 gallons are to be resealed<br>and offered for reconditioning or triple rinsed (or equivalent) and offered for<br>recycling, reconditioning, or disposal in an approved landfill or buried in a safe<br>place.<br>GENERAL: Consult Federal, State, or Local disposal authorities for approved<br>alternative procedures<br>Manufactured by:<br>Chemical Water Treating Engineers, Inc.<br>4024 Worth Street |
| demulcont. Never induce vomiting or give anything by mouth to an unconscious person.<br>Note to physician. Probable mucosal hamage may contraindicate gastric lavage.<br>ENVIRONMENTAL HAZANDS: This pesticide is toxic to fish. Do not discharge into lakas sciences, ponds or public waters unlets in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA  | 4024 Worth Street<br>Dallas, TX 75246<br>EPA REGINOLITIZES EPA ESTING.<br>NET CONTENTS  |

,

•

.

Ξ,

ŧ.

...

×\*,

• 1

 $\mathbf{C}$ 

4

يەر م يەر م ور

.

.;

11

0 د

1

Į.

¢٠

**a** 1

17

;

.