14

DIRECTIONS FOR USE:

is a violation of Federal Law to use this product in a manner inconsistent with its labeling. 0


For Dairy use in sanitizing dairy equipment, utensils, milk cans, and cow ud-ders, use 3 oz. DAIRY-SAN per 3½ gallons of water (200 ppm available Chlor-ine). DAIRY-SAN is used in the same amount added to scrub water to deodorize and sanitize floors; a final mopping of 1½ oz. per 3½ gallons of water (100 ppm available Chlorine) will disinfect, and need not be rinsed with water.

<u>SPRAY METHOD</u>: After cleaning equipment, use 5 oz. DAIRY SAN to each 4 gallons of water (300 ppm available Chlorine) for general sanitizing. Allow solution to remain on surfaces for at least 10 minutes; where required by local regulations, follow with potable water rinse.

RINSE METHOD. After cleaning equipment, post looz. DAIBY-SAN to each 3½ gellons of water (100 perm available Chloring); potable water rinse is not required at this concentration. Solution should be tested during use to assure. available Chlorine does not drop below 50 pl

1 st 1.5. Net Contents

рп	11741-12
	FEB 2 7 1981
	Under the Following of the
	Tunnicide and 1° 1 publications as amended, for this per wills registered under



56

3200

PHONE [414] 637-6133 RACINE

"DAIRY-SAN

SANITIZER, CLEANER and STAIN REMOVER

for Dairy and Food Processing Plant Use

EPA EST No. 11741-Wi-1 EPA REG No. 11741-12


Sodium Hypochlorite 3.25 Sodium Phosphate expressed as NA3PO4 - 12 H20 91.75% Inert Ingredients: Total 5.00% 100.00%

3.25%

Active Ingredients:

3.09% **Available Chlorine** DANGER: May cause burns to eyes. See first aid statement and additional precautions on right side of panel.

KEEP OUT OF REACH OF CHILDREN



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CANGER: Corrosive and alkaline. Cause e e damage and skin irritation. Do not get in eyes, on skin, or on clothing. Leir goggles, poveralls, and rubber nct get in eyes, on skin, or on clothing. Leir goggles, coveralls, and rubber gloves and boots when handling. Harmful wswallowed. Avoid breathing dust. Use only with adequate ventilation.

FIRST AID [Practical Treatment]:

.

If on Skin: Flush skin with cold water for at least 15 minutes. Call a physician.

if in Eyes: Flush with cold water for at least 15 minutes. Call physician. If Swallowed: Give large amounts of water. Do not induce vomiting. Call phýsician.

If Inhaled: Remove to fresh air. Call a physician.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

STORAGE AND DISPOSAL

Store in cool dry area. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Pesticide, spray mixture or rinsate that cannot be used, or chemically reprocessed should be disposed of in a landfill approved for pesticides After rifising, dispose of containers in an incinerator or landfill approved for pesticide containers. Consult the appropriate federal, state and local regulatory agencies for approved alternative procedures.

SPILL OR LEAK: Wear NIOSH/MSHA approved dust/citionine respirator. Follow OSHA regulations for respirator use (sec. 29 CFR 1010.134). Wear goggles, coveralls and rubber gloves and boots. Shovel or sweep up and place in an approved DOT container and seal.