

2m 2-11741-12

APR 27 1990

D.W. Davies & Co., Inc.
3200 Phillips Avenue
P.O. Box 1497
Racine, WI 53401

Attn: Jeff Kraschnewski

Subject: Product Name: Dairy-San
EPA Reg. No.: 11741-12
Amendment of: March 5, 1990

We have received your amendment of March 15, 1990 requesting a product name change name from "DAIRY-SAN" to "SAN-O-KLEEN No. 400". The new name is acceptable and has become a part of the records for this registration.

A stamped copy is enclosed for your records. Five copies of the finished labeling must be submitted before you release the product for shipment.

Sincerely yours,



Walter C. Francis
Acting Product Manager (32)
Antimicrobial Program Branch
Registration Division (H7505C)

58592:I:Pringle:K-9:KENCO:4/25/90:5/25/90:dg:sw:vo:dd:dg

CONCURRENCES

SYMBOL	H7505C						
SURNAME	Pringle						
DATE	4/26						

DAVIES

"SAN-O-KLEEN"

No. 400

ACCEPTED
with COMMENTS
EPA. Letter Dated:

SANITIZER, CLEANER and STAIN REMOVER

APR 27 1980 for Dairy and Food Processing Plant Use

the Federal Insecticide,
FIFRA Act No. 11741-Wi-1
icide, and Rodenticide Act
amended, for the pesticide
registered under EPA Reg. No. 11741-12

Active Ingredients:

Sodium Hypochlorite.....	3.25%
Sodium Phosphate expressed as $Na_3PO_4 \cdot 12 H_2O$	91.75%
Inert Ingredients	5.00%
Total	100.00%

Available Chlorine..... 3.00%

DANGER: May cause burns to eyes. See first aid statement and additional precautions on right side of panel.

KEEP OUT OF REACH OF CHILDREN



D.W. DAVIES & CO., INC.

3200 PHILLIPS AVE. PHONE (414) 637-6133 RACINE, WI. 53403

DAVIES

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive and alkaline. Causes eye damage if not get in eyes, on skin, or on clothing. Wear goggles, gloves and boots when handling. Harmful if swallowed. Use only with adequate ventilation.

FIRST AID (Practical Treatment).

If on Skin: Flush skin with cold water for at least 15 minutes.

If in Eyes: Flush with cold water for at least 15 minutes.

If Swallowed: Give large amounts of water. Do not induce vomiting. Call a physician.

If Inhaled: Remove to fresh air. Call a physician.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, birds, and aquatic life. Do not apply to lakes, streams, ponds, or public waters unless you have an NPDES Permit. For guidance contact the regional office.

STORAGE AND DISPOSAL

Store in cool dry area. Do not contaminate water, soil, or food. Do not reuse for disposal. Open dumping is prohibited. Do not reuse pesticide, spray mixture or rinsate that cannot be used. Rinsate should be disposed of in a landfill approved for pesticide disposal. Containers should be disposed of in an incinerator or landfill approved for pesticide disposal. Consult the appropriate federal, state and local authorities for approved alternative procedures.

SPILL OR LEAK: Wear NIOSH/MSHA approved dust respirator and low OSHA regulations for respirator use (sec. 29 CFR 1910.134). Wear goggles, coveralls and rubber gloves and boots. Show spill to an approved DOT container and seal.

BEST AVAILABLE COPY

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Prior to sanitizing, remove gross food particles and soil by a pre-flush, or pre-scrape, and, if necessary, a pre-soak treatment. Clean surfaces thoroughly with "DC-99" solution, and rinse completely with potable water before application of "SAN-O-KLEEN 400" sanitizing solution. Contact time of sanitizing solution must be at least two (2) minutes on surfaces; then drain the solution and allow to air dry. Do not re-use "SAN-O-KLEEN 400" solutions for sanitizing mechanical operations. Prepare fresh sanitizing solution at least daily or more often if solution becomes diluted or soiled. "SAN-O-KLEEN 400" solution should be tested during use, to assure available chlorine does not drop below 100 ppm.

For Dairy use in sanitizing dairy equipment, utensils, milk can, and cow udders, use 3 oz. "SAN-O-KLEEN 400" per 3½ gallons of water (200 ppm available Chlorine). "SAN-O-KLEEN 400" is used in the same amount added to scrub water to deodorize and sanitize floors.

SPRAY METHOD: After cleaning equipment, use 3 oz. "SAN-O-KLEEN 400" to each 3½ gallons of water (200 ppm available Chlorine) for general sanitizing.

RINSE METHOD: After cleaning equipment, use 3 oz. "SAN-O-KLEEN 400" to each 3½ gallons of water (200 ppm available Chlorine).

Net Contents _____

BEST AVAILABLE COPY