FRONT PANEL

Provided. Registrant claims to be in accordance with massistration of Provided Product Guidence for Please 2. 13/14/2006. Page 2.12, Addition to their Change in Childs.

DAVIS

KILL-A-BUG II

For

Pest Control

Ready To Use Insecticide

Kills Roaches (Waterbugs), Spiders, Ants, Earwigs, Silverfish, Brown Dog Ticks, Crickets and Fleas (Outdoors)

ACTIVE INGREDIENTS:

Contains aromatic petroleum distillate.

Keep Out of Reach of Children

CAUTION

See back panel for additional precautionary statements.

LOUISIANA CHEMICAL USA, INC. 6155 Evangeline Street Baton Rouge, LA 70815

EPA Reg. No. 11746-4

EPA Est. 11746-LA-1

NET CONTENTS: 64 OZS.

BACK PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with lits labeling.

KILLS EVEN DIAZINON-RESISTANT ROACHES -- For use indoors or outdoors. Application: Spray infested surfaces only until met.

For use as a spot treatment only; do not use as a space spray. Do not use in food areas of food handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after canning or bottling).

NON-FOOD AREAS: SPOT TREATMENT: As a spot treatment apply this product as a coarse low pressure fan spray to floor surface areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas, and similar areas where cockroaches, ants, spiders and silverfish hide.

Indoor Domestic Use: Do not spray in the immediate are when others are present. After application open windows and/or doors to provide adequate fresh air ventilation to the room(s). Remove clothing after spraying and launder before reuse.

ROACHES, ANTS, WATERBUGS, SILVERFISH, SPIDERS, CRICKETS, EARWIGS: Spray until met, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, ant trails and other localized areas infested with insects. For treatment around window frames and door frames, where ants enter. Repeat as necessary.

BROWN DOG TICKS: Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters or pets and localized areas of floors and floor coverings. Repeat as necessary. Bedding should be replaced in animal quarters after treatment. Do not treat animals with this product.

ANTS, BROWN DOG TICKS AND FLEAS -- OUTDOORS: For treatment of localized infestations of insects of outdoor areas spray infested areas, including spraying of needs and bushy non-crop areas around the home. For ants, wet hills and runways. Repeated as necessary. This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Outdoor Domestic Use: Wear a long sleeve shirt and long legged pants. (Spray with the wind to your back. Do not spray on windy days (wind speed is greater than 10 miles per hour). Remove clothing after spraying and launder before reuse. If clothing becomes wet from spray, stop spraying, immediately remove clothes and shower with scap and water. Do not allow children or pets onto a treated area until the spray has oried.

BACK PANEL - Continued

STORAGE: Store in original closed container in a cool, dry place (preferably locked) inaccessible to children or pets. DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly after handling and before eating or smoking. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician. Do not replace dishes and food until spray is dried. For use as a spot treatment only; do not use as a space spray.

Statement of Practical Treatment

If Smallowed: Immediately call a physician or poison control center. DO NOT INDUCE VONITING unless under direct medical supervision. Gastric lavage is indicated if materials was taken internally. Vomiting may cause aspiration hazard. If Inhaled: Remove affected person to fresh air and apply artificial respiration if indicated. Contact a physician if warranted. If In Eyes: Immediately flush eyes with plenty of water. Contact a physician if irritation persists. If On Skin: Remove contaminated clothing and wash affected skin with soap and water. Contact a physician if irritation persists. Wash clothing prior to reuse.

Environmental Hazards

This pesticide is highly toxic to birds, fish and wildlife including waterfowl. Birds and waterfowl feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product in Nassau County, NY between 11/1 and 5/20. Do not exceed maximum permitted label rates. Rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. Where irrigation (water) is recommended apply a minimum of 0.25 inch of water immediately after application. Stop irrigation before puddling "occurs." Keep out of lakes, streams, ponds, tidal marshes and estuaries (except for effluence from treated watercress beds). Do not apply to water that will be used for recreational purpose and human and livestock consumption. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important resources.

This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to 'blooming crops or weeds if bees are visiting the treatment area.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NOTICE: Seller makes no warranty, expressed or implied concerning the use of this product other than indicated on label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

.